

TABEL NOMINAL CU CANDIDATII INSCRISI - MATEMATICA-INFORMATICA

Nr	Legitim.	Optiuni	Note	Medie	Admis la	Obs.	S
1	MILZ000001	MI, \$MI, INFO, \$INFO, IA, \$IA	MBAC=7.65, MAXBAC=8.10, ALTBAC=0.00, TipBAC=8.00	7.58			1
2	MILZ000001	IA, \$IA, INFO, \$INFO	MBAC=9.26, MAXBAC=9.80, ALTBAC=8.95, TipBAC=9.00	9.42	\$IA		2
3	MILZ000002	INFO, \$INFO, IA, \$IA	MBAC=8.06, MAXBAC=9.00, ALTBAC=0.00, TipBAC=8.00	8.32	\$INFO		2
4	MILZ000002	IA, INFO, \$IA, \$INFO	MBAC=9.23, MAXBAC=9.90, ALTBAC=9.45, TipBAC=10.00	9.73			1
5	MILZ000003	INFO, \$INFO, IA	MBAC=9.61, MAXBAC=9.90, ALTBAC=9.85, TipBAC=10.00	9.82			1
6	MILZ000003	INFO, \$INFO, IA, \$IA, MI, \$MI	MBAC=6.25, MAXBAC=6.40, ALTBAC=0.00, TipBAC=8.00	6.04			2
7	MILZ000004	IA, \$IA, INFO, \$INFO, MI, \$MI	MBAC=6.36, MAXBAC=5.85, ALTBAC=0.00, TipBAC=9.00	5.82			2
8	MILZ000004	INFO, IA, \$INFO, \$IA	MBAC=9.10, MAXBAC=9.50, ALTBAC=0.00, TipBAC=10.00	9.40	INFO		1
9	MILZ000005	INFO, \$INFO, IA	MBAC=9.11, MAXBAC=9.45, ALTBAC=9.30, TipBAC=9.00	9.13	\$INFO		1
10	MILZ000005	MI, \$MI, INFO, \$INFO, \$IA, IA	MBAC=8.00, MAXBAC=9.45, ALTBAC=0.00, TipBAC=8.00	8.63	\$MI		2
11	MILZ000006	\$IA, \$INFO	MBAC=8.96, MAXBAC=9.00, ALTBAC=0.00, TipBAC=10.00	8.99			2
12	MILZ000006	INFO, \$INFO, IA, \$IA	MBAC=9.63, MAXBAC=9.75, ALTBAC=9.60, TipBAC=10.00	9.72			1
13	MILZ000007	IA, \$IA, INFO, \$INFO	MBAC=7.40, MAXBAC=7.25, ALTBAC=7.20, TipBAC=10.00	7.28			1
14	MILZ000007	INFO, \$INFO, MI, \$MI, IA, \$IA	MBAC=8.38, MAXBAC=9.70, ALTBAC=8.15, TipBAC=10.00	9.36	\$INFO		2
15	MILZ000008	INFO, IA, MI	MBAC=9.76, MAXBAC=9.90, ALTBAC=9.60, TipBAC=10.00	9.86			1
16	MILZ000009	INFO	MBAC=8.73, MAXBAC=9.60, ALTBAC=8.10, TipBAC=10.00	9.38			1
17	MILZ000009	IA, \$IA, INFO, MI, \$INFO, \$MI	MBAC=8.83, MAXBAC=9.80, ALTBAC=8.45, TipBAC=10.00	9.55	\$IA		2
18	MILZ000010	INFO, \$INFO, MI, \$MI, IA, \$IA	MBAC=9.53, MAXBAC=9.85, ALTBAC=0.00, TipBAC=8.00	9.28			2
19	MILZ000010	MI, INFO, IA, \$MI, \$INFO, \$IA	MBAC=8.70, MAXBAC=9.80, ALTBAC=0.00, TipBAC=9.00	9.28			1
20	MILZ000011	INFO, IA, \$INFO, \$IA	MBAC=8.16, MAXBAC=7.65, ALTBAC=0.00, TipBAC=10.00	7.77			1
21	MILZ000011	MI, \$MI, INFO, \$INFO, IA, \$IA	MBAC=7.45, MAXBAC=7.75, ALTBAC=0.00, TipBAC=10.00	7.67			2
22	MILZ000012	IA, \$IA	MBAC=9.76, MAXBAC=10.00, ALTBAC=10.00, TipBAC=10.00	9.94	IA		2
23	MILZ000012	INFO, \$INFO, IA, \$IA, MI, \$MI	MBAC=8.96, MAXBAC=9.75, ALTBAC=8.75, TipBAC=9.00	9.31			1
24	MILZ000013	IA, \$IA, INFO, \$INFO	MBAC=8.88, MAXBAC=9.60, ALTBAC=0.00, TipBAC=8.00	8.94			1
25	MILZ000013	\$INFO, \$MI, \$IA	MBAC=7.91, MAXBAC=8.70, ALTBAC=7.50, TipBAC=10.00	8.50	\$INFO		2
26	MILZ000014	MI, \$MI	MBAC=8.90, MAXBAC=9.10, ALTBAC=0.00, TipBAC=10.00	9.04			2
27	MILZ000014	MI, \$MI, INFO	MBAC=9.25, MAXBAC=9.45, ALTBAC=0.00, TipBAC=8.00	8.92			1
28	MILZ000015	INFO, \$INFO, IA, \$IA	MBAC=7.90, MAXBAC=8.00, ALTBAC=0.00, TipBAC=9.00	7.77			1
29	MILZ000015	INFO, IA, MI, \$INFO, \$IA, \$MI	MBAC=8.18, MAXBAC=9.45, ALTBAC=0.00, TipBAC=8.00	8.67	MI		2
30	MILZ000016	INFO, IA, MI, \$INFO, \$IA, \$MI	MBAC=6.20, MAXBAC=6.70, ALTBAC=5.40, TipBAC=10.00	6.57			2
31	MILZ000016	INFO, \$INFO, IA, \$IA	MBAC=8.65, MAXBAC=9.65, ALTBAC=9.65, TipBAC=10.00	9.40	INFO		1
32	MILZ000017	IA, INFO, \$IA, \$INFO, MI, \$MI	MBAC=9.68, MAXBAC=9.95, ALTBAC=9.95, TipBAC=10.00	9.88	IA		1
33	MILZ000017	IA, \$IA, INFO, \$INFO	MBAC=7.60, MAXBAC=9.00, ALTBAC=0.00, TipBAC=8.00	8.21	\$INFO		2
34	MILZ000018	MI, INFO, IA, \$MI, \$INFO, \$IA	MBAC=8.91, MAXBAC=9.50, ALTBAC=0.00, TipBAC=8.00	8.88	MI		2
35	MILZ000018	INFO, IA	MBAC=9.30, MAXBAC=9.80, ALTBAC=9.10, TipBAC=10.00	9.67			1
36	MILZ000019	MI	MBAC=7.95, MAXBAC=8.50, ALTBAC=0.00, TipBAC=10.00	8.36			1
37	MILZ000019	INFO, \$INFO, MI, \$MI, IA, \$IA	MBAC=7.25, MAXBAC=8.45, ALTBAC=7.05, TipBAC=10.00	8.14	\$INFO		2
38	MILZ000020	INFO, \$INFO	MBAC=8.73, MAXBAC=9.60, ALTBAC=8.10, TipBAC=10.00	9.38	INFO		2
39	MILZ000020	MI, INFO, IA	MBAC=9.11, MAXBAC=9.80, ALTBAC=9.50, TipBAC=10.00	9.62			1
40	MILZ000021	MI, INFO, IA, \$MI, \$INFO, \$IA	MBAC=7.45, MAXBAC=8.25, ALTBAC=0.00, TipBAC=8.00	7.64			1
41	MILZ000021	MI, \$MI	MBAC=7.53, MAXBAC=9.75, ALTBAC=0.00, TipBAC=9.00	8.96	MI		2
42	MILZ000022	INFO, IA, \$INFO, \$IA, MI, \$MI	MBAC=6.40, MAXBAC=6.30, ALTBAC=6.05, TipBAC=10.00	6.32	\$INFO		2
43	MILZ000022	\$INFO, \$IA	MBAC=8.63, MAXBAC=8.60, ALTBAC=0.00, TipBAC=8.00	8.17			1
44	MILZ000023	\$INFO, \$IA	MBAC=7.93, MAXBAC=8.90, ALTBAC=6.45, TipBAC=10.00	8.65			1
45	MILZ000023	IA, INFO, MI, \$IA, \$MI, \$INFO	MBAC=8.56, MAXBAC=9.15, ALTBAC=8.60, TipBAC=10.00	9.00	MI		2
46	MILZ000024	\$IA, \$INFO, \$MI	MBAC=8.31, MAXBAC=8.60, ALTBAC=7.50, TipBAC=10.00	8.52	\$INFO		2
47	MILZ000024	MI, \$MI	MBAC=8.98, MAXBAC=9.30, ALTBAC=0.00, TipBAC=8.00	8.75			1
48	MILZ000025	IA, INFO, \$IA, MI	MBAC=9.28, MAXBAC=9.50, ALTBAC=9.25, TipBAC=10.00	9.44			1
49	MILZ000025	IA, \$IA, INFO, \$INFO	MBAC=8.21, MAXBAC=8.80, ALTBAC=0.00, TipBAC=10.00	8.65			2
50	MILZ000026	IA, \$IA, INFO, \$INFO	MBAC=6.41, MAXBAC=8.15, ALTBAC=8.00, TipBAC=9.00	7.52	\$INFO		2
51	MILZ000026	\$INFO, \$IA, \$MI	MBAC=7.66, MAXBAC=8.70, ALTBAC=0.00, TipBAC=8.00	8.01			1
52	MILZ000027	MI, \$MI	MBAC=9.65, MAXBAC=9.85, ALTBAC=0.00, TipBAC=9.00	9.55			1
53	MILZ000027	MI, \$MI	MBAC=8.68, MAXBAC=9.20, ALTBAC=8.75, TipBAC=10.00	9.07	MI		2
54	MILZ000028	INFO, \$INFO	MBAC=9.36, MAXBAC=9.75, ALTBAC=9.30, TipBAC=10.00	9.65	INFO		2
55	MILZ000028	INFO, IA, \$INFO, \$IA	MBAC=8.91, MAXBAC=9.50, ALTBAC=9.35, TipBAC=10.00	9.35			1
56	MILZ000029	IA, \$IA, INFO, \$INFO, MI, \$MI	MBAC=9.38, MAXBAC=9.90, ALTBAC=9.85, TipBAC=10.00	9.77	IA		1
57	MILZ000029	INFO, \$INFO, IA, \$IA, MI, \$MI	MBAC=7.71, MAXBAC=8.50, ALTBAC=8.50, TipBAC=8.00	7.88	\$INFO		2
58	MILZ000030	INFO, \$INFO, MI, \$MI	MBAC=8.71, MAXBAC=9.75, ALTBAC=8.25, TipBAC=9.00	9.25	\$INFO		2
59	MILZ000030	MI, \$MI, INFO, \$INFO, IA, \$IA	MBAC=9.48, MAXBAC=9.15, ALTBAC=0.00, TipBAC=10.00	9.23	MI		1
60	MILZ000031	INFO, IA	MBAC=8.45, MAXBAC=7.80, ALTBAC=0.00, TipBAC=10.00	7.96			1
61	MILZ000031	\$INFO, \$IA	MBAC=7.40, MAXBAC=7.80, ALTBAC=6.85, TipBAC=10.00	7.69	\$INFO		2
62	MILZ000032	MI, \$MI	MBAC=7.33, MAXBAC=8.35, ALTBAC=0.00, TipBAC=8.00	7.69			2
63	MILZ000032	IA, INFO, \$IA, MI, \$INFO, \$MI	MBAC=8.43, MAXBAC=9.80, ALTBAC=0.00, TipBAC=8.00	8.98			1
64	MILZ000033	IA, MI, INFO, \$IA, \$MI, \$INFO	MBAC=8.85, MAXBAC=9.70, ALTBAC=8.95, TipBAC=10.00	9.48			1
65	MILZ000033	INFO, \$INFO, IA, \$IA, MI, \$MI	MBAC=6.71, MAXBAC=8.95, ALTBAC=0.00, TipBAC=8.00	7.97			2

Nr	Legitim.	Optiuni	Note	Medie	Admis la	Obs.	S
66	MILZ000034	\$INFO, INFO	MBAC=6.65, MAXBAC=6.20, ALTBAC=6.20, TipBAC=10.00	6.31	\$INFO		2
67	MILZ000034	IA, \$IA, INFO, \$INFO, MI, \$MI	MBAC=9.85, MAXBAC=10.00, ALTBAC=9.90, TipBAC=10.00	9.96	IA		1
68	MILZ000035	INFO, IA, MI, \$INFO, \$IA	MBAC=9.41, MAXBAC=9.60, ALTBAC=9.60, TipBAC=10.00	9.55			1
69	MILZ000035	\$INFO, \$IA, \$MI	MBAC=6.50, MAXBAC=0.00, ALTBAC=0.00, TipBAC=8.00	1.54			2
70	MILZ000036	\$MI, \$INFO, \$IA	MBAC=9.33, MAXBAC=8.80, ALTBAC=0.00, TipBAC=8.00	8.48	\$MI		2
71	MILZ000036	INFO, \$INFO	MBAC=9.53, MAXBAC=9.90, ALTBAC=9.10, TipBAC=10.00	9.80	INFO		1
72	MILZ000037	MI, \$MI, INFO, IA, \$INFO, \$IA	MBAC=8.45, MAXBAC=8.00, ALTBAC=0.00, TipBAC=10.00	8.11			1
73	MILZ000037	IA, \$IA	MBAC=8.83, MAXBAC=9.15, ALTBAC=0.00, TipBAC=10.00	9.07	\$IA		2
74	MILZ000038	\$INFO, \$MI, \$IA, INFO, MI, IA	MBAC=7.63, MAXBAC=9.55, ALTBAC=0.00, TipBAC=10.00	8.32	\$INFO		2
75	MILZ000038	MI, INFO, IA	MBAC=9.26, MAXBAC=9.65, ALTBAC=0.00, TipBAC=9.00	9.31			1
76	MILZ000039	MI, INFO, IA, \$MI, \$INFO, \$IA	MBAC=8.48, MAXBAC=9.65, ALTBAC=0.00, TipBAC=9.00	9.12			1
77	MILZ000039	\$INFO, \$IA, \$MI	MBAC=7.68, MAXBAC=8.20, ALTBAC=0.00, TipBAC=9.00	7.86	\$INFO		2
78	MILZ000040	\$MI	MBAC=8.50, MAXBAC=9.80, ALTBAC=0.00, TipBAC=8.00	9.00			2
79	MILZ000040	MI, IA, INFO, \$MI, \$IA, \$INFO	MBAC=9.80, MAXBAC=10.00, ALTBAC=10.00, TipBAC=10.00	9.94	MI		1
80	MILZ000041	MI	MBAC=9.40, MAXBAC=9.60, ALTBAC=0.00, TipBAC=10.00	9.54			1
81	MILZ000041	INFO, IA, MI, \$MI, \$INFO, \$IA	MBAC=8.63, MAXBAC=9.85, ALTBAC=0.00, TipBAC=8.00	9.06	MI		2
82	MILZ000042	IA, MI, INFO, \$INFO, \$IA, \$MI	MBAC=6.40, MAXBAC=7.10, ALTBAC=6.15, TipBAC=5.95	6.57	\$INFO		2
83	MILZ000042	IA, INFO, \$IA, \$INFO	MBAC=8.61, MAXBAC=9.60, ALTBAC=8.75, TipBAC=10.00	9.35	\$IA		1
84	MILZ000043	IA, INFO, MI	MBAC=9.43, MAXBAC=9.90, ALTBAC=9.25, TipBAC=10.00	9.78			1
85	MILZ000044	IA, \$IA, INFO, \$INFO, MI, \$MI	MBAC=9.61, MAXBAC=9.90, ALTBAC=9.90, TipBAC=10.00	9.82	IA		1
86	MILZ000045	MI, \$MI	MBAC=9.51, MAXBAC=9.70, ALTBAC=0.00, TipBAC=10.00	9.65			1
87	MILZ000046	IA, \$IA	MBAC=9.83, MAXBAC=10.00, ALTBAC=9.75, TipBAC=10.00	9.95	IA		1
88	MILZ000047	IA, INFO, MI, \$IA, \$INFO, \$MI	MBAC=9.01, MAXBAC=9.55, ALTBAC=8.85, TipBAC=10.00	9.41			1
89	MILZ000048	IA, INFO, MI, \$IA, \$INFO, \$MI	MBAC=9.55, MAXBAC=9.90, ALTBAC=9.85, TipBAC=10.00	9.81			1
90	MILZ000049	INFO	MBAC=9.13, MAXBAC=9.95, ALTBAC=9.05, TipBAC=10.00	9.74	INFO		1
91	MILZ000050	INFO, \$INFO, IA, \$IA, MI, \$MI	MBAC=9.26, MAXBAC=8.85, ALTBAC=0.00, TipBAC=9.00	8.72			1
92	MILZ000051	IA, \$IA, INFO, \$INFO, MI, \$MI	MBAC=8.96, MAXBAC=9.50, ALTBAC=9.00, TipBAC=10.00	9.36	\$IA		1
93	MILZ000052	IA, \$IA, MI, INFO	MBAC=8.80, MAXBAC=8.65, ALTBAC=8.05, TipBAC=10.00	8.68			1
94	MILZ000053	MI, \$MI	MBAC=8.83, MAXBAC=9.40, ALTBAC=0.00, TipBAC=10.00	9.25			1
95	MILZ000054	IA, \$IA, INFO, \$INFO, MI, \$MI	MBAC=8.80, MAXBAC=9.20, ALTBAC=0.00, TipBAC=9.00	8.87			1
96	MILZ000055	INFO, IA, \$INFO, MI, \$IA, \$MI	MBAC=9.41, MAXBAC=9.80, ALTBAC=9.25, TipBAC=9.00	9.45			1
97	MILZ000056	INFO, IA, MI, \$INFO, \$IA, \$MI	MBAC=9.31, MAXBAC=9.65, ALTBAC=9.35, TipBAC=10.00	9.56			1
98	MILZ000057	INFO, IA, MI, \$INFO, \$IA, \$MI	MBAC=9.45, MAXBAC=9.85, ALTBAC=9.25, TipBAC=10.00	9.75			1
99	MILZ000058	MI, INFO, IA, \$MI	MBAC=9.76, MAXBAC=9.90, ALTBAC=0.00, TipBAC=10.00	9.86	MI		1
100	MILZ000059	IA, \$IA	MBAC=9.51, MAXBAC=10.00, ALTBAC=9.90, TipBAC=10.00	9.87	IA		1
101	MILZ000060	INFO, IA, \$INFO, \$IA	MBAC=9.06, MAXBAC=10.00, ALTBAC=0.00, TipBAC=8.00	9.27			1
102	MILZ000061	INFO, IA, MI, \$INFO, \$IA, \$MI	MBAC=9.21, MAXBAC=9.55, ALTBAC=0.00, TipBAC=9.00	9.22			1
103	MILZ000063	MI, \$MI	MBAC=8.10, MAXBAC=7.40, ALTBAC=0.00, TipBAC=10.00	7.57			1
104	MILZ000064	MI, IA, \$MI	MBAC=8.03, MAXBAC=8.85, ALTBAC=0.00, TipBAC=10.00	8.64			1
105	MILZ000065	MI, \$MI, INFO, \$INFO	MBAC=9.36, MAXBAC=9.75, ALTBAC=0.00, TipBAC=9.00	9.41			1
106	MILZ000066	MI, \$MI	MBAC=7.83, MAXBAC=7.10, ALTBAC=0.00, TipBAC=10.00	7.28			1
107	MILZ000067	INFO, IA	MBAC=9.71, MAXBAC=9.95, ALTBAC=9.75, TipBAC=10.00	9.89	INFO		1
108	MILZ000068	IA, \$IA, INFO, \$INFO, MI, \$MI	MBAC=9.75, MAXBAC=9.95, ALTBAC=9.40, TipBAC=10.00	9.89	IA		1
109	MILZ000069	INFO, \$INFO, IA, \$IA, MI, \$MI	MBAC=8.21, MAXBAC=9.65, ALTBAC=8.55, TipBAC=10.00	9.29			1
110	MILZ000070	IA, \$IA, INFO, \$INFO, MI, \$MI	MBAC=9.51, MAXBAC=9.90, ALTBAC=9.70, TipBAC=10.00	9.80	IA		1
111	MILZ000071	INFO, IA, MI	MBAC=9.50, MAXBAC=9.85, ALTBAC=9.80, TipBAC=10.00	9.76	INFO		1
112	MILZ000072	IA, INFO, \$IA, \$INFO	MBAC=8.95, MAXBAC=10.00, ALTBAC=8.80, TipBAC=10.00	9.73	IA		1
113	MILZ000073	MI, INFO, IA, \$MI, \$INFO, \$IA	MBAC=9.36, MAXBAC=10.00, ALTBAC=0.00, TipBAC=9.00	9.59	MI		1
114	MILZ000074	IA	MBAC=9.75, MAXBAC=9.70, ALTBAC=0.00, TipBAC=9.00	9.46			1
115	MILZ000075	MI	MBAC=8.68, MAXBAC=9.20, ALTBAC=8.75, TipBAC=10.00	9.07			1
116	MILZ000076	\$INFO, MI, \$MI	MBAC=7.76, MAXBAC=8.40, ALTBAC=0.00, TipBAC=8.00	7.82			1
117	MILZ000077	IA, \$IA, INFO, \$INFO	MBAC=9.36, MAXBAC=9.65, ALTBAC=9.45, TipBAC=10.00	9.57			1
118	MILZ000078	IA, \$IA, INFO, \$INFO	MBAC=9.08, MAXBAC=9.95, ALTBAC=9.10, TipBAC=10.00	9.73	IA		1
119	MILZ000079	INFO, IA, MI, \$INFO, \$IA, \$MI	MBAC=7.93, MAXBAC=9.00, ALTBAC=8.40, TipBAC=10.00	8.73			1
120	MILZ000080	INFO, IA, MI	MBAC=9.63, MAXBAC=10.00, ALTBAC=9.30, TipBAC=10.00	9.90			1
121	MILZ000081	IA, \$IA	MBAC=9.58, MAXBAC=9.85, ALTBAC=9.45, TipBAC=10.00	9.78	IA		1
122	MILZ000082	INFO, \$INFO, IA, \$IA	MBAC=9.75, MAXBAC=10.00, ALTBAC=9.75, TipBAC=9.00	9.68			1
123	MILZ000083	INFO	MBAC=8.90, MAXBAC=9.60, ALTBAC=8.90, TipBAC=10.00	9.42			1
124	MILZ000084	INFO, IA, \$INFO, \$IA, MI, \$MI	MBAC=7.32, MAXBAC=5.00, ALTBAC=0.00, TipBAC=10.00	5.58	\$MI		1
125	MILZ000085	\$INFO, INFO	MBAC=7.21, MAXBAC=7.45, ALTBAC=7.35, TipBAC=10.00	7.39			1
126	MILZ000086	INFO, \$INFO, IA, \$IA	MBAC=9.23, MAXBAC=9.70, ALTBAC=9.25, TipBAC=10.00	9.58			1
127	MILZ000087	INFO, IA, \$INFO, \$IA	MBAC=9.48, MAXBAC=10.00, ALTBAC=9.45, TipBAC=10.00	9.87	INFO		1
128	MILZ000088	INFO, \$INFO	MBAC=9.75, MAXBAC=10.00, ALTBAC=9.70, TipBAC=10.00	9.93			1
129	MILZ000089	IA, \$IA, INFO, \$INFO, MI, \$MI	MBAC=9.66, MAXBAC=9.90, ALTBAC=9.90, TipBAC=10.00	9.84			1
130	MILZ000090	IA, INFO, MI	MBAC=9.58, MAXBAC=9.80, ALTBAC=9.60, TipBAC=10.00	9.74			1
131	MILZ000091	MI, \$MI, INFO, \$INFO, IA, \$IA	MBAC=8.61, MAXBAC=8.50, ALTBAC=0.00, TipBAC=10.00	8.52			1
132	MILZ000092	IA, INFO, MI	MBAC=9.75, MAXBAC=10.00, ALTBAC=10.00, TipBAC=10.00	9.93			1
133	MILZ000093	IA, INFO, \$IA, \$INFO	MBAC=9.41, MAXBAC=9.65, ALTBAC=9.65, TipBAC=10.00	9.59	INFO		1
134	MILZ000095	INFO, MI	MBAC=9.76, MAXBAC=10.00, ALTBAC=9.55, TipBAC=10.00	9.94			1
135	MILZ000096	IA, INFO, MI, \$IA, \$INFO, \$MI	MBAC=8.03, MAXBAC=8.00, ALTBAC=7.90, TipBAC=10.00	8.00			1
136	MILZ000097	MI, INFO, \$MI, \$INFO	MBAC=9.76, MAXBAC=10.00, ALTBAC=10.00, TipBAC=10.00	9.94			1
137	MILZ000098	IA, \$IA, INFO, \$INFO, MI, \$MI	MBAC=8.83, MAXBAC=9.40, ALTBAC=0.00, TipBAC=10.00	9.25			1
138	MILZ000099	INFO, IA, \$INFO, \$IA	MBAC=8.98, MAXBAC=10.00, ALTBAC=8.35, TipBAC=10.00	9.74	INFO		1
139	MILZ000100	IA, \$IA, INFO, \$INFO	MBAC=9.13, MAXBAC=9.70, ALTBAC=8.90, TipBAC=10.00	9.55	\$IA		1
140	MILZ000101	INFO, IA, MI, \$INFO, \$IA, \$MI	MBAC=6.06, MAXBAC=6.00, ALTBAC=5.20, TipBAC=10.00	6.01			1

Nr	Legitim.	Optiuni	Note	Medie	Admis la	Obs.	S
141	MILZ000102	INFO, IA, MI, \$INFO, \$IA, \$MI	MBAC=7.50, MAXBAC=9.20, ALTBAC=7.05, TipBAC=10.00	8.77			1
142	MILZ000103	IA, INFO, MI, \$IA, \$INFO, \$MI	MBAC=8.86, MAXBAC=9.60, ALTBAC=9.30, TipBAC=10.00	9.41			1
143	MILZ000104	MI, \$MI	MBAC=9.70, MAXBAC=9.75, ALTBAC=0.00, TipBAC=10.00	9.73			1
144	MILZ000105	INFO, \$INFO, IA, \$IA	MBAC=9.18, MAXBAC=9.70, ALTBAC=9.05, TipBAC=10.00	9.57	INFO		1
145	MILZ000106	MI, \$MI	MBAC=9.13, MAXBAC=9.15, ALTBAC=0.00, TipBAC=9.00	8.91			1
146	MILZ000107	MI, \$MI, IA, INFO, \$IA, \$INFO	MBAC=9.33, MAXBAC=8.70, ALTBAC=0.00, TipBAC=10.00	8.85			1
147	MILZ000108	INFO, IA, MI	MBAC=8.78, MAXBAC=9.75, ALTBAC=7.90, TipBAC=10.00	9.50			1
148	MILZ000109	IA, \$IA, INFO, \$INFO, MI, \$MI	MBAC=9.25, MAXBAC=9.15, ALTBAC=8.80, TipBAC=10.00	9.17			1
149	MILZ000110	INFO, IA, \$INFO, \$IA, MI, \$MI	MBAC=9.41, MAXBAC=9.80, ALTBAC=9.00, TipBAC=10.00	9.70			1
150	MILZ000111	MI, IA, INFO	MBAC=9.65, MAXBAC=9.95, ALTBAC=9.15, TipBAC=10.00	9.87			1
151	MILZ000112	IA, \$IA, INFO, \$INFO, MI, \$MI	MBAC=9.56, MAXBAC=10.00, ALTBAC=10.00, TipBAC=10.00	9.89	IA		1
152	MILZ000113	INFO, \$INFO, IA, \$IA, MI, \$MI	MBAC=9.31, MAXBAC=9.85, ALTBAC=9.25, TipBAC=10.00	9.71			1
153	MILZ000114	\$INFO, \$MI, MI, \$IA, IA, INFO	MBAC=8.71, MAXBAC=8.35, ALTBAC=0.00, TipBAC=10.00	8.44			1
154	MILZ000115	IA, INFO, \$IA, \$INFO	MBAC=9.61, MAXBAC=9.95, ALTBAC=9.80, TipBAC=10.00	9.86	IA		1
155	MILZ000116	IA, \$IA, INFO, \$INFO, MI, \$MI	MBAC=9.13, MAXBAC=9.80, ALTBAC=8.75, TipBAC=10.00	9.63	\$IA		1
156	MILZ000117	MI, \$MI, INFO, \$INFO	MBAC=9.16, MAXBAC=9.80, ALTBAC=9.30, TipBAC=10.00	9.64			1
157	MILZ000118	MI, INFO, IA, \$MI, \$INFO, \$IA	MBAC=8.40, MAXBAC=8.75, ALTBAC=0.00, TipBAC=8.00	8.22			1
158	MILZ000119	MI, \$MI	MBAC=9.73, MAXBAC=9.75, ALTBAC=0.00, TipBAC=10.00	9.74			1
159	MILZ000120	INFO, IA, \$INFO, \$IA	MBAC=9.11, MAXBAC=10.00, ALTBAC=8.05, TipBAC=10.00	9.77	INFO		1
160	MILZ000121	MI, \$MI	MBAC=8.51, MAXBAC=9.75, ALTBAC=0.00, TipBAC=8.00	8.96			1
161	MILZ000122	INFO, IA, MI, \$INFO, \$IA, \$MI	MBAC=9.01, MAXBAC=9.60, ALTBAC=9.40, TipBAC=10.00	9.45			1
162	MILZ000123	IA, INFO, \$IA, \$INFO	MBAC=9.01, MAXBAC=8.95, ALTBAC=8.55, TipBAC=10.00	8.96			1
163	MILZ000124	\$IA, INFO, \$INFO	MBAC=8.61, MAXBAC=8.35, ALTBAC=8.30, TipBAC=10.00	8.41			1
164	MILZ000125	MI, \$MI	MBAC=8.31, MAXBAC=8.75, ALTBAC=0.00, TipBAC=10.00	8.64			1
165	MILZ000126	MI, INFO, IA, \$MI, \$INFO, \$IA	MBAC=9.58, MAXBAC=9.95, ALTBAC=0.00, TipBAC=8.00	9.36			1
166	MILZ000127	IA, INFO, MI, \$IA, \$INFO, \$MI	MBAC=9.15, MAXBAC=9.70, ALTBAC=9.10, TipBAC=10.00	9.56	INFO		1
167	MILZ000128	IA, \$IA, INFO, \$INFO	MBAC=9.81, MAXBAC=10.00, ALTBAC=0.00, TipBAC=10.00	9.95	IA		1
168	MILZ000129	INFO, \$INFO, IA, \$IA, MI, \$MI	MBAC=7.85, MAXBAC=8.50, ALTBAC=0.00, TipBAC=8.00	7.92			1
169	MILZ000130	INFO, \$INFO, IA, \$IA	MBAC=7.96, MAXBAC=9.70, ALTBAC=8.05, TipBAC=10.00	9.26	\$INFO		1
170	MILZ000131	\$INFO, \$IA, \$MI	MBAC=7.45, MAXBAC=8.70, ALTBAC=7.95, TipBAC=10.00	8.38			1
171	MILZ000132	IA, INFO, \$IA, \$INFO	MBAC=8.76, MAXBAC=9.00, ALTBAC=8.90, TipBAC=10.00	8.94			1
172	MILZ000133	MI, \$MI	MBAC=8.23, MAXBAC=9.85, ALTBAC=0.00, TipBAC=9.00	9.20	MI		1
173	MILZ000134	IA, INFO, \$IA, \$INFO, MI, \$MI	MBAC=9.60, MAXBAC=9.95, ALTBAC=9.70, TipBAC=10.00	9.86			1
174	MILZ000135	INFO, \$INFO, IA, \$IA, MI, \$MI	MBAC=8.20, MAXBAC=8.50, ALTBAC=8.15, TipBAC=10.00	8.42			1
175	MILZ000136	MI, INFO, IA, \$MI, \$INFO, \$IA	MBAC=9.65, MAXBAC=10.00, ALTBAC=0.00, TipBAC=10.00	9.91	MI		1
176	MILZ000137	IA, \$IA, INFO, \$INFO, MI, \$MI	MBAC=8.30, MAXBAC=9.35, ALTBAC=8.50, TipBAC=10.00	9.08	\$IA		1
177	MILZ000138	INFO, IA	MBAC=9.80, MAXBAC=10.00, ALTBAC=0.00, TipBAC=8.00	9.45			1
178	MILZ000139	IA, \$IA, INFO, \$INFO	MBAC=9.58, MAXBAC=9.70, ALTBAC=9.55, TipBAC=10.00	9.67	\$IA		1
179	MILZ000140	INFO, \$INFO	MBAC=9.40, MAXBAC=9.95, ALTBAC=9.70, TipBAC=10.00	9.81	INFO		1
180	MILZ000141	IA, INFO, MI, \$IA, \$MI, \$INFO	MBAC=9.26, MAXBAC=9.80, ALTBAC=8.95, TipBAC=9.00	9.42			1
181	MILZ000142	IA, \$IA, INFO, \$INFO	MBAC=8.98, MAXBAC=9.95, ALTBAC=9.20, TipBAC=10.00	9.70	IA		1
182	MILZ000143	INFO, IA, \$INFO, \$IA, MI, \$MI	MBAC=9.46, MAXBAC=9.45, ALTBAC=9.20, TipBAC=10.00	9.45			1
183	MILZ000144	INFO, \$INFO	MBAC=9.55, MAXBAC=9.70, ALTBAC=9.35, TipBAC=10.00	9.66			1
184	MILZ000145	INFO, \$INFO, MI, IA, \$MI, \$IA	MBAC=8.83, MAXBAC=9.50, ALTBAC=9.00, TipBAC=10.00	9.33			1
185	MILZ000146	INFO, IA, \$INFO, \$IA	MBAC=9.71, MAXBAC=9.80, ALTBAC=9.80, TipBAC=10.00	9.77			1
186	MILZ000147	MI, \$MI	MBAC=7.80, MAXBAC=8.20, ALTBAC=0.00, TipBAC=10.00	8.10			1
187	MILZ000148	IA, INFO, \$IA, \$INFO, MI, \$MI	MBAC=9.00, MAXBAC=9.55, ALTBAC=0.00, TipBAC=8.00	8.94			1
188	MILZ000149	MI	MBAC=9.81, MAXBAC=9.95, ALTBAC=0.00, TipBAC=8.00	9.41			1
189	MILZ000150	IA, INFO, \$IA, \$INFO	MBAC=9.63, MAXBAC=10.00, ALTBAC=9.85, TipBAC=10.00	9.90	IA		1
190	MILZ000151	\$INFO, \$IA, \$MI	MBAC=8.71, MAXBAC=9.70, ALTBAC=7.40, TipBAC=10.00	9.45			1
191	MILZ000152	INFO, MI	MBAC=8.73, MAXBAC=8.55, ALTBAC=0.00, TipBAC=8.00	8.16			1
192	MILZ000153	MI, IA, INFO, \$MI, \$IA, \$INFO	MBAC=8.53, MAXBAC=8.65, ALTBAC=0.00, TipBAC=10.00	8.62			1
193	MILZ000154	INFO, IA, MI, \$INFO, \$IA, \$MI	MBAC=9.76, MAXBAC=10.00, ALTBAC=9.90, TipBAC=10.00	9.94	INFO		1
194	MILZ000155	IA, \$IA, INFO, \$INFO	MBAC=8.08, MAXBAC=8.95, ALTBAC=7.40, TipBAC=10.00	8.73			1
195	MILZ000156	MI, IA, INFO, \$MI, \$IA, \$INFO	MBAC=8.10, MAXBAC=8.05, ALTBAC=0.00, TipBAC=10.00	8.06			1
196	MILZ000157	INFO, \$INFO, MI, \$MI, IA, \$IA	MBAC=9.51, MAXBAC=9.90, ALTBAC=0.00, TipBAC=9.00	9.55	INFO		1
197	MILZ000158	INFO, IA, \$INFO, \$IA	MBAC=8.76, MAXBAC=9.75, ALTBAC=8.65, TipBAC=10.00	9.50			1
198	MILZ000159	INFO, \$INFO, IA, \$IA, MI, \$MI	MBAC=9.28, MAXBAC=10.00, ALTBAC=9.00, TipBAC=10.00	9.82			1
199	MILZ000160	IA, INFO, \$IA, \$INFO, MI, \$MI	MBAC=8.23, MAXBAC=8.60, ALTBAC=7.90, TipBAC=10.00	8.50			1
200	MILZ000161	IA, INFO, \$IA, \$INFO	MBAC=9.50, MAXBAC=9.90, ALTBAC=9.40, TipBAC=10.00	9.80			1
201	MILZ000162	\$INFO, \$IA, \$MI	MBAC=9.26, MAXBAC=9.75, ALTBAC=9.35, TipBAC=10.00	9.62	\$INFO		1
202	MILZ000163	INFO, IA, MI, \$INFO, \$IA, \$MI	MBAC=9.70, MAXBAC=9.90, ALTBAC=9.80, TipBAC=10.00	9.85	INFO		1
203	MILZ000164	INFO, IA, MI, \$INFO, \$IA, \$MI	MBAC=6.05, MAXBAC=6.60, ALTBAC=5.10, TipBAC=10.00	6.46			1
204	MILZ000165	IA, INFO, \$IA, \$INFO	MBAC=8.96, MAXBAC=9.80, ALTBAC=0.00, TipBAC=10.00	9.59			1
205	MILZ000166	IA, INFO, \$IA, \$INFO, MI, \$MI	MBAC=9.11, MAXBAC=9.65, ALTBAC=9.35, TipBAC=10.00	9.51			1
206	MILZ000167	INFO, \$INFO, IA, \$IA, MI, \$MI	MBAC=8.83, MAXBAC=9.35, ALTBAC=8.25, TipBAC=10.00	9.21			1
207	MILZ000168	INFO, IA, \$INFO, \$IA	MBAC=9.38, MAXBAC=9.90, ALTBAC=9.30, TipBAC=9.00	9.52			1
208	MILZ000169	IA, INFO, MI, \$IA, \$INFO, \$MI	MBAC=9.48, MAXBAC=9.55, ALTBAC=9.40, TipBAC=10.00	9.53	INFO		1
209	MILZ000170	MI, \$MI, INFO	MBAC=8.73, MAXBAC=8.05, ALTBAC=0.00, TipBAC=10.00	8.22			1
210	MILZ000171	INFO, IA, \$INFO	MBAC=9.51, MAXBAC=9.35, ALTBAC=0.00, TipBAC=9.00	9.15			1
211	MILZ000172	MI	MBAC=9.30, MAXBAC=9.50, ALTBAC=0.00, TipBAC=9.00	9.21			1
212	MILZ000173	IA, \$IA, INFO, \$INFO	MBAC=8.70, MAXBAC=9.10, ALTBAC=7.90, TipBAC=10.00	9.00	\$INFO		1
213	MILZ000174	INFO	MBAC=9.31, MAXBAC=9.40, ALTBAC=9.15, TipBAC=10.00	9.37			1
214	MILZ000175	INFO, IA, MI	MBAC=8.90, MAXBAC=9.40, ALTBAC=9.10, TipBAC=10.00	9.27			1
215	MILZ000176	IA, \$IA, INFO, \$INFO	MBAC=9.51, MAXBAC=9.75, ALTBAC=9.40, TipBAC=10.00	9.69	\$IA		1

Nr	Legitim.	Optiuni	Note	Medie	Admis la	Obs.	S
216	MILZ000177	INFO, IA, \$INFO, \$IA	MBAC=9.11, MAXBAC=9.45, ALTBAC=9.20, TipBAC=10.00	9.36			1
217	MILZ000178	\$IA, \$INFO	MBAC=8.18, MAXBAC=8.40, ALTBAC=8.00, TipBAC=10.00	8.34			1
218	MILZ000179	MI, INFO, IA, \$MI, \$INFO, \$IA	MBAC=8.51, MAXBAC=9.20, ALTBAC=0.00, TipBAC=8.00	8.57			1
219	MILZ000180	INFO, IA, \$INFO, \$IA	MBAC=7.26, MAXBAC=8.45, ALTBAC=0.00, TipBAC=9.00	7.94			1
220	MILZ000181	INFO, \$INFO	MBAC=9.66, MAXBAC=10.00, ALTBAC=9.85, TipBAC=10.00	9.91			1
221	MILZ000182	IA, INFO, MI	MBAC=9.95, MAXBAC=10.00, ALTBAC=10.00, TipBAC=10.00	9.98	IA		1
222	MILZ000183	\$INFO	MBAC=9.56, MAXBAC=10.00, ALTBAC=9.20, TipBAC=10.00	9.89	\$INFO		1
223	MILZ000184	IA, INFO, MI	MBAC=8.35, MAXBAC=9.55, ALTBAC=0.00, TipBAC=8.00	8.78			1
224	MILZ000185	INFO, IA, \$INFO, \$IA	MBAC=9.13, MAXBAC=9.30, ALTBAC=9.20, TipBAC=10.00	9.25			1
225	MILZ000186	IA, MI, INFO	MBAC=9.88, MAXBAC=10.00, ALTBAC=0.00, TipBAC=8.00	9.47			1
226	MILZ000187	INFO, \$INFO, MI, \$MI, IA, \$IA	MBAC=9.81, MAXBAC=10.00, ALTBAC=9.90, TipBAC=10.00	9.95			1
227	MILZ000188	IA, INFO, \$IA, \$INFO	MBAC=9.18, MAXBAC=9.45, ALTBAC=9.20, TipBAC=10.00	9.38			1
228	MILZ000189	\$IA, \$INFO	MBAC=8.36, MAXBAC=9.50, ALTBAC=0.00, TipBAC=9.00	8.98			1
229	MILZ000190	INFO, \$IA, \$INFO, IA	MBAC=8.75, MAXBAC=9.10, ALTBAC=0.00, TipBAC=8.00	8.56			1
230	MILZ000191	MI, INFO, IA, \$MI, \$INFO, \$IA	MBAC=8.75, MAXBAC=9.50, ALTBAC=8.20, TipBAC=10.00	9.31	MI		1
231	MILZ000192	MI, \$MI	MBAC=8.03, MAXBAC=9.95, ALTBAC=0.00, TipBAC=8.00	8.99	MI		1
232	MILZ000193	IA, \$IA	MBAC=7.26, MAXBAC=8.60, ALTBAC=6.40, TipBAC=9.00	8.05			1
233	MILZ000194	\$INFO, INFO, \$IA, IA, \$MI, MI	MBAC=8.60, MAXBAC=9.15, ALTBAC=0.00, TipBAC=9.00	8.78			1
234	MILZ000195	MI, \$MI, INFO, \$INFO, IA, \$IA	MBAC=7.01, MAXBAC=8.05, ALTBAC=5.50, TipBAC=10.00	7.79			1
235	MILZ000196	INFO, \$INFO	MBAC=6.36, MAXBAC=5.20, ALTBAC=0.00, TipBAC=8.00	5.21			1
236	MILZ000197	IA	MBAC=9.91, MAXBAC=9.90, ALTBAC=9.85, TipBAC=10.00	9.90	IA		1
237	MILZ000198	INFO, IA, \$INFO	MBAC=9.30, MAXBAC=9.75, ALTBAC=9.25, TipBAC=10.00	9.63			1
238	MILZ000199	INFO, IA, MI, \$INFO, \$IA, \$MI	MBAC=9.11, MAXBAC=9.65, ALTBAC=9.55, TipBAC=10.00	9.51			1
239	MILZ000200	INFO, IA	MBAC=9.33, MAXBAC=9.60, ALTBAC=9.05, TipBAC=10.00	9.53			1
240	MILZ000201	IA, INFO, MI, \$IA	MBAC=9.85, MAXBAC=10.00, ALTBAC=9.90, TipBAC=10.00	9.96			1
241	MILZ000202	IA, \$IA, INFO, \$INFO, MI, \$MI	MBAC=9.80, MAXBAC=10.00, ALTBAC=9.95, TipBAC=10.00	9.94	IA		1
242	MILZ000203	IA, \$IA, INFO, \$INFO, MI, \$MI	MBAC=9.70, MAXBAC=9.95, ALTBAC=9.90, TipBAC=10.00	9.88	IA		1
243	MILZ000204	INFO, \$INFO, MI, \$MI, IA, \$IA	MBAC=8.88, MAXBAC=9.70, ALTBAC=7.95, TipBAC=10.00	9.49			1
244	MILZ000205	INFO, IA, \$INFO, \$IA, MI, \$MI	MBAC=9.53, MAXBAC=9.95, ALTBAC=9.85, TipBAC=10.00	9.84			1
245	MILZ000206	INFO, IA, MI, \$INFO, \$IA, \$MI	MBAC=9.65, MAXBAC=9.75, ALTBAC=9.60, TipBAC=10.00	9.72			1
246	MILZ000207	MI, INFO, IA, \$MI, \$INFO, \$IA	MBAC=8.70, MAXBAC=9.80, ALTBAC=8.60, TipBAC=10.00	9.52			1
247	MILZ000208	MI	MBAC=8.06, MAXBAC=8.95, ALTBAC=0.00, TipBAC=8.00	8.29			1
248	MILZ000209	INFO, IA, \$INFO, \$IA	MBAC=8.53, MAXBAC=8.35, ALTBAC=8.05, TipBAC=10.00	8.39			1
249	MILZ000210	INFO, IA, \$INFO, \$IA	MBAC=9.68, MAXBAC=9.70, ALTBAC=9.55, TipBAC=10.00	9.69			1
250	MILZ000211	INFO, IA, \$INFO, \$IA	MBAC=8.68, MAXBAC=9.05, ALTBAC=0.00, TipBAC=8.00	8.50			1
251	MILZ000212	INFO, MI, IA, \$INFO, \$MI, \$IA	MBAC=7.60, MAXBAC=8.15, ALTBAC=7.85, TipBAC=10.00	8.01			1
252	MILZ000213	INFO, IA, \$INFO, \$IA	MBAC=8.78, MAXBAC=9.80, ALTBAC=0.00, TipBAC=8.00	9.06			1
253	MILZ000214	MI, INFO, IA, \$MI, \$INFO, \$IA	MBAC=9.16, MAXBAC=9.85, ALTBAC=0.00, TipBAC=9.00	9.43	MI		1
254	MILZ000215	IA, INFO, \$IA, \$INFO	MBAC=9.26, MAXBAC=9.25, ALTBAC=0.00, TipBAC=9.00	9.02			1
255	MILZ000216	MI	MBAC=9.08, MAXBAC=9.30, ALTBAC=0.00, TipBAC=9.00	9.01			1
256	MILZ000218	IA, \$IA, INFO, \$INFO	MBAC=9.43, MAXBAC=9.35, ALTBAC=9.25, TipBAC=10.00	9.36			1
257	MILZ000219	INFO, \$INFO	MBAC=9.66, MAXBAC=10.00, ALTBAC=9.95, TipBAC=10.00	9.91			1
258	MILZ000220	INFO, IA	MBAC=9.78, MAXBAC=10.00, ALTBAC=0.00, TipBAC=10.00	9.94			1
259	MILZ000222	IA, INFO, \$IA, \$INFO	MBAC=9.18, MAXBAC=9.70, ALTBAC=9.55, TipBAC=10.00	9.57			1
260	MILZ000223	INFO, IA, \$INFO, \$IA, MI, \$MI	MBAC=9.81, MAXBAC=10.00, ALTBAC=9.95, TipBAC=10.00	9.95			1
261	MILZ000224	IA, INFO, \$IA, \$INFO, MI, \$MI	MBAC=9.68, MAXBAC=9.90, ALTBAC=9.65, TipBAC=10.00	9.84			1
262	MILZ000225	INFO, IA, MI, \$INFO, \$IA, \$MI	MBAC=9.81, MAXBAC=10.00, ALTBAC=9.85, TipBAC=10.00	9.95			1
263	MILZ000226	IA, \$IA, INFO, \$INFO, MI, \$MI	MBAC=9.56, MAXBAC=9.85, ALTBAC=9.85, TipBAC=10.00	9.77	IA		1
264	MILZ000227	IA, INFO, \$IA, \$INFO	MBAC=9.00, MAXBAC=9.10, ALTBAC=8.75, TipBAC=10.00	9.07			1
265	MILZ000228	INFO, \$INFO, IA, \$IA	MBAC=9.63, MAXBAC=9.90, ALTBAC=9.50, TipBAC=10.00	9.83			1
266	MILZ000229	IA, INFO, \$IA, \$INFO, MI, \$MI	MBAC=9.06, MAXBAC=9.65, ALTBAC=8.95, TipBAC=10.00	9.50			1
267	MILZ000230	\$INFO, INFO, \$IA, IA, \$MI, MI	MBAC=8.40, MAXBAC=8.70, ALTBAC=7.80, TipBAC=10.00	8.62			1
268	MILZ000231	IA, \$IA, INFO, \$INFO, MI, \$MI	MBAC=9.36, MAXBAC=9.70, ALTBAC=9.15, TipBAC=10.00	9.61			1
269	MILZ000232	INFO, IA, \$INFO, \$IA, MI, \$MI	MBAC=9.48, MAXBAC=9.70, ALTBAC=9.60, TipBAC=10.00	9.64			1
270	MILZ000233	INFO, \$INFO, IA, \$IA	MBAC=8.85, MAXBAC=9.60, ALTBAC=9.45, TipBAC=10.00	9.41			1
271	MILZ000234	INFO, \$INFO, IA, \$IA	MBAC=8.36, MAXBAC=9.15, ALTBAC=8.50, TipBAC=10.00	8.95			1
272	MILZ000236	INFO, IA, \$INFO, \$IA	MBAC=7.01, MAXBAC=8.20, ALTBAC=0.00, TipBAC=8.00	7.50			1
273	MILZ000237	IA, INFO, \$IA, \$INFO	MBAC=9.83, MAXBAC=10.00, ALTBAC=10.00, TipBAC=10.00	9.95	IA		1
274	MILZ000238	MI, \$MI, INFO, \$INFO	MBAC=7.43, MAXBAC=8.20, ALTBAC=0.00, TipBAC=9.00	7.80	\$MI		1
275	MILZ000239	IA, MI, INFO, \$IA, \$MI, \$INFO	MBAC=9.85, MAXBAC=10.00, ALTBAC=9.85, TipBAC=10.00	9.96			1
276	MILZ000240	MI, \$MI	MBAC=7.88, MAXBAC=8.15, ALTBAC=7.30, TipBAC=10.00	8.08			1
277	MILZ000241	IA, INFO, \$IA, \$INFO	MBAC=9.76, MAXBAC=10.00, ALTBAC=10.00, TipBAC=10.00	9.94	IA		1
278	MILZ000242	IA, INFO, MI, \$IA, \$INFO, \$MI	MBAC=9.46, MAXBAC=9.65, ALTBAC=0.00, TipBAC=10.00	9.60			1
279	MILZ000243	INFO, \$INFO, MI, \$MI, IA, \$IA	MBAC=9.21, MAXBAC=9.25, ALTBAC=9.00, TipBAC=10.00	9.24			1
280	MILZ000244	IA, \$IA	MBAC=9.63, MAXBAC=10.00, ALTBAC=9.20, TipBAC=10.00	9.90	IA		1
281	MILZ000245	MI, \$MI	MBAC=8.83, MAXBAC=9.90, ALTBAC=0.00, TipBAC=8.00	9.15			1
282	MILZ000246	MI, \$MI, INFO, \$INFO, IA, \$IA	MBAC=9.51, MAXBAC=9.75, ALTBAC=0.00, TipBAC=10.00	9.69			1
283	MILZ000247	IA, \$IA	MBAC=9.61, MAXBAC=10.00, ALTBAC=9.25, TipBAC=10.00	9.90	IA		1
284	MILZ000248	IA, INFO, \$IA, \$INFO	MBAC=8.71, MAXBAC=9.15, ALTBAC=9.00, TipBAC=10.00	9.04			1
285	MILZ000250	MI	MBAC=8.15, MAXBAC=8.85, ALTBAC=0.00, TipBAC=10.00	8.67			1
286	MILZ000251	INFO, IA, MI, \$INFO, \$MI	MBAC=9.20, MAXBAC=9.40, ALTBAC=9.15, TipBAC=10.00	9.35			1
287	MILZ000252	INFO, IA, MI	MBAC=9.65, MAXBAC=9.75, ALTBAC=9.70, TipBAC=10.00	9.72			1
288	MILZ000253	INFO, IA, \$INFO, \$IA, MI, \$MI	MBAC=8.50, MAXBAC=8.95, ALTBAC=8.55, TipBAC=10.00	8.83			1
289	MILZ000254	MI, INFO, IA, \$MI, \$INFO, \$IA	MBAC=9.10, MAXBAC=9.50, ALTBAC=0.00, TipBAC=8.00	8.93			1
290	MILZ000255	INFO, MI, \$INFO, \$MI	MBAC=9.18, MAXBAC=9.35, ALTBAC=8.95, TipBAC=10.00	9.30			1

Nr	Legitim.	Optiuni	Note	Medie	Admis la	Obs.	S
291	MILZ000256	IA, \$IA	MBAC=9.10, MAXBAC=9.30, ALTBAC=8.40, TipBAC=10.00	9.25			1
292	MILZ000257	MI, \$MI, INFO, \$INFO, IA, \$IA	MBAC=9.68, MAXBAC=9.70, ALTBAC=0.00, TipBAC=10.00	9.69			1
293	MILZ000258	MI, \$MI	MBAC=8.61, MAXBAC=9.00, ALTBAC=0.00, TipBAC=9.00	8.67			1
294	MILZ000259	IA, INFO, \$IA, \$INFO, MI, \$MI	MBAC=7.80, MAXBAC=7.75, ALTBAC=0.00, TipBAC=10.00	7.76			1
295	MILZ000260	IA, INFO, \$IA, \$INFO	MBAC=9.48, MAXBAC=9.75, ALTBAC=9.55, TipBAC=10.00	9.68			1
296	MILZ000261	INFO, IA, \$INFO, \$IA	MBAC=8.55, MAXBAC=9.10, ALTBAC=0.00, TipBAC=8.00	8.51			1
297	MILZ000262	IA, INFO, MI, \$IA, \$INFO, \$MI	MBAC=8.86, MAXBAC=10.00, ALTBAC=8.90, TipBAC=10.00	9.71	IA		1
298	MILZ000263	INFO, \$INFO, IA, \$IA, MI, \$MI	MBAC=9.16, MAXBAC=9.40, ALTBAC=9.35, TipBAC=10.00	9.34			1
299	MILZ000264	MI, INFO, \$MI, \$INFO, IA, \$IA	MBAC=8.21, MAXBAC=8.30, ALTBAC=7.80, TipBAC=10.00	8.27			1
300	MILZ000265	INFO, \$INFO, IA, \$IA	MBAC=9.88, MAXBAC=10.00, ALTBAC=9.90, TipBAC=10.00	9.97			1
301	MILZ000266	IA, INFO, \$IA, \$INFO	MBAC=9.48, MAXBAC=9.40, ALTBAC=9.20, TipBAC=10.00	9.42			1
302	MILZ000267	IA, \$IA, INFO, \$INFO	MBAC=9.70, MAXBAC=9.20, ALTBAC=0.00, TipBAC=9.00	9.09	\$IA		1
303	MILZ000268	MI, INFO, IA, \$MI, \$INFO, \$IA	MBAC=9.21, MAXBAC=9.70, ALTBAC=9.35, TipBAC=10.00	9.57			1
304	MILZ000269	INFO, IA, \$MI, \$INFO, \$IA, MI	MBAC=7.76, MAXBAC=7.20, ALTBAC=6.70, TipBAC=10.00	7.34			1
305	MILZ000270	IA, \$IA	MBAC=9.23, MAXBAC=9.20, ALTBAC=0.00, TipBAC=10.00	9.20			1
306	MILZ000271	IA, INFO, MI, \$IA, \$INFO, \$MI	MBAC=9.00, MAXBAC=9.15, ALTBAC=0.00, TipBAC=9.00	8.88			1
307	MILZ000272	IA, INFO, \$IA, \$INFO	MBAC=9.50, MAXBAC=9.55, ALTBAC=9.35, TipBAC=10.00	9.53			1
308	MILZ000273	MI, \$MI, INFO, \$INFO	MBAC=9.30, MAXBAC=9.85, ALTBAC=0.00, TipBAC=9.00	9.46			1
309	MILZ000274	INFO, IA, \$INFO, MI, \$IA, \$MI	MBAC=8.98, MAXBAC=9.95, ALTBAC=8.90, TipBAC=10.00	9.70			1
310	MILZ000275	INFO, \$INFO	MBAC=9.35, MAXBAC=9.90, ALTBAC=9.75, TipBAC=10.00	9.76			1
311	MILZ000276	INFO, IA, MI	MBAC=9.43, MAXBAC=9.60, ALTBAC=9.35, TipBAC=10.00	9.55	INFO		1
312	MILZ000277	IA, \$IA	MBAC=8.75, MAXBAC=8.65, ALTBAC=8.30, TipBAC=10.00	8.67			1
313	MILZ000278	\$MI, \$INFO, \$IA	MBAC=7.56, MAXBAC=7.85, ALTBAC=0.00, TipBAC=10.00	7.77			1
314	MILZ000279	INFO, \$INFO, IA, MI	MBAC=8.05, MAXBAC=8.15, ALTBAC=8.10, TipBAC=10.00	8.12			1
315	MILZ000280	MI, \$MI	MBAC=9.16, MAXBAC=9.25, ALTBAC=9.15, TipBAC=9.00	8.99			1
316	MILZ000281	MI, \$MI	MBAC=8.80, MAXBAC=8.80, ALTBAC=0.00, TipBAC=10.00	8.80			1
317	MILZ000282	IA, INFO, MI, \$IA, \$INFO, \$MI	MBAC=9.53, MAXBAC=9.90, ALTBAC=9.50, TipBAC=10.00	9.80	IA		1
318	MILZ000283	IA, INFO, MI, \$IA, \$INFO, \$MI	MBAC=9.68, MAXBAC=9.85, ALTBAC=0.00, TipBAC=10.00	9.80			1
319	MILZ000284	MI	MBAC=9.76, MAXBAC=10.00, ALTBAC=0.00, TipBAC=8.00	9.44			1
320	MILZ000285	\$INFO, \$IA, \$MI	MBAC=7.96, MAXBAC=8.15, ALTBAC=0.00, TipBAC=10.00	8.10			1
321	MILZ000286	INFO, MI, IA	MBAC=9.13, MAXBAC=9.75, ALTBAC=9.25, TipBAC=10.00	9.59			1
322	MILZ000287	INFO, MI	MBAC=9.80, MAXBAC=9.95, ALTBAC=9.60, TipBAC=10.00	9.91			1
323	MILZ000288	INFO, \$INFO, MI, \$MI, IA, \$IA	MBAC=9.00, MAXBAC=9.40, ALTBAC=8.95, TipBAC=10.00	9.30			1
324	MILZ000289	MI, INFO	MBAC=9.63, MAXBAC=9.85, ALTBAC=0.00, TipBAC=10.00	9.79	MI		1
325	MILZ000290	IA, INFO, \$IA, \$INFO, MI, \$MI	MBAC=8.30, MAXBAC=9.10, ALTBAC=7.80, TipBAC=9.00	8.67			1
326	MILZ000291	INFO, \$INFO, IA, \$IA, MI, \$MI	MBAC=9.16, MAXBAC=9.55, ALTBAC=8.45, TipBAC=10.00	9.45			1
327	MILZ000292	INFO, IA, \$INFO, \$IA	MBAC=9.38, MAXBAC=10.00, ALTBAC=9.90, TipBAC=10.00	9.84			1
328	MILZ000293	INFO, \$INFO	MBAC=9.50, MAXBAC=9.95, ALTBAC=9.35, TipBAC=10.00	9.83			1
329	MILZ000294	IA, \$MI	MBAC=8.85, MAXBAC=9.85, ALTBAC=9.70, TipBAC=10.00	9.60			1
330	MILZ000295	IA, INFO, \$IA, \$INFO, MI, \$MI	MBAC=9.45, MAXBAC=10.00, ALTBAC=9.75, TipBAC=10.00	9.86	IA		1
331	MILZ000296	IA, INFO, \$IA, \$INFO, MI, \$MI	MBAC=9.81, MAXBAC=10.00, ALTBAC=9.85, TipBAC=10.00	9.95	IA		1
332	MILZ000297	IA, INFO, \$IA, \$MI	MBAC=8.68, MAXBAC=9.20, ALTBAC=8.70, TipBAC=10.00	9.07			1
333	MILZ000298	IA, INFO, \$IA, \$INFO	MBAC=9.51, MAXBAC=9.75, ALTBAC=9.70, TipBAC=10.00	9.69			1
334	MILZ000299	IA, \$IA, INFO, \$INFO, MI, \$MI	MBAC=8.56, MAXBAC=10.00, ALTBAC=7.80, TipBAC=10.00	9.64	\$IA		1
335	MILZ000300	MI, \$MI	MBAC=9.18, MAXBAC=9.15, ALTBAC=0.00, TipBAC=10.00	9.15	MI		1
336	MILZ000301	INFO, MI, IA	MBAC=9.46, MAXBAC=9.90, ALTBAC=9.55, TipBAC=10.00	9.79			1
337	MILZ000302	IA, \$IA, INFO, \$INFO	MBAC=8.26, MAXBAC=8.90, ALTBAC=8.65, TipBAC=10.00	8.74			1
338	MILZ000303	IA, INFO, \$IA, \$INFO	MBAC=9.61, MAXBAC=9.90, ALTBAC=9.85, TipBAC=10.00	9.82			1
339	MILZ000304	INFO, MI, IA, \$INFO, \$MI	MBAC=8.45, MAXBAC=8.90, ALTBAC=7.55, TipBAC=10.00	8.78			1
340	MILZ000305	INFO, IA, \$INFO, MI, \$IA, \$MI	MBAC=9.83, MAXBAC=10.00, ALTBAC=10.00, TipBAC=10.00	9.95			1
341	MILZ000306	IA, INFO, \$IA, \$INFO	MBAC=6.81, MAXBAC=7.60, ALTBAC=6.20, TipBAC=10.00	7.40			1
342	MILZ000307	IA, \$IA, INFO, \$INFO	MBAC=8.38, MAXBAC=9.75, ALTBAC=8.15, TipBAC=10.00	9.40	\$IA		1
343	MILZ000308	IA, \$IA	MBAC=8.55, MAXBAC=9.55, ALTBAC=8.50, TipBAC=10.00	9.30			1
344	MILZ000309	MI, \$MI	MBAC=8.65, MAXBAC=9.10, ALTBAC=0.00, TipBAC=10.00	8.98	MI		1
345	MILZ000310	INFO, IA, \$INFO, \$IA, MI	MBAC=9.20, MAXBAC=10.00, ALTBAC=9.50, TipBAC=10.00	9.80			1
346	MILZ000311	\$INFO, \$MI	MBAC=8.75, MAXBAC=9.70, ALTBAC=0.00, TipBAC=9.00	9.22	\$INFO		1
347	MILZ000312	MI, \$MI	MBAC=9.53, MAXBAC=9.80, ALTBAC=9.55, TipBAC=9.00	9.48			1
348	MILZ000313	MI, INFO, \$MI	MBAC=9.13, MAXBAC=9.80, ALTBAC=8.20, TipBAC=10.00	9.63	MI		1
349	MILZ000314	MI, \$MI	MBAC=8.80, MAXBAC=9.10, ALTBAC=0.00, TipBAC=8.00	8.57			1
350	MILZ000315	MI, \$MI	MBAC=9.93, MAXBAC=10.00, ALTBAC=10.00, TipBAC=10.00	9.98	MI		1
351	MILZ000316	\$MI	MBAC=8.08, MAXBAC=9.55, ALTBAC=6.70, TipBAC=10.00	9.18	\$MI		1
352	MILZ000317	MI, IA, INFO	MBAC=9.13, MAXBAC=8.55, ALTBAC=0.00, TipBAC=10.00	8.69			1
353	MILZ000318	INFO, \$INFO, IA, \$IA, MI, \$MI	MBAC=9.73, MAXBAC=10.00, ALTBAC=9.95, TipBAC=10.00	9.93			1
354	MILZ000319	IA, \$IA	MBAC=9.43, MAXBAC=9.35, ALTBAC=9.30, TipBAC=10.00	9.36			1
355	MILZ000320	INFO, \$INFO, IA, \$IA	MBAC=9.56, MAXBAC=10.00, ALTBAC=9.65, TipBAC=10.00	9.89			1
356	MILZ000321	IA, INFO	MBAC=8.73, MAXBAC=9.10, ALTBAC=8.60, TipBAC=10.00	9.00			1
357	MILZ000322	\$INFO	MBAC=6.58, MAXBAC=6.65, ALTBAC=0.00, TipBAC=8.00	6.30			1
358	MILZ000323	INFO, IA, MI, \$INFO, \$IA, \$MI	MBAC=9.36, MAXBAC=9.90, ALTBAC=9.70, TipBAC=10.00	9.76			1
359	MILZ000324	MI, INFO, IA, \$MI, \$INFO, \$IA	MBAC=8.00, MAXBAC=9.45, ALTBAC=0.00, TipBAC=8.00	8.63			1
360	MILZ000325	MI, \$MI	MBAC=8.36, MAXBAC=9.95, ALTBAC=0.00, TipBAC=10.00	9.55			1
361	MILZ000326	INFO, IA, MI, \$INFO, \$IA, \$MI	MBAC=9.26, MAXBAC=10.00, ALTBAC=9.10, TipBAC=10.00	9.81			1
362	MILZ000327	INFO, IA, MI, \$INFO, \$IA, \$MI	MBAC=8.83, MAXBAC=8.80, ALTBAC=8.10, TipBAC=10.00	8.80	\$INFO		1
363	MILZ000328	INFO, MI, \$INFO, \$MI, IA, \$IA	MBAC=9.41, MAXBAC=9.40, ALTBAC=9.30, TipBAC=10.00	9.40			1
364	MILZ000329	INFO, IA, MI, \$INFO, \$IA, \$MI	MBAC=9.16, MAXBAC=9.35, ALTBAC=0.00, TipBAC=8.00	8.83			1
365	MILZ000330	INFO, IA, \$INFO, \$IA	MBAC=9.61, MAXBAC=10.00, ALTBAC=9.70, TipBAC=10.00	9.90	INFO		1

Nr	Legitim.	Optiuni	Note	Medie	Admis la	Obs.	S
366	MILZ000331	IA, INFO	MBAC=9.00, MAXBAC=9.00, ALTBAC=9.00, TipBAC=10.00	9.00			1
367	MILZ000332	IA, INFO, MI	MBAC=9.76, MAXBAC=10.00, ALTBAC=9.60, TipBAC=10.00	9.94	IA		1
368	MILZ000333	MI, \$MI	MBAC=7.61, MAXBAC=9.40, ALTBAC=0.00, TipBAC=8.00	8.50			1
369	MILZ000334	INFO, \$INFO, IA, \$IA	MBAC=9.23, MAXBAC=9.90, ALTBAC=8.40, TipBAC=10.00	9.73			1
370	MILZ000335	INFO, IA, \$INFO, \$IA	MBAC=9.68, MAXBAC=10.00, ALTBAC=9.35, TipBAC=10.00	9.92			1
371	MILZ000336	IA, INFO	MBAC=9.55, MAXBAC=10.00, ALTBAC=9.85, TipBAC=10.00	9.88			1
372	MILZ000337	INFO, MI, IA	MBAC=6.71, MAXBAC=7.25, ALTBAC=5.80, TipBAC=10.00	7.11			1
373	MILZ000338	INFO, \$INFO	MBAC=9.80, MAXBAC=10.00, ALTBAC=10.00, TipBAC=10.00	9.94			1
374	MILZ000339	MI, INFO, IA	MBAC=8.38, MAXBAC=8.80, ALTBAC=7.95, TipBAC=10.00	8.69			1
375	MILZ000340	MI, INFO, IA, \$MI, \$INFO, \$IA	MBAC=8.21, MAXBAC=8.80, ALTBAC=7.85, TipBAC=10.00	8.65			1
376	MILZ000341	MI, \$MI, INFO, \$INFO, IA, \$IA	MBAC=9.40, MAXBAC=9.45, ALTBAC=9.10, TipBAC=10.00	9.43			1
377	MILZ000342	INFO, IA, MI, \$INFO, \$IA, \$MI	MBAC=8.86, MAXBAC=9.80, ALTBAC=8.85, TipBAC=10.00	9.56			1
378	MILZ000343	INFO	MBAC=9.48, MAXBAC=9.95, ALTBAC=8.95, TipBAC=10.00	9.83			1
379	MILZ000344	IA, INFO, MI, \$IA, \$INFO, \$MI	MBAC=8.30, MAXBAC=9.00, ALTBAC=8.40, TipBAC=10.00	8.82			1
380	MILZ000345	IA, INFO, MI, \$IA, \$INFO	MBAC=9.46, MAXBAC=9.70, ALTBAC=9.25, TipBAC=9.00	9.39			1
381	MILZ000346	INFO, \$INFO	MBAC=8.53, MAXBAC=9.30, ALTBAC=0.00, TipBAC=9.00	8.87			1
382	MILZ000347	IA, \$IA	MBAC=9.01, MAXBAC=9.55, ALTBAC=0.00, TipBAC=8.00	8.94			1
383	MILZ000348	MI	MBAC=9.36, MAXBAC=9.85, ALTBAC=0.00, TipBAC=9.00	9.48			1
384	MILZ000349	INFO, IA, MI, \$INFO, \$IA, \$MI	MBAC=8.93, MAXBAC=9.70, ALTBAC=9.65, TipBAC=10.00	9.50			1
385	MILZ000350	INFO, IA, MI, \$INFO, \$IA, \$MI	MBAC=8.18, MAXBAC=6.55, ALTBAC=0.00, TipBAC=10.00	6.95			1
386	MILZ000351	IA, INFO, MI, \$IA, \$INFO, \$MI	MBAC=8.25, MAXBAC=8.70, ALTBAC=0.00, TipBAC=8.00	8.15			1
387	MILZ000352	MI, \$MI, INFO, \$INFO	MBAC=9.36, MAXBAC=9.60, ALTBAC=0.00, TipBAC=10.00	9.53	MI		1
388	MILZ000353	INFO, \$INFO, IA, \$IA, MI, \$MI	MBAC=8.18, MAXBAC=8.15, ALTBAC=7.95, TipBAC=10.00	8.15			1
389	MILZ000354	\$INFO, \$IA	MBAC=8.56, MAXBAC=8.30, ALTBAC=0.00, TipBAC=9.00	8.15			1
390	MILZ000355	INFO, MI, IA, \$INFO, \$MI, \$IA	MBAC=8.76, MAXBAC=9.95, ALTBAC=8.60, TipBAC=9.00	9.41			1
391	MILZ000356	MI, INFO, IA, \$MI, \$INFO, \$IA	MBAC=9.75, MAXBAC=9.85, ALTBAC=9.65, TipBAC=10.00	9.82			1
392	MILZ000357	INFO, IA, \$INFO, \$IA	MBAC=9.38, MAXBAC=9.90, ALTBAC=9.35, TipBAC=10.00	9.77			1
393	MILZ000358	INFO, \$INFO, IA, \$IA, MI, \$MI	MBAC=9.15, MAXBAC=9.50, ALTBAC=9.05, TipBAC=10.00	9.41			1
394	MILZ000359	INFO	MBAC=9.43, MAXBAC=9.70, ALTBAC=9.55, TipBAC=10.00	9.63			1
395	MILZ000360	INFO, \$INFO, IA, \$IA	MBAC=9.46, MAXBAC=9.70, ALTBAC=9.40, TipBAC=10.00	9.64			1
396	MILZ000361	IA, INFO, \$IA, \$INFO, MI, \$MI	MBAC=8.91, MAXBAC=9.90, ALTBAC=0.00, TipBAC=8.00	9.16			1
397	MILZ000362	MI, INFO, IA, \$MI, \$INFO, \$IA	MBAC=9.61, MAXBAC=9.10, ALTBAC=0.00, TipBAC=10.00	9.22			1
398	MILZ000363	IA, INFO, MI	MBAC=9.11, MAXBAC=9.35, ALTBAC=0.00, TipBAC=9.00	9.05			1
399	MILZ000364	INFO, \$INFO, MI, \$MI, IA, \$IA	MBAC=9.28, MAXBAC=9.50, ALTBAC=9.25, TipBAC=10.00	9.44			1
400	MILZ000365	IA, \$IA, INFO, \$INFO, MI, \$MI	MBAC=9.25, MAXBAC=9.50, ALTBAC=0.00, TipBAC=10.00	9.43			1
401	MILZ000366	INFO, \$INFO, MI, \$MI, IA, \$IA	MBAC=9.43, MAXBAC=9.60, ALTBAC=9.20, TipBAC=10.00	9.55			1
402	MILZ000367	INFO, \$INFO, MI, \$MI	MBAC=7.70, MAXBAC=8.55, ALTBAC=7.55, TipBAC=10.00	8.33			1
403	MILZ000368	IA, \$IA, INFO, MI	MBAC=8.75, MAXBAC=9.40, ALTBAC=8.50, TipBAC=10.00	9.23			1
404	MILZ000369	MI	MBAC=8.23, MAXBAC=9.35, ALTBAC=0.00, TipBAC=8.00	8.61			1
405	MILZ000370	MI, INFO, \$MI	MBAC=7.75, MAXBAC=7.10, ALTBAC=0.00, TipBAC=10.00	7.26	\$MI		1
406	MILZ000371	\$IA, \$INFO	MBAC=8.70, MAXBAC=8.65, ALTBAC=8.55, TipBAC=10.00	8.66			1
407	MILZ000372	\$IA, \$INFO	MBAC=8.45, MAXBAC=8.75, ALTBAC=0.00, TipBAC=9.00	8.45			1
408	MILZ000373	INFO, \$INFO, IA, \$IA, MI, \$MI	MBAC=7.40, MAXBAC=9.45, ALTBAC=0.00, TipBAC=8.00	8.49			1
409	MILZ000374	MI, \$MI, IA, \$IA	MBAC=9.30, MAXBAC=10.00, ALTBAC=0.00, TipBAC=10.00	9.82			1
410	MILZ000375	MI, \$MI	MBAC=8.83, MAXBAC=9.10, ALTBAC=0.00, TipBAC=9.00	8.80			1
411	MILZ000376	INFO, IA, \$INFO, \$IA	MBAC=9.11, MAXBAC=9.85, ALTBAC=9.25, TipBAC=10.00	9.66	INFO		1
412	MILZ000377	INFO, \$INFO	MBAC=7.85, MAXBAC=9.80, ALTBAC=8.70, TipBAC=10.00	9.31			1
413	MILZ000378	MI	MBAC=9.00, MAXBAC=8.95, ALTBAC=0.00, TipBAC=8.00	8.51			1
414	MILZ000379	MI, \$MI	MBAC=8.93, MAXBAC=8.80, ALTBAC=0.00, TipBAC=10.00	8.83	\$MI		1
415	MILZ000380	INFO, IA, \$INFO, \$IA	MBAC=9.86, MAXBAC=10.00, ALTBAC=10.00, TipBAC=10.00	9.96	INFO		1
416	MILZ000381	INFO, \$INFO, IA, \$IA, MI, \$MI	MBAC=9.26, MAXBAC=9.45, ALTBAC=0.00, TipBAC=9.00	9.16	\$INFO		1
417	MILZ000382	INFO, IA, MI, \$INFO, \$IA, \$MI	MBAC=8.76, MAXBAC=8.80, ALTBAC=8.70, TipBAC=10.00	8.79			1
418	MILZ000383	INFO, \$INFO, IA, \$IA, MI, \$MI	MBAC=8.65, MAXBAC=8.80, ALTBAC=8.05, TipBAC=10.00	8.76			1
419	MILZ000384	INFO, \$INFO, IA, \$IA	MBAC=9.68, MAXBAC=10.00, ALTBAC=9.55, TipBAC=10.00	9.92			1
420	MILZ000385	INFO, \$INFO, IA, \$IA, MI, \$MI	MBAC=8.38, MAXBAC=8.55, ALTBAC=8.50, TipBAC=10.00	8.50			1
421	MILZ000386	MI, \$MI	MBAC=9.43, MAXBAC=9.45, ALTBAC=0.00, TipBAC=10.00	9.44			1
422	MILZ000387	INFO, IA, MI, \$INFO, \$IA, \$MI	MBAC=9.18, MAXBAC=9.95, ALTBAC=9.50, TipBAC=10.00	9.75			1
423	MILZ000388	MI, IA, INFO	MBAC=8.56, MAXBAC=9.15, ALTBAC=8.60, TipBAC=10.00	9.00			1
424	MILZ000389	INFO, IA, MI	MBAC=9.15, MAXBAC=9.95, ALTBAC=8.70, TipBAC=10.00	9.75			1
425	MILZ000390	INFO, \$INFO, IA, \$IA, \$MI	MBAC=7.53, MAXBAC=8.20, ALTBAC=7.55, TipBAC=10.00	8.03			1
426	MILZ000391	MI, INFO, IA, \$MI, \$INFO, \$IA	MBAC=8.93, MAXBAC=8.85, ALTBAC=0.00, TipBAC=10.00	8.86			1
427	MILZ000392	INFO, \$INFO, MI	MBAC=9.35, MAXBAC=9.90, ALTBAC=9.45, TipBAC=10.00	9.76	INFO		1
428	MILZ000393	IA, INFO, \$IA, \$INFO	MBAC=9.51, MAXBAC=9.95, ALTBAC=9.15, TipBAC=10.00	9.84			1
429	MILZ000394	INFO, MI, IA, \$INFO, \$MI, \$IA	MBAC=9.26, MAXBAC=9.85, ALTBAC=9.60, TipBAC=10.00	9.70			1
430	MILZ000395	IA, \$IA	MBAC=8.01, MAXBAC=8.05, ALTBAC=7.40, TipBAC=10.00	8.04			1
431	MILZ000396	IA, \$IA, INFO, \$INFO	MBAC=8.75, MAXBAC=8.80, ALTBAC=8.30, TipBAC=10.00	8.78			1
432	MILZ000397	INFO, \$INFO, MI, \$MI, IA, \$IA	MBAC=8.80, MAXBAC=9.70, ALTBAC=0.00, TipBAC=8.00	9.00			1
433	MILZ000398	IA, \$IA, INFO, \$INFO	MBAC=8.85, MAXBAC=8.90, ALTBAC=8.05, TipBAC=10.00	8.88	\$INFO		1
434	MILZ000399	IA, \$IA, INFO, \$INFO	MBAC=8.87, MAXBAC=9.30, ALTBAC=0.00, TipBAC=10.00	9.19	\$IA		1
435	MILZ000400	MI, \$MI, INFO, \$INFO, IA, \$IA	MBAC=7.83, MAXBAC=9.70, ALTBAC=0.00, TipBAC=8.00	8.77			1
436	MILZ000401	INFO, IA, \$INFO, \$IA	MBAC=8.43, MAXBAC=8.40, ALTBAC=7.80, TipBAC=10.00	8.40			1
437	MILZ000402	IA, INFO, \$IA, \$INFO	MBAC=9.76, MAXBAC=9.90, ALTBAC=0.00, TipBAC=9.00	9.61	INFO		1
438	MILZ000403	INFO, \$INFO, IA, \$IA	MBAC=8.55, MAXBAC=8.90, ALTBAC=7.60, TipBAC=10.00	8.81			1
439	MILZ000404	INFO, \$INFO	MBAC=8.05, MAXBAC=8.65, ALTBAC=6.90, TipBAC=10.00	8.50			1
440	MILZ000405	INFO, IA, MI	MBAC=8.91, MAXBAC=9.90, ALTBAC=8.20, TipBAC=10.00	9.65			1

Nr	Legitim.	Optiuni	Note	Medie	Admis la	Obs.	S
441	MILZ000406	INFO, IA	MBAC=8.98, MAXBAC=9.15, ALTBAC=8.75, TipBAC=10.00	9.10			1
442	MILZ000407	INFO, \$INFO, MI, \$MI	MBAC=8.65, MAXBAC=9.45, ALTBAC=8.70, TipBAC=10.00	9.25			1
443	MILZ000408	INFO, IA, \$INFO, \$IA	MBAC=7.15, MAXBAC=7.65, ALTBAC=6.60, TipBAC=10.00	7.52			1
444	MILZ000409	INFO, \$INFO	MBAC=9.55, MAXBAC=9.60, ALTBAC=9.55, TipBAC=10.00	9.58			1
445	MILZ000410	IA, INFO	MBAC=9.40, MAXBAC=9.65, ALTBAC=9.50, TipBAC=10.00	9.58			1
446	MILZ000411	IA, \$IA, INFO, \$INFO, MI, \$MI	MBAC=9.13, MAXBAC=10.00, ALTBAC=9.15, TipBAC=10.00	9.78	IA		1
447	MILZ000412	INFO, MI, IA, \$INFO, \$MI, \$IA	MBAC=9.15, MAXBAC=9.55, ALTBAC=9.35, TipBAC=9.00	9.21			1
448	MILZ000413	INFO, \$INFO, IA, \$IA, MI, \$MI	MBAC=9.11, MAXBAC=9.55, ALTBAC=9.00, TipBAC=10.00	9.44	INFO		1
449	MILZ000414	IA, INFO, MI	MBAC=9.25, MAXBAC=9.50, ALTBAC=9.45, TipBAC=10.00	9.43			1
450	MILZ000415	INFO, \$INFO, IA, \$IA	MBAC=9.21, MAXBAC=9.85, ALTBAC=9.60, TipBAC=10.00	9.69	INFO		1
451	MILZ000416	IA, \$IA, INFO, \$INFO, MI, \$MI	MBAC=9.35, MAXBAC=10.00, ALTBAC=9.15, TipBAC=10.00	9.83	IA		1
452	MILZ000417	INFO, \$INFO, IA, \$IA, MI, \$MI	MBAC=9.20, MAXBAC=9.50, ALTBAC=9.30, TipBAC=10.00	9.42			1
453	MILZ000418	IA, INFO, MI, \$IA, \$INFO, \$MI	MBAC=9.53, MAXBAC=9.85, ALTBAC=9.40, TipBAC=10.00	9.77	IA		1
454	MILZ000419	MI, \$MI	MBAC=7.80, MAXBAC=9.00, ALTBAC=0.00, TipBAC=9.00	8.48			1
455	MILZ000420	INFO, IA, MI, \$INFO, \$IA, \$MI	MBAC=8.98, MAXBAC=9.20, ALTBAC=8.75, TipBAC=10.00	9.14			1
456	MILZ000421	INFO, \$INFO, IA, \$IA	MBAC=7.70, MAXBAC=7.40, ALTBAC=0.00, TipBAC=9.00	7.28			1
457	MILZ000422	IA, \$IA, INFO, \$INFO	MBAC=7.05, MAXBAC=8.80, ALTBAC=0.00, TipBAC=8.00	7.94			1
458	MILZ000423	INFO, IA, MI, \$INFO, \$IA, \$MI	MBAC=9.41, MAXBAC=9.85, ALTBAC=9.20, TipBAC=10.00	9.73			1
459	MILZ000424	MI, IA, INFO, \$MI, \$INFO, \$IA	MBAC=9.93, MAXBAC=9.90, ALTBAC=10.00, TipBAC=9.00	9.65			1
460	MILZ000425	MI, INFO, \$MI, \$INFO	MBAC=7.23, MAXBAC=7.65, ALTBAC=0.00, TipBAC=8.00	7.16			1
461	MILZ000426	MI, \$MI, INFO, IA	MBAC=8.35, MAXBAC=9.50, ALTBAC=0.00, TipBAC=8.00	8.75			1
462	MILZ000427	INFO, IA, MI, \$INFO, \$IA, \$MI	MBAC=9.55, MAXBAC=9.85, ALTBAC=9.75, TipBAC=10.00	9.77	INFO		1
463	MILZ000428	MI, INFO, IA, \$MI, \$INFO, \$IA	MBAC=8.60, MAXBAC=9.50, ALTBAC=0.00, TipBAC=10.00	9.27	MI		1
464	MILZ000429	MI, IA, INFO, \$MI	MBAC=9.10, MAXBAC=9.05, ALTBAC=8.85, TipBAC=10.00	9.06			1
465	MILZ000430	IA, \$IA, INFO, \$INFO	MBAC=8.15, MAXBAC=8.25, ALTBAC=8.05, TipBAC=10.00	8.22			1
466	MILZ000431	INFO, \$INFO	MBAC=9.26, MAXBAC=10.00, ALTBAC=9.55, TipBAC=10.00	9.81			1
467	MILZ000432	\$IA, \$INFO, IA, INFO, MI, \$MI	MBAC=8.71, MAXBAC=9.30, ALTBAC=8.45, TipBAC=10.00	9.15	\$IA		1
468	MILZ000433	INFO, IA, \$INFO, \$IA	MBAC=8.31, MAXBAC=8.95, ALTBAC=8.05, TipBAC=10.00	8.78			1
469	MILZ000434	IA, INFO, \$INFO, \$IA, MI, \$MI	MBAC=8.06, MAXBAC=8.80, ALTBAC=0.00, TipBAC=8.00	8.18	\$MI		1
470	MILZ000435	MI, INFO, IA, \$MI, \$INFO	MBAC=9.46, MAXBAC=9.90, ALTBAC=0.00, TipBAC=9.00	9.54			1
471	MILZ000436	MI, \$MI	MBAC=9.45, MAXBAC=10.00, ALTBAC=0.00, TipBAC=8.00	9.36	MI		1
472	MILZ000437	MI	MBAC=8.21, MAXBAC=8.45, ALTBAC=0.00, TipBAC=8.00	7.97			1
473	MILZ000438	MI, \$MI	MBAC=7.96, MAXBAC=9.00, ALTBAC=0.00, TipBAC=9.00	8.52			1
474	MILZ000439	INFO, IA	MBAC=9.23, MAXBAC=9.80, ALTBAC=9.00, TipBAC=10.00	9.65			1
475	MILZ000440	MI, INFO, IA, \$MI, \$INFO, \$IA	MBAC=8.45, MAXBAC=8.40, ALTBAC=0.00, TipBAC=10.00	8.41			1
476	MILZ000441	INFO, \$INFO, IA, \$IA, MI, \$MI	MBAC=7.68, MAXBAC=8.55, ALTBAC=7.75, TipBAC=10.00	8.33			1
477	MILZ000442	INFO, \$INFO, IA, \$IA, MI, \$MI	MBAC=7.78, MAXBAC=8.70, ALTBAC=7.40, TipBAC=10.00	8.46			1
478	MILZ000443	IA, \$IA	MBAC=9.41, MAXBAC=10.00, ALTBAC=9.10, TipBAC=10.00	9.85			1
479	MILZ000444	MI, INFO, IA	MBAC=9.81, MAXBAC=10.00, ALTBAC=0.00, TipBAC=9.00	9.70	MI		1
480	MILZ000445	INFO, \$INFO	MBAC=9.30, MAXBAC=9.90, ALTBAC=9.40, TipBAC=10.00	9.75			1
481	MILZ000446	MI, \$MI	MBAC=9.51, MAXBAC=9.80, ALTBAC=0.00, TipBAC=9.00	9.48			1
482	MILZ000447	INFO, IA	MBAC=9.76, MAXBAC=9.90, ALTBAC=9.85, TipBAC=10.00	9.86	INFO		1
483	MILZ000448	IA, \$IA, INFO, \$INFO	MBAC=8.53, MAXBAC=9.15, ALTBAC=8.20, TipBAC=10.00	8.99	\$INFO		1
484	MILZ000449	MI, \$MI, INFO, \$INFO, IA, \$IA	MBAC=8.73, MAXBAC=7.35, ALTBAC=0.00, TipBAC=9.00	7.50			1
485	MILZ000450	INFO, IA, \$INFO, \$IA	MBAC=9.75, MAXBAC=9.75, ALTBAC=9.50, TipBAC=10.00	9.75	INFO		1
486	MILZ000451	INFO, \$INFO, IA, \$IA, MI, \$MI	MBAC=8.33, MAXBAC=8.55, ALTBAC=8.15, TipBAC=10.00	8.49			1
487	MILZ000452	INFO, IA, MI, \$INFO, \$IA, \$MI	MBAC=9.13, MAXBAC=9.70, ALTBAC=9.30, TipBAC=10.00	9.55	INFO		1
488	MILZ000453	INFO, \$INFO, IA, \$IA	MBAC=9.48, MAXBAC=9.90, ALTBAC=9.85, TipBAC=10.00	9.79			1
489	MILZ000454	INFO, \$INFO, MI, \$MI	MBAC=9.78, MAXBAC=9.90, ALTBAC=9.70, TipBAC=10.00	9.87			1
490	MILZ000455	IA, INFO, \$IA, \$INFO	MBAC=9.00, MAXBAC=9.40, ALTBAC=8.30, TipBAC=10.00	9.30			1
491	MILZ000456	IA, INFO, \$IA, \$INFO	MBAC=9.40, MAXBAC=9.65, ALTBAC=0.00, TipBAC=10.00	9.58	INFO		1
492	MILZ000457	MI, IA, INFO, \$IA, \$INFO, \$MI	MBAC=8.88, MAXBAC=9.00, ALTBAC=0.00, TipBAC=8.00	8.52			1
493	MILZ000458	INFO, \$INFO, IA, \$IA, MI, \$MI	MBAC=7.18, MAXBAC=8.00, ALTBAC=6.75, TipBAC=10.00	7.79			1
494	MILZ000459	IA, \$IA, INFO, \$INFO	MBAC=8.83, MAXBAC=9.15, ALTBAC=0.00, TipBAC=10.00	9.07			1
495	MILZ000460	INFO, \$INFO, IA, \$IA, MI, \$MI	MBAC=7.36, MAXBAC=9.20, ALTBAC=0.00, TipBAC=9.00	8.52			1
496	MILZ000461	INFO, IA, \$INFO, \$IA	MBAC=9.65, MAXBAC=9.95, ALTBAC=9.85, TipBAC=10.00	9.87	INFO		1
497	MILZ000462	INFO, IA	MBAC=6.05, MAXBAC=7.35, ALTBAC=0.00, TipBAC=8.00	6.67			1
498	MILZ000463	IA, INFO, \$IA, MI, \$INFO, \$MI	MBAC=8.91, MAXBAC=9.60, ALTBAC=9.15, TipBAC=10.00	9.42			1
499	MILZ000464	MI, \$MI	MBAC=8.36, MAXBAC=9.65, ALTBAC=0.00, TipBAC=8.00	8.86	\$MI		1
500	MILZ000465	INFO, \$INFO	MBAC=9.51, MAXBAC=9.95, ALTBAC=9.90, TipBAC=10.00	9.84			1
501	MILZ000466	INFO	MBAC=8.83, MAXBAC=9.80, ALTBAC=8.80, TipBAC=10.00	9.55			1
502	MILZ000467	MI, \$MI	MBAC=7.45, MAXBAC=7.95, ALTBAC=7.85, TipBAC=10.00	7.82			1
503	MILZ000468	IA, INFO, \$IA, \$INFO	MBAC=8.76, MAXBAC=9.95, ALTBAC=0.00, TipBAC=8.00	9.16	\$IA		1
504	MILZ000469	INFO, IA, \$INFO, \$IA	MBAC=9.16, MAXBAC=9.75, ALTBAC=0.00, TipBAC=8.00	9.12	\$INFO		1
505	MILZ000470	IA, \$IA, INFO, \$INFO	MBAC=8.93, MAXBAC=9.55, ALTBAC=0.00, TipBAC=9.00	9.16	\$IA		1
506	MILZ000471	IA, \$IA, INFO, \$INFO	MBAC=9.55, MAXBAC=9.80, ALTBAC=9.40, TipBAC=10.00	9.73	IA		1
507	MILZ000472	INFO, IA, \$INFO, \$IA	MBAC=9.73, MAXBAC=9.90, ALTBAC=0.00, TipBAC=8.00	9.36			1
508	MILZ000473	INFO	MBAC=9.53, MAXBAC=9.55, ALTBAC=9.55, TipBAC=10.00	9.54			1
509	MILZ000474	MI, \$MI	MBAC=8.46, MAXBAC=8.75, ALTBAC=0.00, TipBAC=9.00	8.46			1
510	MILZ000475	IA, INFO, MI, \$IA, \$INFO, \$MI	MBAC=7.86, MAXBAC=9.20, ALTBAC=0.00, TipBAC=8.00	8.42			1
511	MILZ000476	INFO, \$INFO, IA, \$IA	MBAC=6.23, MAXBAC=7.90, ALTBAC=0.00, TipBAC=8.00	7.10			1
512	MILZ000477	INFO, IA, \$INFO, \$IA, MI, \$MI	MBAC=9.35, MAXBAC=9.75, ALTBAC=0.00, TipBAC=8.00	9.16			1
513	MILZ000478	IA, MI, INFO, \$IA, \$MI, \$INFO	MBAC=9.50, MAXBAC=9.75, ALTBAC=9.45, TipBAC=10.00	9.68			1
514	MILZ000479	INFO	MBAC=9.38, MAXBAC=10.00, ALTBAC=9.40, TipBAC=10.00	9.84	INFO		1
515	MILZ000480	INFO, \$INFO	MBAC=8.41, MAXBAC=9.70, ALTBAC=8.85, TipBAC=10.00	9.37			1

Nr	Legitim.	Optiuni	Note	Medie	Admis la	Obs.	S
516	MILZ000481	IA, INFO, MI, \$IA	MBAC=8.83, MAXBAC=9.80, ALTBAC=8.45, TipBAC=10.00	9.55			1
517	MILZ000482	IA, INFO, \$IA, \$INFO	MBAC=8.78, MAXBAC=9.85, ALTBAC=8.50, TipBAC=10.00	9.58	INFO		1
518	MILZ000483	INFO, \$INFO, IA, \$IA	MBAC=9.00, MAXBAC=9.85, ALTBAC=0.00, TipBAC=8.00	9.15	\$INFO		1
519	MILZ000484	IA, \$IA, MI, \$MI, INFO, \$INFO	MBAC=8.76, MAXBAC=9.65, ALTBAC=8.40, TipBAC=10.00	9.42			1
520	MILZ000485	IA, \$IA, INFO, \$INFO, MI, \$MI	MBAC=9.38, MAXBAC=9.60, ALTBAC=0.00, TipBAC=9.00	9.30			1
521	MILZ000486	INFO, \$INFO	MBAC=8.13, MAXBAC=8.70, ALTBAC=6.55, TipBAC=10.00	8.55			1
522	MILZ000487	\$INFO, \$IA, INFO, IA, \$MI, MI	MBAC=6.95, MAXBAC=7.70, ALTBAC=0.00, TipBAC=9.00	7.32			1
523	MILZ000488	MI, \$MI, INFO, \$INFO, IA, \$IA	MBAC=7.80, MAXBAC=7.40, ALTBAC=7.20, TipBAC=10.00	7.50			1
524	MILZ000489	INFO, \$INFO	MBAC=8.23, MAXBAC=8.95, ALTBAC=0.00, TipBAC=10.00	8.77			1
525	MILZ000490	\$INFO, \$IA	MBAC=7.55, MAXBAC=8.25, ALTBAC=0.00, TipBAC=10.00	8.07			1
526	MILZ000491	MI, INFO, IA	MBAC=6.71, MAXBAC=8.35, ALTBAC=0.00, TipBAC=8.00	7.54			1
527	MILZ000492	IA, \$IA	MBAC=8.61, MAXBAC=7.95, ALTBAC=0.00, TipBAC=9.00	7.91			1
528	MILZ000493	INFO, \$INFO, IA, \$IA	MBAC=7.67, MAXBAC=9.30, ALTBAC=7.70, TipBAC=9.00	8.67			1
529	MILZ000494	IA, INFO, \$IA, \$INFO	MBAC=9.70, MAXBAC=10.00, ALTBAC=9.65, TipBAC=10.00	9.92			1
530	MILZ000495	MI, \$MI, INFO, IA	MBAC=8.15, MAXBAC=8.35, ALTBAC=0.00, TipBAC=10.00	8.29			1
531	MILZ000496	INFO, \$INFO, MI, \$MI, IA, \$IA	MBAC=8.48, MAXBAC=8.50, ALTBAC=0.00, TipBAC=9.00	8.28			1
532	MILZ000497	IA, \$IA, INFO, MI, \$INFO, \$MI	MBAC=7.45, MAXBAC=8.20, ALTBAC=0.00, TipBAC=8.00	7.61			1
533	MILZ000498	IA, INFO, MI	MBAC=9.00, MAXBAC=8.30, ALTBAC=0.00, TipBAC=10.00	8.47			1
534	MILZ000499	INFO, IA, \$INFO, \$IA, MI	MBAC=8.88, MAXBAC=9.95, ALTBAC=9.00, TipBAC=10.00	9.68	INFO		1
535	MILZ000500	INFO, \$INFO, IA, \$IA, MI, \$MI	MBAC=9.01, MAXBAC=9.85, ALTBAC=0.00, TipBAC=8.00	9.15	\$INFO		1
536	MILZ000501	INFO, IA, \$INFO, \$IA	MBAC=9.38, MAXBAC=9.20, ALTBAC=0.00, TipBAC=10.00	9.24	\$INFO		1
537	MILZ000502	MI, INFO, IA	MBAC=8.21, MAXBAC=9.25, ALTBAC=7.95, TipBAC=10.00	8.99			1
538	MILZ000503	MI, INFO, IA	MBAC=8.50, MAXBAC=9.05, ALTBAC=8.70, TipBAC=9.00	8.68			1
539	MILZ000504	MI	MBAC=9.21, MAXBAC=9.70, ALTBAC=0.00, TipBAC=8.00	9.09			1
540	MILZ000505	INFO, IA, MI, \$INFO, \$IA, \$MI	MBAC=7.91, MAXBAC=8.65, ALTBAC=8.20, TipBAC=10.00	8.46			1
541	MILZ000506	MI, INFO, IA, \$MI, \$INFO, \$IA	MBAC=8.05, MAXBAC=7.90, ALTBAC=7.10, TipBAC=10.00	7.93			1
542	MILZ000507	MI, \$MI	MBAC=9.48, MAXBAC=10.00, ALTBAC=0.00, TipBAC=10.00	9.87			1
543	MILZ000508	\$IA	MBAC=8.65, MAXBAC=9.75, ALTBAC=8.50, TipBAC=9.00	9.23	\$IA		1
544	MILZ000509	IA, INFO, \$IA, \$INFO	MBAC=9.80, MAXBAC=10.00, ALTBAC=0.00, TipBAC=9.00	9.70			1
545	MILZ000510	INFO, MI	MBAC=9.75, MAXBAC=9.80, ALTBAC=9.75, TipBAC=10.00	9.78			1
546	MILZ000511	MI, IA, \$MI, \$IA	MBAC=6.00, MAXBAC=6.85, ALTBAC=0.00, TipBAC=8.00	6.30			1
547	MILZ000512	IA, \$IA, INFO, \$INFO, MI, \$MI	MBAC=8.26, MAXBAC=9.60, ALTBAC=8.85, TipBAC=10.00	9.26	\$IA		1
548	MILZ000513	MI, \$MI, INFO, \$INFO, IA, \$IA	MBAC=8.56, MAXBAC=7.90, ALTBAC=0.00, TipBAC=10.00	8.06			1
549	MILZ000514	IA, INFO, \$IA, \$INFO	MBAC=9.30, MAXBAC=9.85, ALTBAC=9.05, TipBAC=10.00	9.71	INFO		1
550	MILZ000515	INFO, \$INFO, IA, \$IA, MI, \$MI	MBAC=8.25, MAXBAC=9.80, ALTBAC=6.95, TipBAC=10.00	9.41			1
551	MILZ000516	IA, \$IA, INFO, \$INFO	MBAC=9.16, MAXBAC=9.55, ALTBAC=8.85, TipBAC=10.00	9.45			1
552	MILZ000517	MI, \$MI	MBAC=9.56, MAXBAC=9.85, ALTBAC=0.00, TipBAC=9.00	9.53			1
553	MILZ000518	INFO, IA, \$INFO, \$IA, MI, \$MI	MBAC=9.38, MAXBAC=9.90, ALTBAC=9.40, TipBAC=10.00	9.77			1
554	MILZ000519	INFO, MI, \$INFO, IA, \$IA, \$MI	MBAC=8.81, MAXBAC=8.85, ALTBAC=8.70, TipBAC=9.00	8.61			1
555	MILZ000520	INFO, \$INFO, IA, \$IA	MBAC=8.18, MAXBAC=9.00, ALTBAC=0.00, TipBAC=9.00	8.57			1
556	MILZ000521	MI, INFO, IA	MBAC=8.91, MAXBAC=9.50, ALTBAC=0.00, TipBAC=8.00	8.88			1
557	MILZ000522	INFO, MI, IA, \$INFO, \$MI, \$IA	MBAC=8.93, MAXBAC=9.85, ALTBAC=8.10, TipBAC=10.00	9.61			1
558	MILZ000523	INFO, \$INFO, IA, \$IA	MBAC=8.71, MAXBAC=9.75, ALTBAC=8.25, TipBAC=9.00	9.25			1
559	MILZ000524	INFO, IA, \$INFO, \$IA	MBAC=9.13, MAXBAC=9.90, ALTBAC=9.40, TipBAC=10.00	9.70			1
560	MILZ000525	IA, \$IA, INFO, \$INFO	MBAC=9.13, MAXBAC=9.70, ALTBAC=9.20, TipBAC=10.00	9.55	\$IA		1
561	MILZ000526	MI, INFO, \$MI, \$INFO	MBAC=8.51, MAXBAC=9.90, ALTBAC=8.65, TipBAC=10.00	9.55			1
562	MILZ000527	MI, IA, INFO, \$MI, \$IA, \$INFO	MBAC=9.01, MAXBAC=9.35, ALTBAC=8.30, TipBAC=10.00	9.26			1
563	MILZ000528	MI, INFO, IA, \$MI, \$INFO, \$IA	MBAC=8.68, MAXBAC=9.35, ALTBAC=8.65, TipBAC=9.00	8.95			1
564	MILZ000529	MI, INFO, IA	MBAC=9.36, MAXBAC=9.35, ALTBAC=0.00, TipBAC=9.00	9.11			1
565	MILZ000530	INFO, MI, IA	MBAC=9.20, MAXBAC=10.00, ALTBAC=0.00, TipBAC=9.00	9.55			1
566	MILZ000531	IA, \$IA, INFO, \$INFO, MI, \$MI	MBAC=9.16, MAXBAC=9.40, ALTBAC=9.10, TipBAC=10.00	9.34			1
567	MILZ000532	IA, INFO, \$IA, \$INFO, MI, \$MI	MBAC=8.01, MAXBAC=9.40, ALTBAC=7.85, TipBAC=10.00	9.05			1
568	MILZ000533	IA, \$IA, INFO, \$INFO	MBAC=9.28, MAXBAC=9.55, ALTBAC=9.45, TipBAC=10.00	9.48	\$IA		1
569	MILZ000534	INFO, \$INFO, MI, \$MI	MBAC=7.71, MAXBAC=9.85, ALTBAC=0.00, TipBAC=8.00	8.84			1
570	MILZ000535	INFO, IA, MI, \$INFO, \$IA, \$MI	MBAC=9.05, MAXBAC=9.40, ALTBAC=9.35, TipBAC=10.00	9.31			1
571	MILZ000536	INFO, \$INFO, IA, \$IA, MI, \$MI	MBAC=9.70, MAXBAC=9.85, ALTBAC=9.65, TipBAC=10.00	9.81			1
572	MILZ000537	INFO, IA, \$INFO, \$IA	MBAC=9.15, MAXBAC=9.15, ALTBAC=8.90, TipBAC=10.00	9.15			1
573	MILZ000538	INFO, MI, IA, \$INFO, \$MI, \$IA	MBAC=9.40, MAXBAC=9.90, ALTBAC=9.75, TipBAC=10.00	9.77			1
574	MILZ000539	\$INFO, \$IA	MBAC=8.23, MAXBAC=9.40, ALTBAC=8.80, TipBAC=10.00	9.10			1
575	MILZ000540	IA, \$IA, INFO, \$INFO, MI, \$MI	MBAC=9.06, MAXBAC=9.55, ALTBAC=0.00, TipBAC=10.00	9.42	\$IA		1
576	MILZ000541	INFO, IA, MI, \$INFO, \$IA, \$MI	MBAC=9.36, MAXBAC=9.70, ALTBAC=9.05, TipBAC=10.00	9.61			1
577	MILZ000542	MI, \$MI	MBAC=8.41, MAXBAC=8.95, ALTBAC=0.00, TipBAC=8.00	8.37			1
578	MILZ000543	IA, \$IA, INFO, \$INFO, MI, \$MI	MBAC=8.33, MAXBAC=9.45, ALTBAC=0.00, TipBAC=9.00	8.94	\$INFO		1
579	MILZ000544	INFO, IA, MI, \$INFO, \$IA, \$MI	MBAC=9.20, MAXBAC=9.55, ALTBAC=9.25, TipBAC=10.00	9.46			1
580	MILZ000545	INFO, \$INFO	MBAC=8.66, MAXBAC=8.50, ALTBAC=8.20, TipBAC=10.00	8.53			1
581	MILZ000546	\$IA, \$INFO, IA, INFO	MBAC=8.63, MAXBAC=9.05, ALTBAC=0.00, TipBAC=9.00	8.72	\$INFO		1
582	MILZ000547	INFO, \$INFO, IA, \$IA	MBAC=9.10, MAXBAC=9.95, ALTBAC=8.70, TipBAC=10.00	9.73			1
583	MILZ000548	INFO, MI, \$INFO, \$MI	MBAC=9.16, MAXBAC=9.10, ALTBAC=0.00, TipBAC=9.00	8.88			1
584	MILZ000549	INFO, IA	MBAC=9.36, MAXBAC=9.85, ALTBAC=9.50, TipBAC=10.00	9.72			1
585	MILZ000551	INFO, IA, MI	MBAC=8.58, MAXBAC=9.90, ALTBAC=0.00, TipBAC=9.00	9.33			1
586	MILZ000552	INFO, IA, \$INFO, \$IA	MBAC=9.01, MAXBAC=9.20, ALTBAC=0.00, TipBAC=9.00	8.92			1
587	MILZ000553	MI, IA, \$MI, \$IA, INFO, \$INFO	MBAC=9.40, MAXBAC=9.35, ALTBAC=0.00, TipBAC=10.00	9.36	MI		1
588	MILZ000554	IA, INFO, MI, \$IA, \$INFO, \$MI	MBAC=9.03, MAXBAC=9.70, ALTBAC=8.10, TipBAC=10.00	9.53			1
589	MILZ000555	MI, \$MI	MBAC=9.21, MAXBAC=9.35, ALTBAC=0.00, TipBAC=9.00	9.08	MI		1
590	MILZ000556	IA, \$IA, INFO, \$INFO	MBAC=9.06, MAXBAC=9.95, ALTBAC=0.00, TipBAC=8.00	9.24			1



Nr	Legitim.	Optiuni	Note	Medie	Admis la	Obs.	S
591	MILZ000557	\$INFO, INFO, \$IA, IA	MBAC=9.23, MAXBAC=9.45, ALTBAC=9.20, TipBAC=10.00	9.39			1
592	MILZ000558	MI, \$MI	MBAC=7.91, MAXBAC=8.55, ALTBAC=7.25, TipBAC=9.00	8.18			1
593	MILZ000559	INFO, IA, \$INFO, \$IA, MI, \$MI	MBAC=9.11, MAXBAC=9.80, ALTBAC=8.70, TipBAC=10.00	9.62			1
594	MILZ000560	MI, \$MI, INFO, IA, \$INFO, \$IA	MBAC=9.06, MAXBAC=9.50, ALTBAC=0.00, TipBAC=9.00	9.15			1
595	MILZ000561	MI, \$MI, INFO, \$INFO	MBAC=9.33, MAXBAC=8.95, ALTBAC=0.00, TipBAC=10.00	9.04			1
596	MILZ000562	INFO, IA, MI	MBAC=9.20, MAXBAC=10.00, ALTBAC=9.20, TipBAC=10.00	9.80	INFO		1
597	MILZ000563	MI, INFO, \$MI, \$INFO	MBAC=7.98, MAXBAC=8.80, ALTBAC=0.00, TipBAC=8.00	8.16			1
598	MILZ000564	MI, IA	MBAC=9.20, MAXBAC=9.60, ALTBAC=0.00, TipBAC=9.00	9.26			1
599	MILZ000565	INFO, \$INFO, IA, \$IA, MI, \$MI	MBAC=9.81, MAXBAC=9.90, ALTBAC=9.90, TipBAC=10.00	9.87			1
600	MILZ000566	INFO, IA, MI	MBAC=9.08, MAXBAC=9.90, ALTBAC=9.60, TipBAC=10.00	9.69			1
601	MILZ000567	IA, INFO, \$IA, \$INFO	MBAC=9.16, MAXBAC=9.65, ALTBAC=9.15, TipBAC=10.00	9.52	INFO		1
602	MILZ000568	MI, \$MI	MBAC=8.28, MAXBAC=8.30, ALTBAC=0.00, TipBAC=9.00	8.08			1
603	MILZ000569	INFO, MI	MBAC=9.45, MAXBAC=9.75, ALTBAC=0.00, TipBAC=10.00	9.67			1
604	MILZ000570	MI, \$MI, INFO, \$INFO, IA, \$IA	MBAC=9.16, MAXBAC=8.50, ALTBAC=0.00, TipBAC=10.00	8.66			1
605	MILZ000571	INFO, IA, \$INFO, \$IA, MI, \$MI	MBAC=8.56, MAXBAC=9.20, ALTBAC=8.85, TipBAC=10.00	9.03	\$INFO		1
606	MILZ000572	IA, \$IA	MBAC=9.01, MAXBAC=9.65, ALTBAC=8.60, TipBAC=10.00	9.49	\$IA		1
607	MILZ000573	INFO, IA, \$INFO, \$IA, MI, \$MI	MBAC=8.78, MAXBAC=9.60, ALTBAC=9.05, TipBAC=10.00	9.39			1
608	MILZ000574	\$INFO, \$IA	MBAC=7.95, MAXBAC=8.70, ALTBAC=0.00, TipBAC=8.00	8.08			1
609	MILZ000575	INFO, \$INFO, IA, \$IA	MBAC=9.21, MAXBAC=9.55, ALTBAC=9.25, TipBAC=10.00	9.46			1
610	MILZ000576	INFO, IA, MI	MBAC=9.53, MAXBAC=10.00, ALTBAC=9.10, TipBAC=10.00	9.88			1
611	MILZ000577	IA, INFO, MI, \$IA, \$INFO, \$MI	MBAC=8.83, MAXBAC=8.75, ALTBAC=0.00, TipBAC=9.00	8.55			1
612	MILZ000578	INFO, IA, \$INFO, \$IA	MBAC=9.71, MAXBAC=9.85, ALTBAC=9.60, TipBAC=10.00	9.81			1
613	MILZ000579	IA, INFO, MI, \$IA, \$INFO, \$MI	MBAC=9.01, MAXBAC=9.60, ALTBAC=8.75, TipBAC=10.00	9.45			1
614	MILZ000580	MI, \$MI, INFO, \$INFO, IA, \$IA	MBAC=8.78, MAXBAC=8.15, ALTBAC=0.00, TipBAC=10.00	8.30			1
615	MILZ000581	INFO, \$INFO, MI, \$MI, IA, \$IA	MBAC=8.36, MAXBAC=9.30, ALTBAC=0.00, TipBAC=8.00	8.61			1
616	MILZ000582	INFO, \$INFO, IA, \$IA, MI, \$MI	MBAC=9.43, MAXBAC=9.85, ALTBAC=9.75, TipBAC=10.00	9.74			1
617	MILZ000583	MI, \$MI, INFO, \$INFO, IA, \$IA	MBAC=9.13, MAXBAC=10.00, ALTBAC=0.00, TipBAC=8.00	9.29			1
618	MILZ000584	\$IA, \$INFO	MBAC=7.70, MAXBAC=8.20, ALTBAC=0.00, TipBAC=8.00	7.67			1
619	MILZ000585	IA, INFO, \$IA, \$INFO	MBAC=9.68, MAXBAC=9.90, ALTBAC=9.55, TipBAC=10.00	9.84	IA		1
620	MILZ000586	IA, INFO, \$IA, \$INFO, MI	MBAC=9.41, MAXBAC=9.90, ALTBAC=9.15, TipBAC=10.00	9.77	IA		1
621	MILZ000587	INFO, IA, \$INFO, \$IA	MBAC=9.50, MAXBAC=9.95, ALTBAC=9.10, TipBAC=10.00	9.83			1
622	MILZ000588	MI, INFO, IA	MBAC=8.50, MAXBAC=9.50, ALTBAC=7.45, TipBAC=9.00	9.01			1
623	MILZ000589	INFO, MI, IA	MBAC=8.98, MAXBAC=9.35, ALTBAC=8.50, TipBAC=10.00	9.25			1
624	MILZ000590	MI, IA, INFO, \$MI, \$IA, \$INFO	MBAC=9.52, MAXBAC=9.85, ALTBAC=0.00, TipBAC=9.00	9.52			1
625	MILZ000591	IA, INFO, \$IA, \$INFO, MI, \$MI	MBAC=8.31, MAXBAC=9.35, ALTBAC=8.55, TipBAC=10.00	9.09			1
626	MILZ000592	IA, INFO, MI, \$IA, \$INFO, \$MI	MBAC=8.40, MAXBAC=9.85, ALTBAC=0.00, TipBAC=8.00	9.01			1
627	MILZ000593	IA, \$IA, INFO, \$INFO	MBAC=9.91, MAXBAC=10.00, ALTBAC=9.90, TipBAC=10.00	9.97	IA		1
628	MILZ000594	IA, INFO, MI, \$IA, \$INFO, \$MI	MBAC=9.31, MAXBAC=10.00, ALTBAC=9.90, TipBAC=10.00	9.82			1
629	MILZ000595	MI, INFO, IA, \$MI, \$INFO, \$IA	MBAC=9.13, MAXBAC=9.85, ALTBAC=0.00, TipBAC=10.00	9.67			1
630	MILZ000596	IA, \$IA, INFO, \$INFO	MBAC=9.45, MAXBAC=9.85, ALTBAC=9.65, TipBAC=10.00	9.75	IA		1
631	MILZ000597	IA, \$IA	MBAC=7.96, MAXBAC=0.00, ALTBAC=0.00, TipBAC=8.00	1.89			1
632	MILZ000598	IA, \$IA	MBAC=9.71, MAXBAC=9.75, ALTBAC=0.00, TipBAC=9.00	9.49			1
633	MILZ000599	INFO, IA, \$INFO, \$IA	MBAC=9.08, MAXBAC=9.70, ALTBAC=8.70, TipBAC=10.00	9.54	INFO		1
634	MILZ000600	INFO, \$INFO, IA, \$IA, MI, \$MI	MBAC=8.78, MAXBAC=8.80, ALTBAC=8.10, TipBAC=10.00	8.79			1
635	MILZ000601	IA, INFO, \$IA, \$INFO	MBAC=8.56, MAXBAC=9.50, ALTBAC=0.00, TipBAC=10.00	9.26	\$IA		1
636	MILZ000602	INFO, IA, MI	MBAC=8.05, MAXBAC=8.80, ALTBAC=7.50, TipBAC=10.00	8.61			1
637	MILZ000603	MI, \$MI, IA	MBAC=8.86, MAXBAC=9.80, ALTBAC=0.00, TipBAC=8.00	9.08	MI		1
638	MILZ000604	INFO, IA, MI	MBAC=9.30, MAXBAC=9.55, ALTBAC=0.00, TipBAC=9.00	9.25			1
639	MILZ000605	INFO, \$INFO, MI, \$MI, IA, \$IA	MBAC=9.55, MAXBAC=10.00, ALTBAC=9.80, TipBAC=10.00	9.88			1
640	MILZ000606	IA, INFO, MI, \$IA, \$INFO, \$MI	MBAC=8.90, MAXBAC=9.40, ALTBAC=8.40, TipBAC=10.00	9.27			1
641	MILZ000607	MI, IA, INFO, \$MI, \$IA, \$INFO	MBAC=6.71, MAXBAC=8.95, ALTBAC=0.00, TipBAC=8.00	7.97			1
642	MILZ000608	MI, \$MI, INFO, IA, \$INFO, \$IA	MBAC=8.43, MAXBAC=9.35, ALTBAC=0.00, TipBAC=8.00	8.66			1
643	MILZ000609	INFO, \$INFO, IA, \$IA, MI, \$MI	MBAC=8.91, MAXBAC=9.10, ALTBAC=8.60, TipBAC=10.00	9.05			1
644	MILZ000610	INFO, \$INFO, IA	MBAC=9.58, MAXBAC=9.70, ALTBAC=9.60, TipBAC=10.00	9.67			1
645	MILZ000611	MI, INFO, IA, \$MI, \$INFO, \$IA	MBAC=7.71, MAXBAC=8.35, ALTBAC=0.00, TipBAC=8.00	7.78	\$MI		1
646	MILZ000612	\$IA, \$INFO, \$MI	MBAC=7.28, MAXBAC=6.45, ALTBAC=0.00, TipBAC=8.00	6.32			1
647	MILZ000613	INFO, IA	MBAC=9.86, MAXBAC=10.00, ALTBAC=0.00, TipBAC=10.00	9.96			1
648	MILZ000614	INFO, MI, \$INFO	MBAC=8.48, MAXBAC=9.90, ALTBAC=0.00, TipBAC=8.00	9.06			1
649	MILZ000615	IA, INFO, MI	MBAC=9.56, MAXBAC=9.70, ALTBAC=9.50, TipBAC=9.00	9.42			1
650	MILZ000616	IA, \$IA, INFO, \$INFO	MBAC=9.45, MAXBAC=10.00, ALTBAC=0.00, TipBAC=8.00	9.36			1
651	MILZ000617	INFO, IA, MI, \$INFO, \$IA, \$MI	MBAC=9.70, MAXBAC=10.00, ALTBAC=9.60, TipBAC=10.00	9.92			1
652	MILZ000619	INFO, \$INFO, MI, \$MI	MBAC=8.48, MAXBAC=9.30, ALTBAC=9.20, TipBAC=9.00	8.86			1
653	MILZ000620	\$INFO	MBAC=7.58, MAXBAC=8.25, ALTBAC=8.00, TipBAC=10.00	8.08			1
654	MILZ000621	INFO, \$INFO, IA, \$IA	MBAC=8.76, MAXBAC=9.05, ALTBAC=8.70, TipBAC=10.00	8.97			1
655	MILZ000622	INFO, \$INFO, IA, \$IA	MBAC=8.18, MAXBAC=9.05, ALTBAC=8.65, TipBAC=10.00	8.83			1
656	MILZ000623	INFO, IA, MI	MBAC=8.78, MAXBAC=9.05, ALTBAC=8.30, TipBAC=10.00	8.98			1
657	MILZ000624	INFO, MI, IA	MBAC=9.23, MAXBAC=9.50, ALTBAC=9.25, TipBAC=10.00	9.43	INFO		1
658	MILZ000625	IA, INFO, \$IA, \$INFO, MI, \$MI	MBAC=8.86, MAXBAC=9.40, ALTBAC=9.20, TipBAC=10.00	9.26			1
659	MILZ000626	IA, \$IA, INFO, \$INFO	MBAC=9.15, MAXBAC=9.60, ALTBAC=9.60, TipBAC=10.00	9.48	\$IA		1
660	MILZ000627	INFO, \$INFO, \$IA	MBAC=8.45, MAXBAC=8.65, ALTBAC=0.00, TipBAC=8.00	8.17			1
661	MILZ000628	IA, \$IA, INFO, \$INFO, MI, \$MI	MBAC=7.38, MAXBAC=6.85, ALTBAC=0.00, TipBAC=10.00	6.98			1
662	MILZ000629	INFO, MI, IA	MBAC=8.78, MAXBAC=9.95, ALTBAC=0.00, TipBAC=8.00	9.17			1
663	MILZ000630	MI, INFO, IA, \$MI, \$INFO, \$IA	MBAC=9.21, MAXBAC=9.75, ALTBAC=9.20, TipBAC=10.00	9.61			1
664	MILZ000631	MI, \$MI, INFO, \$INFO	MBAC=8.78, MAXBAC=9.25, ALTBAC=8.35, TipBAC=10.00	9.13			1
665	MILZ000632	MI, \$MI	MBAC=8.03, MAXBAC=7.95, ALTBAC=0.00, TipBAC=10.00	7.97			1

Nr	Legitim.	Optiuni	Note	Medie	Admis la	Obs.	S
666	MILZ000633	MI, \$MI, \$IA, IA, \$INFO, INFO	MBAC=7.85, MAXBAC=8.15, ALTBAC=6.85, TipBAC=10.00	8.07	\$MI		1
667	MILZ000634	MI, \$MI, INFO, \$INFO, IA, \$IA	MBAC=7.23, MAXBAC=6.65, ALTBAC=6.85, TipBAC=10.00	6.79			1
668	MILZ000635	INFO, \$INFO, IA, \$IA, MI, \$MI	MBAC=8.40, MAXBAC=9.50, ALTBAC=8.85, TipBAC=10.00	9.22			1
669	MILZ000636	MI, INFO, IA	MBAC=8.03, MAXBAC=7.90, ALTBAC=0.00, TipBAC=8.00	7.53			1
670	MILZ000637	\$MI	MBAC=7.93, MAXBAC=8.70, ALTBAC=0.00, TipBAC=10.00	8.50			1
671	MILZ000638	INFO, IA, \$INFO, \$IA	MBAC=6.33, MAXBAC=7.15, ALTBAC=6.45, TipBAC=10.00	6.94			1
672	MILZ000639	INFO, IA, MI	MBAC=8.91, MAXBAC=9.20, ALTBAC=8.55, TipBAC=10.00	9.12			1
673	MILZ000640	IA, \$IA, MI, \$MI, INFO, \$INFO	MBAC=9.40, MAXBAC=9.90, ALTBAC=9.70, TipBAC=10.00	9.77	IA		1
674	MILZ000641	MI	MBAC=9.01, MAXBAC=9.55, ALTBAC=0.00, TipBAC=10.00	9.41			1
675	MILZ000642	MI, \$MI, IA, \$IA	MBAC=9.10, MAXBAC=9.75, ALTBAC=0.00, TipBAC=9.00	9.34			1
676	MILZ000643	INFO	MBAC=9.31, MAXBAC=9.85, ALTBAC=9.25, TipBAC=10.00	9.71			1
677	MILZ000644	IA, \$IA, INFO, \$INFO	MBAC=8.73, MAXBAC=9.80, ALTBAC=8.55, TipBAC=10.00	9.53	\$IA		1
678	MILZ000645	\$IA, \$INFO	MBAC=8.58, MAXBAC=10.00, ALTBAC=8.05, TipBAC=10.00	9.64	\$IA		1
679	MILZ000646	\$IA, \$INFO	MBAC=7.61, MAXBAC=8.80, ALTBAC=0.00, TipBAC=10.00	8.50			1
680	MILZ000647	IA, INFO, MI, \$IA, \$INFO, \$MI	MBAC=9.33, MAXBAC=9.30, ALTBAC=9.20, TipBAC=10.00	9.30			1
681	MILZ000648	IA, INFO, MI, \$IA	MBAC=8.78, MAXBAC=9.40, ALTBAC=0.00, TipBAC=8.00	8.78			1
682	MILZ000649	IA, \$IA, INFO, \$INFO, MI, \$MI	MBAC=9.38, MAXBAC=9.60, ALTBAC=9.55, TipBAC=10.00	9.54	\$IA		1
683	MILZ000650	\$INFO	MBAC=7.02, MAXBAC=5.25, ALTBAC=0.00, TipBAC=10.00	5.69			1
684	MILZ000651	IA, INFO, \$IA, \$INFO	MBAC=9.36, MAXBAC=9.85, ALTBAC=0.00, TipBAC=8.00	9.24	\$IA		1
685	MILZ000652	MI, INFO, IA	MBAC=9.26, MAXBAC=9.75, ALTBAC=8.25, TipBAC=10.00	9.62			1
686	MILZ000653	INFO, \$INFO	MBAC=9.03, MAXBAC=9.65, ALTBAC=9.10, TipBAC=10.00	9.49			1
687	MILZ000654	IA, INFO, MI, \$IA, \$INFO, \$MI	MBAC=9.32, MAXBAC=9.90, ALTBAC=8.90, TipBAC=10.00	9.75			1
688	MILZ000655	INFO, MI, IA, \$INFO, \$MI, \$IA	MBAC=7.25, MAXBAC=8.45, ALTBAC=7.05, TipBAC=10.00	8.14			1
689	MILZ000656	MI, INFO, IA, \$MI, \$INFO, \$IA	MBAC=9.13, MAXBAC=9.95, ALTBAC=0.00, TipBAC=9.00	9.50			1
690	MILZ000657	INFO, \$INFO, IA, \$IA	MBAC=9.11, MAXBAC=9.70, ALTBAC=9.10, TipBAC=10.00	9.55			1
691	MILZ000658	IA, INFO, \$IA, \$INFO, MI, \$MI	MBAC=8.18, MAXBAC=9.45, ALTBAC=0.00, TipBAC=8.00	8.67			1
692	MILZ000659	INFO, \$INFO	MBAC=8.20, MAXBAC=8.95, ALTBAC=7.65, TipBAC=10.00	8.76	\$INFO		1
693	MILZ000660	INFO, \$INFO	MBAC=9.03, MAXBAC=9.40, ALTBAC=9.25, TipBAC=10.00	9.30			1
694	MILZ000661	\$IA, \$INFO	MBAC=8.65, MAXBAC=7.95, ALTBAC=0.00, TipBAC=9.00	7.92			1
695	MILZ000662	MI, \$MI	MBAC=8.87, MAXBAC=9.40, ALTBAC=0.00, TipBAC=9.00	9.03			1
696	MILZ000663	IA, INFO, MI, \$IA, \$INFO, \$MI	MBAC=8.01, MAXBAC=7.75, ALTBAC=0.00, TipBAC=9.00	7.61			1
697	MILZ000664	IA, \$IA, INFO, \$INFO, MI, \$MI	MBAC=7.78, MAXBAC=7.65, ALTBAC=0.00, TipBAC=8.00	7.29			1
698	MILZ000665	INFO, \$INFO, IA, \$IA, MI, \$MI	MBAC=9.45, MAXBAC=10.00, ALTBAC=9.25, TipBAC=10.00	9.86			1
699	MILZ000666	\$INFO, INFO	MBAC=8.31, MAXBAC=8.55, ALTBAC=8.15, TipBAC=10.00	8.49			1
700	MILZ000667	IA, \$IA, INFO, \$INFO, MI, \$MI	MBAC=8.15, MAXBAC=8.90, ALTBAC=7.60, TipBAC=10.00	8.71			1
701	MILZ000668	IA, \$IA, INFO, \$INFO	MBAC=6.36, MAXBAC=7.50, ALTBAC=5.00, TipBAC=10.00	7.21			1
702	MILZ000669	IA, \$IA, INFO, \$INFO, MI, \$MI	MBAC=8.50, MAXBAC=9.50, ALTBAC=9.00, TipBAC=10.00	9.25			1
703	MILZ000670	IA, INFO, \$IA, \$INFO	MBAC=8.85, MAXBAC=10.00, ALTBAC=8.45, TipBAC=10.00	9.71	INFO		1
704	MILZ000671	IA, INFO, MI, \$IA, \$INFO, \$MI	MBAC=9.40, MAXBAC=9.90, ALTBAC=9.85, TipBAC=10.00	9.77			1
705	MILZ000672	INFO, IA, \$INFO, \$IA	MBAC=8.00, MAXBAC=8.95, ALTBAC=7.75, TipBAC=10.00	8.71			1
706	MILZ000673	INFO, IA, \$IA, MI, \$INFO, \$MI	MBAC=8.48, MAXBAC=9.00, ALTBAC=8.35, TipBAC=10.00	8.87			1
707	MILZ000674	INFO, IA, \$INFO, \$IA	MBAC=9.21, MAXBAC=10.00, ALTBAC=9.55, TipBAC=10.00	9.80			1
708	MILZ000675	INFO, IA, \$INFO, \$IA	MBAC=9.68, MAXBAC=9.80, ALTBAC=9.55, TipBAC=10.00	9.77			1
709	MILZ000676	INFO, IA, \$INFO, \$IA	MBAC=8.31, MAXBAC=9.10, ALTBAC=0.00, TipBAC=8.00	8.45			1
710	MILZ000678	INFO, IA	MBAC=9.58, MAXBAC=10.00, ALTBAC=9.45, TipBAC=10.00	9.89			1
711	MILZ000679	INFO, \$INFO, IA, \$IA	MBAC=8.81, MAXBAC=9.40, ALTBAC=8.95, TipBAC=10.00	9.25			1
712	MILZ000680	IA, \$IA, INFO, \$INFO, MI, \$MI	MBAC=8.70, MAXBAC=8.85, ALTBAC=8.80, TipBAC=10.00	8.81	\$INFO		1
713	MILZ000681	INFO, IA, MI, \$INFO, \$IA, \$MI	MBAC=9.08, MAXBAC=9.50, ALTBAC=9.25, TipBAC=10.00	9.39			1
714	MILZ000682	IA, INFO, \$IA, \$INFO, MI, \$MI	MBAC=9.68, MAXBAC=10.00, ALTBAC=9.50, TipBAC=10.00	9.92			1
715	MILZ000684	INFO, IA, MI, \$INFO, \$IA, \$MI	MBAC=9.96, MAXBAC=10.00, ALTBAC=9.90, TipBAC=10.00	9.99			1
716	MILZ000685	INFO, \$INFO	MBAC=9.71, MAXBAC=9.85, ALTBAC=9.60, TipBAC=10.00	9.81			1
717	MILZ000686	IA, INFO, \$IA, \$INFO	MBAC=9.53, MAXBAC=9.90, ALTBAC=9.35, TipBAC=10.00	9.80			1
718	MILZ000687	IA, INFO, \$IA, \$INFO	MBAC=9.16, MAXBAC=9.80, ALTBAC=9.80, TipBAC=10.00	9.64			1
719	MILZ000688	INFO, \$INFO	MBAC=9.75, MAXBAC=10.00, ALTBAC=9.65, TipBAC=10.00	9.93	INFO		1
720	MILZ000689	IA, \$IA	MBAC=9.86, MAXBAC=10.00, ALTBAC=9.95, TipBAC=10.00	9.96	IA		1
721	MILZ000690	MI	MBAC=8.91, MAXBAC=9.30, ALTBAC=8.75, TipBAC=10.00	9.20			1
722	MILZ000691	INFO, IA, \$INFO, MI, \$IA, \$MI	MBAC=8.40, MAXBAC=8.30, ALTBAC=8.15, TipBAC=10.00	8.32			1
723	MILZ000692	IA, \$IA, INFO, \$INFO, MI, \$MI	MBAC=8.06, MAXBAC=9.80, ALTBAC=0.00, TipBAC=8.00	8.89	\$INFO		1
724	MILZ000693	IA, INFO, MI, \$IA, \$INFO, \$MI	MBAC=9.10, MAXBAC=9.65, ALTBAC=8.85, TipBAC=10.00	9.51			1
725	MILZ000694	INFO, IA, MI, \$INFO, \$IA, \$MI	MBAC=9.26, MAXBAC=9.15, ALTBAC=9.15, TipBAC=10.00	9.17			1
726	MILZ000695	MI, \$MI	MBAC=9.38, MAXBAC=10.00, ALTBAC=9.65, TipBAC=10.00	9.84			1
727	MILZ000696	INFO, IA	MBAC=9.56, MAXBAC=9.10, ALTBAC=0.00, TipBAC=10.00	9.21			1
728	MILZ000697	INFO, IA	MBAC=9.16, MAXBAC=9.70, ALTBAC=9.60, TipBAC=10.00	9.56	INFO		1
729	MILZ000698	INFO, IA, \$INFO, \$IA	MBAC=9.51, MAXBAC=10.00, ALTBAC=9.85, TipBAC=10.00	9.87			1
730	MILZ000699	INFO, IA, MI	MBAC=8.56, MAXBAC=9.75, ALTBAC=8.05, TipBAC=10.00	9.45			1
731	MILZ000700	IA, INFO, \$IA, \$INFO, MI, \$MI	MBAC=8.68, MAXBAC=9.25, ALTBAC=8.30, TipBAC=10.00	9.10			1
732	MILZ000701	INFO, \$INFO	MBAC=9.60, MAXBAC=9.95, ALTBAC=9.20, TipBAC=10.00	9.86			1
733	MILZ000702	INFO, IA, \$INFO, \$IA, MI, \$MI	MBAC=9.41, MAXBAC=9.50, ALTBAC=9.30, TipBAC=10.00	9.47			1
734	MILZ000703	INFO, IA, \$INFO, \$IA, MI, \$MI	MBAC=9.20, MAXBAC=9.70, ALTBAC=9.05, TipBAC=10.00	9.57			1
735	MILZ000704	INFO, \$INFO, IA, \$IA	MBAC=8.28, MAXBAC=8.45, ALTBAC=8.25, TipBAC=10.00	8.40			1
736	MILZ000705	INFO, IA, MI	MBAC=9.13, MAXBAC=9.65, ALTBAC=8.20, TipBAC=10.00	9.52			1
737	MILZ000706	INFO, \$INFO, IA, \$IA, MI, \$MI	MBAC=9.55, MAXBAC=9.45, ALTBAC=0.00, TipBAC=10.00	9.47			1
738	MILZ000707	INFO, \$INFO, IA, \$IA	MBAC=9.38, MAXBAC=10.00, ALTBAC=9.60, TipBAC=10.00	9.84			1
739	MILZ000708	IA, \$IA, INFO, \$INFO, MI, \$MI	MBAC=9.58, MAXBAC=9.85, ALTBAC=9.55, TipBAC=10.00	9.78			1
740	MILZ000709	IA, INFO, \$INFO, \$IA	MBAC=8.40, MAXBAC=9.05, ALTBAC=0.00, TipBAC=8.00	8.44			1

Nr	Legitim.	Optiuni	Note	Medie	Admis la	Obs.	S
741	MILZ000710	INFO, IA	MBAC=8.73, MAXBAC=9.60, ALTBAC=7.30, TipBAC=10.00	9.38			1
742	MILZ000711	INFO, \$INFO, MI, \$MI, IA, \$IA	MBAC=7.70, MAXBAC=8.25, ALTBAC=6.80, TipBAC=10.00	8.11			1
743	MILZ000712	INFO, MI, IA, \$INFO, \$MI, \$IA	MBAC=8.41, MAXBAC=8.60, ALTBAC=7.95, TipBAC=10.00	8.55			1
744	MILZ000713	MI, \$MI, INFO, IA, \$INFO, \$IA	MBAC=8.23, MAXBAC=9.75, ALTBAC=0.00, TipBAC=8.00	8.90			1
745	MILZ000714	MI, \$MI, INFO, IA, \$INFO, \$IA	MBAC=8.98, MAXBAC=9.50, ALTBAC=0.00, TipBAC=9.00	9.13			1
746	MILZ000715	IA, INFO, \$IA, \$INFO, MI, \$MI	MBAC=9.70, MAXBAC=10.00, ALTBAC=9.90, TipBAC=10.00	9.92			1
747	MILZ000716	INFO, IA, MI	MBAC=9.80, MAXBAC=10.00, ALTBAC=9.70, TipBAC=10.00	9.94			1
748	MILZ000717	IA, MI, INFO, \$IA, \$MI, \$INFO	MBAC=8.11, MAXBAC=8.95, ALTBAC=7.25, TipBAC=10.00	8.73			1
749	MILZ000718	MI, \$MI	MBAC=8.65, MAXBAC=9.15, ALTBAC=0.00, TipBAC=9.00	8.79			1
750	MILZ000719	IA, \$IA, INFO, \$INFO, MI, \$MI	MBAC=7.30, MAXBAC=8.55, ALTBAC=7.60, TipBAC=9.00	8.03			1
751	MILZ000720	INFO, IA, \$INFO, \$IA	MBAC=9.41, MAXBAC=9.90, ALTBAC=9.85, TipBAC=10.00	9.77	INFO		1
752	MILZ000721	MI, INFO, IA, \$MI	MBAC=8.61, MAXBAC=9.05, ALTBAC=8.60, TipBAC=10.00	8.94			1
753	MILZ000722	INFO, MI, \$INFO, \$MI, \$IA, IA	MBAC=9.43, MAXBAC=9.90, ALTBAC=9.35, TipBAC=10.00	9.78			1
754	MILZ000723	INFO, MI, \$INFO, \$MI	MBAC=9.46, MAXBAC=9.55, ALTBAC=9.50, TipBAC=10.00	9.52			1
755	MILZ000724	IA, INFO, MI	MBAC=9.30, MAXBAC=9.35, ALTBAC=9.05, TipBAC=9.00	9.10			1
756	MILZ000725	INFO, \$INFO, IA, \$IA	MBAC=7.81, MAXBAC=9.30, ALTBAC=0.00, TipBAC=9.00	8.70			1
757	MILZ000726	\$IA, \$INFO	MBAC=8.26, MAXBAC=8.50, ALTBAC=8.00, TipBAC=10.00	8.44			1
758	MILZ000727	IA, \$IA, INFO, \$INFO	MBAC=9.63, MAXBAC=9.95, ALTBAC=9.70, TipBAC=10.00	9.86	IA		1
759	MILZ000728	MI, \$MI	MBAC=8.06, MAXBAC=9.40, ALTBAC=0.00, TipBAC=9.00	8.83			1
760	MILZ000729	INFO, IA, \$INFO, \$IA	MBAC=9.13, MAXBAC=9.30, ALTBAC=9.00, TipBAC=10.00	9.25			1
761	MILZ000730	INFO, \$INFO, IA, \$IA, MI, \$MI	MBAC=8.73, MAXBAC=9.40, ALTBAC=0.00, TipBAC=8.00	8.77			1
762	MILZ000731	\$INFO	MBAC=7.83, MAXBAC=7.45, ALTBAC=6.55, TipBAC=10.00	7.54			1
763	MILZ000732	MI, IA, INFO, \$MI	MBAC=6.85, MAXBAC=8.20, ALTBAC=0.00, TipBAC=10.00	7.86			1
764	MILZ000733	INFO, IA	MBAC=9.55, MAXBAC=10.00, ALTBAC=9.10, TipBAC=10.00	9.88			1
765	MILZ000734	MI, \$MI, INFO, IA, \$INFO, \$IA	MBAC=7.80, MAXBAC=9.80, ALTBAC=0.00, TipBAC=8.00	8.83	\$MI		1
766	MILZ000735	INFO, \$INFO, IA, \$IA	MBAC=8.28, MAXBAC=8.95, ALTBAC=6.25, TipBAC=10.00	8.78			1
767	MILZ000736	INFO, IA	MBAC=9.36, MAXBAC=9.90, ALTBAC=9.90, TipBAC=10.00	9.76			1
768	MILZ000737	INFO, IA, MI	MBAC=9.33, MAXBAC=10.00, ALTBAC=9.80, TipBAC=9.00	9.58			1
769	MILZ000738	IA, INFO, MI, \$IA, \$INFO, \$MI	MBAC=7.90, MAXBAC=9.15, ALTBAC=7.55, TipBAC=10.00	8.83			1
770	MILZ000739	INFO, MI, IA, \$INFO, \$MI, \$IA	MBAC=7.91, MAXBAC=8.70, ALTBAC=7.50, TipBAC=10.00	8.50			1
771	MILZ000740	INFO, IA	MBAC=8.76, MAXBAC=8.90, ALTBAC=0.00, TipBAC=8.00	8.42			1
772	MILZ000741	IA, \$IA	MBAC=8.06, MAXBAC=8.10, ALTBAC=0.00, TipBAC=8.00	7.68			1
773	MILZ000742	INFO, IA	MBAC=9.96, MAXBAC=10.00, ALTBAC=10.00, TipBAC=10.00	9.99			1
774	MILZ000743	MI, INFO, IA, \$MI, \$INFO, \$IA	MBAC=8.78, MAXBAC=8.70, ALTBAC=7.95, TipBAC=10.00	8.71			1
775	MILZ000744	IA, INFO, \$IA, \$INFO	MBAC=8.38, MAXBAC=8.95, ALTBAC=8.35, TipBAC=10.00	8.80	\$INFO		1
776	MILZ000745	IA, \$IA, INFO, MI	MBAC=9.31, MAXBAC=9.70, ALTBAC=9.10, TipBAC=10.00	9.60			1
777	MILZ000746	IA, INFO, MI, \$IA, \$INFO, \$MI	MBAC=9.73, MAXBAC=10.00, ALTBAC=9.60, TipBAC=10.00	9.93			1
778	MILZ000747	INFO, \$INFO, IA, \$IA	MBAC=8.55, MAXBAC=9.80, ALTBAC=8.50, TipBAC=10.00	9.48			1
779	MILZ000748	IA, INFO, \$INFO, MI	MBAC=8.45, MAXBAC=8.80, ALTBAC=0.00, TipBAC=10.00	8.71			1
780	MILZ000749	MI	MBAC=9.71, MAXBAC=9.95, ALTBAC=0.00, TipBAC=8.00	9.39			1
781	MILZ000750	MI, IA, INFO	MBAC=8.13, MAXBAC=8.60, ALTBAC=7.90, TipBAC=10.00	8.48			1
782	MILZ000751	INFO, IA, MI, \$INFO, \$IA, \$MI	MBAC=8.71, MAXBAC=9.25, ALTBAC=8.30, TipBAC=10.00	9.11			1
783	MILZ000752	IA, INFO, \$IA, \$INFO	MBAC=8.96, MAXBAC=9.70, ALTBAC=8.90, TipBAC=10.00	9.51	INFO		1
784	MILZ000753	MI	MBAC=7.70, MAXBAC=8.50, ALTBAC=0.00, TipBAC=10.00	8.30			1
785	MILZ000754	INFO, \$INFO, IA, \$IA, MI, \$MI	MBAC=8.33, MAXBAC=7.85, ALTBAC=7.85, TipBAC=10.00	7.96			1
786	MILZ000755	IA, INFO, MI, \$IA, \$INFO, \$MI	MBAC=9.65, MAXBAC=10.00, ALTBAC=9.40, TipBAC=10.00	9.91			1
787	MILZ000756	IA, \$IA, MI, \$MI	MBAC=8.56, MAXBAC=9.10, ALTBAC=7.50, TipBAC=10.00	8.96			1
788	MILZ000757	MI	MBAC=9.53, MAXBAC=9.85, ALTBAC=0.00, TipBAC=10.00	9.77			1
789	MILZ000758	MI, \$MI	MBAC=9.50, MAXBAC=9.95, ALTBAC=0.00, TipBAC=9.00	9.59			1
790	MILZ000759	IA, INFO, \$IA, \$INFO	MBAC=9.60, MAXBAC=10.00, ALTBAC=10.00, TipBAC=10.00	9.90			1
791	MILZ000760	INFO, IA, \$INFO, \$IA, MI, \$MI	MBAC=8.96, MAXBAC=9.90, ALTBAC=7.85, TipBAC=10.00	9.66	INFO		1
792	MILZ000761	INFO, IA, \$INFO, \$IA	MBAC=8.10, MAXBAC=7.80, ALTBAC=7.60, TipBAC=10.00	7.87			1
793	MILZ000762	IA, INFO, MI	MBAC=9.13, MAXBAC=9.15, ALTBAC=0.00, TipBAC=10.00	9.14			1
794	MILZ000763	IA, INFO, \$IA, \$INFO	MBAC=9.33, MAXBAC=9.75, ALTBAC=9.05, TipBAC=10.00	9.64	INFO		1
795	MILZ000764	IA, \$IA, INFO, \$INFO	MBAC=8.91, MAXBAC=9.25, ALTBAC=9.10, TipBAC=10.00	9.16			1
796	MILZ000765	MI, INFO, IA, \$MI, \$INFO, \$IA	MBAC=8.81, MAXBAC=9.20, ALTBAC=8.15, TipBAC=10.00	9.10			1
797	MILZ000766	IA, INFO, \$IA, \$INFO	MBAC=9.61, MAXBAC=10.00, ALTBAC=9.65, TipBAC=10.00	9.90			1
798	MILZ000767	IA, INFO, MI, \$IA, \$INFO, \$MI	MBAC=9.71, MAXBAC=9.80, ALTBAC=9.75, TipBAC=10.00	9.77			1
799	MILZ000768	\$INFO, \$IA, \$MI	MBAC=8.90, MAXBAC=9.70, ALTBAC=8.80, TipBAC=10.00	9.50			1
800	MILZ000769	INFO, \$INFO, IA, \$IA, MI, \$MI	MBAC=9.01, MAXBAC=9.10, ALTBAC=8.95, TipBAC=10.00	9.07			1
801	MILZ000770	IA, INFO, MI, \$IA, \$INFO, \$MI	MBAC=8.36, MAXBAC=8.85, ALTBAC=7.80, TipBAC=10.00	8.72			1
802	MILZ000771	INFO, IA, \$INFO, \$IA	MBAC=9.00, MAXBAC=9.65, ALTBAC=8.20, TipBAC=10.00	9.48	INFO		1
803	MILZ000772	IA, \$IA, INFO	MBAC=9.30, MAXBAC=9.95, ALTBAC=9.45, TipBAC=10.00	9.78			1
804	MILZ000773	IA, \$IA, MI, \$MI, INFO, \$INFO	MBAC=7.21, MAXBAC=6.60, ALTBAC=0.00, TipBAC=10.00	6.75			1
805	MILZ000774	INFO, IA, MI, \$INFO, \$IA, \$MI	MBAC=9.06, MAXBAC=8.90, ALTBAC=0.00, TipBAC=10.00	8.94			1
806	MILZ000775	INFO	MBAC=9.35, MAXBAC=9.85, ALTBAC=9.60, TipBAC=10.00	9.72			1
807	MILZ000776	\$MI	MBAC=9.88, MAXBAC=9.90, ALTBAC=0.00, TipBAC=9.00	9.64			1
808	MILZ000777	INFO, \$INFO, IA, \$IA, MI, \$MI	MBAC=7.81, MAXBAC=9.30, ALTBAC=5.90, TipBAC=10.00	8.92			1
809	MILZ000778	INFO, IA, MI, \$INFO, \$IA, \$MI	MBAC=9.65, MAXBAC=9.90, ALTBAC=9.45, TipBAC=10.00	9.83			1
810	MILZ000779	INFO, \$INFO, IA	MBAC=9.65, MAXBAC=10.00, ALTBAC=10.00, TipBAC=10.00	9.91			1
811	MILZ000780	MI, INFO, \$MI, \$INFO, IA, \$IA	MBAC=7.90, MAXBAC=7.65, ALTBAC=7.65, TipBAC=10.00	7.71			1
812	MILZ000781	INFO, \$INFO, MI, \$MI, IA, \$IA	MBAC=9.30, MAXBAC=9.85, ALTBAC=9.50, TipBAC=10.00	9.71			1
813	MILZ000782	MI, \$MI	MBAC=9.91, MAXBAC=10.00, ALTBAC=0.00, TipBAC=8.00	9.47			1
814	MILZ000783	IA, INFO, MI, \$IA, \$INFO	MBAC=9.75, MAXBAC=9.90, ALTBAC=9.45, TipBAC=10.00	9.86			1
815	MILZ000784	IA, INFO, \$IA, \$INFO	MBAC=8.71, MAXBAC=8.55, ALTBAC=8.10, TipBAC=10.00	8.59			1

Nr	Legitim.	Optiuni	Note	Medie	Admis la	Obs.	S
816	MILZ000785	INFO, MI, IA	MBAC=8.30, MAXBAC=9.85, ALTBAC=8.30, TipBAC=10.00	9.46			1
817	MILZ000786	MI, \$MI	MBAC=8.75, MAXBAC=8.45, ALTBAC=0.00, TipBAC=9.00	8.31			1
818	MILZ000787	INFO, \$INFO, IA, \$IA, MI, \$MI	MBAC=8.96, MAXBAC=9.40, ALTBAC=9.20, TipBAC=10.00	9.29	\$INFO		1
819	MILZ000788	INFO, IA	MBAC=9.03, MAXBAC=10.00, ALTBAC=8.90, TipBAC=10.00	9.75			1
820	MILZ000789	IA, INFO, MI	MBAC=8.68, MAXBAC=9.15, ALTBAC=0.00, TipBAC=10.00	9.03			1
821	MILZ000790	MI, \$MI, INFO, \$INFO	MBAC=9.28, MAXBAC=9.55, ALTBAC=9.30, TipBAC=10.00	9.48	MI		1
822	MILZ000791	IA, INFO	MBAC=8.93, MAXBAC=9.15, ALTBAC=0.00, TipBAC=9.00	8.86			1
823	MILZ000792	INFO, IA, MI	MBAC=9.55, MAXBAC=10.00, ALTBAC=9.90, TipBAC=10.00	9.88	INFO		1
824	MILZ000793	INFO, IA, MI, \$INFO, \$IA, \$MI	MBAC=9.68, MAXBAC=10.00, ALTBAC=9.80, TipBAC=10.00	9.92			1
825	MILZ000794	INFO, IA, \$INFO, \$IA	MBAC=8.26, MAXBAC=9.50, ALTBAC=7.70, TipBAC=10.00	9.19			1
826	MILZ000795	MI, INFO, IA, \$MI, \$INFO, \$IA	MBAC=7.28, MAXBAC=6.60, ALTBAC=0.00, TipBAC=8.00	6.43			1
827	MILZ000796	INFO, \$INFO, IA, \$IA	MBAC=8.45, MAXBAC=9.30, ALTBAC=0.00, TipBAC=8.00	8.63			1
828	MILZ000797	MI, INFO	MBAC=9.63, MAXBAC=9.70, ALTBAC=0.00, TipBAC=10.00	9.68			1
829	MILZ000798	INFO, \$INFO, IA, \$IA	MBAC=8.80, MAXBAC=9.55, ALTBAC=8.40, TipBAC=10.00	9.36			1
830	MILZ000799	INFO, \$INFO, IA, \$IA, MI, \$MI	MBAC=8.73, MAXBAC=9.25, ALTBAC=7.35, TipBAC=10.00	9.12			1
831	MILZ000800	INFO, IA, \$INFO, \$IA	MBAC=6.91, MAXBAC=7.50, ALTBAC=6.50, TipBAC=10.00	7.35			1
832	MILZ000801	INFO, IA, MI, \$INFO, \$MI, \$IA	MBAC=9.33, MAXBAC=10.00, ALTBAC=9.10, TipBAC=10.00	9.83			1
833	MILZ000802	IA, INFO	MBAC=8.95, MAXBAC=9.75, ALTBAC=9.70, TipBAC=10.00	9.55			1
834	MILZ000803	INFO, \$INFO, IA, \$IA	MBAC=7.51, MAXBAC=8.40, ALTBAC=6.30, TipBAC=10.00	8.17			1
835	MILZ000804	IA, INFO, MI, \$IA, \$INFO, \$MI	MBAC=9.18, MAXBAC=9.60, ALTBAC=9.45, TipBAC=10.00	9.49			1
836	MILZ000805	INFO, \$INFO, MI, \$MI	MBAC=9.13, MAXBAC=9.90, ALTBAC=9.85, TipBAC=10.00	9.70			1
837	MILZ000806	INFO, MI, \$INFO, \$MI	MBAC=9.68, MAXBAC=10.00, ALTBAC=9.80, TipBAC=10.00	9.92			1
838	MILZ000807	INFO, IA, MI, \$INFO, \$IA, \$MI	MBAC=8.08, MAXBAC=8.85, ALTBAC=7.30, TipBAC=10.00	8.65			1
839	MILZ000808	INFO, \$INFO	MBAC=8.71, MAXBAC=9.50, ALTBAC=9.25, TipBAC=9.00	9.06			1
840	MILZ000809	MI, \$MI	MBAC=8.96, MAXBAC=8.80, ALTBAC=0.00, TipBAC=8.00	8.39			1
841	MILZ000810	MI	MBAC=9.06, MAXBAC=9.40, ALTBAC=0.00, TipBAC=9.00	9.08			1
842	MILZ000811	MI, INFO, IA, \$MI, \$INFO, \$IA	MBAC=9.30, MAXBAC=9.80, ALTBAC=8.45, TipBAC=10.00	9.67			1
843	MILZ000812	INFO, \$INFO, MI, \$MI, IA, \$IA	MBAC=7.98, MAXBAC=8.50, ALTBAC=7.90, TipBAC=10.00	8.37			1
844	MILZ000813	IA, INFO, MI	MBAC=8.30, MAXBAC=9.20, ALTBAC=8.55, TipBAC=10.00	8.97			1
845	MILZ000814	INFO, \$INFO, IA, \$IA, MI, \$MI	MBAC=8.61, MAXBAC=8.90, ALTBAC=8.55, TipBAC=10.00	8.82			1
846	MILZ000815	INFO, \$INFO	MBAC=9.05, MAXBAC=9.60, ALTBAC=9.30, TipBAC=10.00	9.46			1
847	MILZ000816	INFO, \$INFO, IA, \$IA, MI, \$MI	MBAC=9.28, MAXBAC=9.75, ALTBAC=9.35, TipBAC=10.00	9.63			1
848	MILZ000817	INFO, \$INFO, IA, \$IA	MBAC=9.08, MAXBAC=9.10, ALTBAC=8.65, TipBAC=10.00	9.09	\$INFO		1
849	MILZ000818	IA, INFO, MI, \$IA, \$INFO, \$MI	MBAC=7.16, MAXBAC=8.30, ALTBAC=0.00, TipBAC=8.00	7.61			1
850	MILZ000819	MI, \$MI	MBAC=7.63, MAXBAC=8.55, ALTBAC=0.00, TipBAC=10.00	8.32			1
851	MILZ000820	MI	MBAC=8.63, MAXBAC=9.80, ALTBAC=0.00, TipBAC=9.00	9.26	MI		1
852	MILZ000821	INFO, IA, \$INFO, \$IA, MI, \$MI	MBAC=9.71, MAXBAC=10.00, ALTBAC=9.75, TipBAC=10.00	9.92			1
853	MILZ000822	IA, INFO, MI, \$IA, \$INFO, \$MI	MBAC=9.63, MAXBAC=9.85, ALTBAC=9.65, TipBAC=10.00	9.79	IA		1
854	MILZ000823	INFO, \$INFO	MBAC=8.78, MAXBAC=9.75, ALTBAC=9.55, TipBAC=10.00	9.50			1
855	MILZ000824	\$IA, \$INFO, \$MI	MBAC=7.58, MAXBAC=9.30, ALTBAC=0.00, TipBAC=8.00	8.42			1
856	MILZ000825	MI	MBAC=8.70, MAXBAC=10.00, ALTBAC=0.00, TipBAC=8.00	9.19	MI		1
857	MILZ000826	INFO, MI, IA, \$INFO	MBAC=8.06, MAXBAC=8.15, ALTBAC=7.00, TipBAC=10.00	8.12			1
858	MILZ000827	INFO, \$INFO, IA, \$IA	MBAC=7.23, MAXBAC=8.35, ALTBAC=7.35, TipBAC=10.00	8.07			1
859	MILZ000828	INFO, \$INFO, IA, \$IA, MI, \$MI	MBAC=8.01, MAXBAC=9.25, ALTBAC=0.00, TipBAC=8.00	8.49			1
860	MILZ000829	INFO, IA, MI	MBAC=9.91, MAXBAC=10.00, ALTBAC=9.95, TipBAC=10.00	9.97			1
861	MILZ000830	INFO, IA, \$INFO, \$IA, MI	MBAC=9.08, MAXBAC=9.60, ALTBAC=0.00, TipBAC=9.00	9.23			1
862	MILZ000831	INFO, IA, \$INFO, \$IA	MBAC=9.63, MAXBAC=10.00, ALTBAC=9.85, TipBAC=10.00	9.90			1
863	MILZ000832	INFO, MI, IA, \$INFO, \$MI, \$IA	MBAC=9.41, MAXBAC=9.70, ALTBAC=8.80, TipBAC=10.00	9.62			1
864	MILZ000833	INFO, \$INFO, MI, \$MI	MBAC=9.38, MAXBAC=9.95, ALTBAC=9.70, TipBAC=10.00	9.80	INFO		1
865	MILZ000834	IA, INFO, \$IA, \$INFO, MI, \$MI	MBAC=9.36, MAXBAC=9.20, ALTBAC=0.00, TipBAC=9.00	9.00			1
866	MILZ000835	INFO, IA, \$INFO, \$IA	MBAC=8.48, MAXBAC=8.25, ALTBAC=0.00, TipBAC=10.00	8.30			1
867	MILZ000836	IA, \$IA, INFO, \$INFO, MI, \$MI	MBAC=9.51, MAXBAC=9.75, ALTBAC=9.20, TipBAC=10.00	9.69	\$IA		1
868	MILZ000837	IA, INFO, \$IA, \$INFO, MI, \$MI	MBAC=9.15, MAXBAC=9.65, ALTBAC=9.35, TipBAC=10.00	9.52			1
869	MILZ000838	IA, \$IA, MI, \$MI, INFO, \$INFO	MBAC=9.46, MAXBAC=9.85, ALTBAC=9.75, TipBAC=10.00	9.75			1
870	MILZ000839	INFO, IA, \$INFO, \$IA, MI, \$MI	MBAC=9.08, MAXBAC=9.65, ALTBAC=8.50, TipBAC=9.00	9.26	\$INFO		1
871	MILZ000840	IA, INFO, \$IA, \$INFO, MI, \$MI	MBAC=9.36, MAXBAC=10.00, ALTBAC=9.45, TipBAC=10.00	9.84	IA		1
872	MILZ000841	IA, \$IA, INFO, \$INFO	MBAC=6.05, MAXBAC=7.75, ALTBAC=0.00, TipBAC=8.00	6.95			1
873	MILZ000842	INFO, \$INFO, MI, \$MI, IA, \$IA	MBAC=9.01, MAXBAC=9.50, ALTBAC=8.85, TipBAC=10.00	9.37			1
874	MILZ000843	IA, \$INFO, \$IA	MBAC=8.78, MAXBAC=8.55, ALTBAC=0.00, TipBAC=8.00	8.17			1
875	MILZ000844	MI, INFO	MBAC=9.60, MAXBAC=9.65, ALTBAC=0.00, TipBAC=10.00	9.63			1
876	MILZ000845	INFO, IA, \$INFO, \$IA	MBAC=9.13, MAXBAC=9.60, ALTBAC=9.35, TipBAC=10.00	9.48			1
877	MILZ000846	INFO, \$INFO, MI, \$MI	MBAC=8.85, MAXBAC=9.65, ALTBAC=9.45, TipBAC=10.00	9.45			1
878	MILZ000847	INFO, IA, MI, \$INFO, \$IA, \$MI	MBAC=9.81, MAXBAC=9.75, ALTBAC=9.70, TipBAC=10.00	9.76			1
879	MILZ000848	\$IA, \$INFO, IA, INFO, MI, \$MI	MBAC=8.85, MAXBAC=8.85, ALTBAC=0.00, TipBAC=10.00	8.85			1
880	MILZ000849	IA, INFO, \$IA, \$INFO	MBAC=9.51, MAXBAC=9.70, ALTBAC=9.40, TipBAC=10.00	9.65	INFO		1
881	MILZ000850	INFO, IA, MI	MBAC=7.86, MAXBAC=9.15, ALTBAC=7.95, TipBAC=10.00	8.82			1
882	MILZ000851	IA, INFO, MI, \$IA, \$INFO, \$MI	MBAC=8.46, MAXBAC=8.60, ALTBAC=0.00, TipBAC=10.00	8.56			1
883	MILZ000852	INFO, IA, MI	MBAC=9.38, MAXBAC=9.95, ALTBAC=9.50, TipBAC=10.00	9.80	INFO		1
884	MILZ000853	INFO, IA, \$INFO, \$IA, MI	MBAC=8.30, MAXBAC=9.90, ALTBAC=8.80, TipBAC=9.00	9.26	\$INFO		1
885	MILZ000854	INFO, IA, \$INFO, \$IA	MBAC=8.73, MAXBAC=9.05, ALTBAC=8.40, TipBAC=10.00	8.97			1
886	MILZ000855	INFO, \$INFO, IA, MI, \$IA, \$MI	MBAC=9.16, MAXBAC=9.85, ALTBAC=9.70, TipBAC=10.00	9.67			1
887	MILZ000856	INFO, MI, IA, \$INFO, \$MI, \$IA	MBAC=9.78, MAXBAC=9.90, ALTBAC=9.90, TipBAC=10.00	9.87			1
888	MILZ000857	INFO, IA, \$INFO, \$IA	MBAC=8.46, MAXBAC=9.60, ALTBAC=7.65, TipBAC=10.00	9.31			1
889	MILZ000858	INFO, MI, IA	MBAC=7.86, MAXBAC=8.20, ALTBAC=7.55, TipBAC=10.00	8.11			1
890	MILZ000859	INFO, MI, IA	MBAC=9.53, MAXBAC=10.00, ALTBAC=9.45, TipBAC=10.00	9.88	INFO		1

Nr	Legitim.	Optiuni	Note	Medie	Admis la	Obs.	S
891	MILZ000860	MI, \$MI, INFO, \$INFO, IA, \$IA	MBAC=7.70, MAXBAC=9.30, ALTBAC=6.95, TipBAC=10.00	8.90			1
892	MILZ000861	IA, \$IA, \$INFO, INFO, MI, \$MI	MBAC=7.20, MAXBAC=8.25, ALTBAC=6.55, TipBAC=10.00	7.98			1
893	MILZ000862	MI, INFO, IA, \$MI, \$INFO, \$IA	MBAC=9.10, MAXBAC=8.85, ALTBAC=0.00, TipBAC=9.00	8.68			1
894	MILZ000863	INFO, IA, \$INFO, MI	MBAC=9.05, MAXBAC=9.15, ALTBAC=8.85, TipBAC=10.00	9.12			1
895	MILZ000864	INFO, IA, \$INFO, \$IA	MBAC=9.23, MAXBAC=9.65, ALTBAC=9.00, TipBAC=10.00	9.54			1
896	MILZ000865	IA, INFO, MI, \$IA, \$INFO, \$MI	MBAC=9.43, MAXBAC=10.00, ALTBAC=9.25, TipBAC=10.00	9.85			1
897	MILZ000866	INFO, IA	MBAC=9.35, MAXBAC=10.00, ALTBAC=9.90, TipBAC=10.00	9.83			1
898	MILZ000867	INFO, \$INFO	MBAC=8.66, MAXBAC=8.95, ALTBAC=0.00, TipBAC=9.00	8.65			1
899	MILZ000868	MI, INFO, IA, \$MI, \$INFO, \$IA	MBAC=9.10, MAXBAC=9.05, ALTBAC=8.90, TipBAC=10.00	9.06			1
900	MILZ000869	INFO, IA, MI, \$INFO, \$IA, \$MI	MBAC=9.35, MAXBAC=9.80, ALTBAC=9.30, TipBAC=10.00	9.68			1
901	MILZ000870	MI, \$MI	MBAC=9.43, MAXBAC=9.60, ALTBAC=0.00, TipBAC=9.00	9.31			1
902	MILZ000871	MI, \$MI	MBAC=9.01, MAXBAC=9.70, ALTBAC=0.00, TipBAC=9.00	9.28			1
903	MILZ000872	INFO, \$INFO	MBAC=8.50, MAXBAC=8.00, ALTBAC=0.00, TipBAC=8.00	7.71			1
904	MILZ000873	IA, INFO, MI, \$IA, \$INFO, \$MI	MBAC=9.21, MAXBAC=9.85, ALTBAC=9.40, TipBAC=10.00	9.69	INFO		1
905	MILZ000874	INFO, \$INFO	MBAC=9.53, MAXBAC=9.65, ALTBAC=9.65, TipBAC=10.00	9.62			1
906	MILZ000875	IA, INFO, MI, \$IA, \$INFO, \$MI	MBAC=8.73, MAXBAC=9.75, ALTBAC=8.45, TipBAC=10.00	9.49			1
907	MILZ000876	MI, \$MI	MBAC=8.43, MAXBAC=9.90, ALTBAC=0.00, TipBAC=8.00	9.05			1
908	MILZ000877	MI, IA, INFO, \$MI	MBAC=9.30, MAXBAC=9.85, ALTBAC=9.55, TipBAC=10.00	9.71			1
909	MILZ000878	\$INFO, \$IA, \$MI, INFO, IA, MI	MBAC=8.48, MAXBAC=8.70, ALTBAC=0.00, TipBAC=10.00	8.64			1
910	MILZ000879	INFO, IA, MI	MBAC=9.05, MAXBAC=9.65, ALTBAC=9.50, TipBAC=10.00	9.50			1
911	MILZ000880	IA, INFO, MI, \$INFO, \$IA, \$MI	MBAC=9.16, MAXBAC=10.00, ALTBAC=9.00, TipBAC=10.00	9.78			1
912	MILZ000881	INFO, IA, \$INFO, \$IA	MBAC=9.75, MAXBAC=10.00, ALTBAC=9.60, TipBAC=10.00	9.93			1
913	MILZ000882	INFO, IA, MI	MBAC=7.10, MAXBAC=7.80, ALTBAC=5.95, TipBAC=10.00	7.62			1
914	MILZ000883	INFO, \$INFO	MBAC=8.96, MAXBAC=9.85, ALTBAC=8.15, TipBAC=10.00	9.62			1
915	MILZ000884	\$IA, \$INFO	MBAC=7.46, MAXBAC=7.65, ALTBAC=0.00, TipBAC=9.00	7.41			1
916	MILZ000885	MI, INFO, \$MI	MBAC=7.06, MAXBAC=7.05, ALTBAC=6.60, TipBAC=10.00	7.05			1
917	MILZ000886	INFO	MBAC=9.13, MAXBAC=9.95, ALTBAC=9.50, TipBAC=10.00	9.74			1
918	MILZ000887	MI, INFO, \$MI, \$INFO	MBAC=7.98, MAXBAC=8.65, ALTBAC=0.00, TipBAC=9.00	8.27			1
919	MILZ000888	INFO, IA, \$INFO	MBAC=9.35, MAXBAC=9.75, ALTBAC=9.50, TipBAC=10.00	9.65			1
920	MILZ000889	IA, \$IA, INFO, \$INFO	MBAC=9.63, MAXBAC=10.00, ALTBAC=9.60, TipBAC=10.00	9.90			1
921	MILZ000890	IA, \$IA	MBAC=9.38, MAXBAC=10.00, ALTBAC=9.10, TipBAC=10.00	9.84			1
922	MILZ000891	IA, INFO, \$IA, \$INFO, MI, \$MI	MBAC=8.48, MAXBAC=9.95, ALTBAC=7.80, TipBAC=10.00	9.58	INFO		1
923	MILZ000892	MI, \$MI, INFO	MBAC=8.43, MAXBAC=8.70, ALTBAC=0.00, TipBAC=9.00	8.41			1
924	MILZ000893	\$MI	MBAC=6.95, MAXBAC=8.05, ALTBAC=7.40, TipBAC=9.00	7.58			1
925	MILZ000894	INFO, \$INFO	MBAC=8.18, MAXBAC=8.45, ALTBAC=0.00, TipBAC=8.00	7.96			1
926	MILZ000895	INFO, IA, MI	MBAC=9.10, MAXBAC=9.50, ALTBAC=0.00, TipBAC=10.00	9.40			1
927	MILZ000896	\$INFO, \$IA	MBAC=7.51, MAXBAC=5.75, ALTBAC=0.00, TipBAC=9.00	6.03			1
928	MILZ000897	IA, \$IA, INFO, \$INFO	MBAC=9.25, MAXBAC=10.00, ALTBAC=9.00, TipBAC=10.00	9.81			1
929	MILZ000898	INFO, \$INFO, IA, \$IA, MI, \$MI	MBAC=8.76, MAXBAC=9.35, ALTBAC=9.35, TipBAC=10.00	9.20			1
930	MILZ000899	INFO, \$INFO, IA, \$IA, MI, \$MI	MBAC=9.15, MAXBAC=9.75, ALTBAC=9.70, TipBAC=10.00	9.60			1
931	MILZ000900	INFO, IA, MI	MBAC=8.98, MAXBAC=9.60, ALTBAC=9.50, TipBAC=10.00	9.44			1
932	MILZ000901	INFO, MI, IA	MBAC=9.90, MAXBAC=10.00, ALTBAC=9.90, TipBAC=10.00	9.97			1
933	MILZ000902	INFO, MI, IA, \$INFO, \$MI, \$IA	MBAC=9.03, MAXBAC=9.30, ALTBAC=9.25, TipBAC=10.00	9.23			1
934	MILZ000903	\$INFO, \$MI, \$IA, INFO, MI, IA	MBAC=6.08, MAXBAC=6.35, ALTBAC=0.00, TipBAC=9.00	6.12			1
935	MILZ000904	INFO, IA, MI, \$INFO, \$IA, \$MI	MBAC=7.58, MAXBAC=8.40, ALTBAC=0.00, TipBAC=9.00	7.99			1
936	MILZ000905	INFO, IA, MI, \$INFO, \$IA, \$MI	MBAC=8.73, MAXBAC=9.40, ALTBAC=8.90, TipBAC=10.00	9.23			1
937	MILZ000906	IA, INFO, MI, \$IA, \$INFO	MBAC=9.45, MAXBAC=9.60, ALTBAC=9.25, TipBAC=9.00	9.32			1
938	MILZ000907	INFO, \$INFO, IA, \$IA, MI, \$MI	MBAC=9.45, MAXBAC=9.60, ALTBAC=0.00, TipBAC=8.00	9.08			1
939	MILZ000908	INFO, MI, IA, \$INFO	MBAC=9.55, MAXBAC=9.95, ALTBAC=0.00, TipBAC=8.00	9.35			1
940	MILZ000909	INFO, IA, MI, \$INFO, \$IA, \$MI	MBAC=8.88, MAXBAC=9.80, ALTBAC=9.50, TipBAC=10.00	9.57	INFO		1
941	MILZ000910	MI, \$MI, IA	MBAC=8.50, MAXBAC=9.40, ALTBAC=8.10, TipBAC=10.00	9.17			1
942	MILZ000911	INFO, MI	MBAC=9.61, MAXBAC=9.95, ALTBAC=0.00, TipBAC=10.00	9.86			1
943	MILZ000912	IA, MI	MBAC=8.73, MAXBAC=8.80, ALTBAC=0.00, TipBAC=10.00	8.78			1
944	MILZ000913	INFO, IA, \$INFO, \$IA, MI, \$MI	MBAC=7.30, MAXBAC=8.05, ALTBAC=0.00, TipBAC=9.00	7.66			1
945	MILZ000914	MI	MBAC=9.48, MAXBAC=9.75, ALTBAC=0.00, TipBAC=9.00	9.44			1
946	MILZ000915	INFO, \$INFO, IA, \$IA	MBAC=9.43, MAXBAC=9.80, ALTBAC=9.20, TipBAC=10.00	9.70			1
947	MILZ000916	IA, \$IA, INFO, \$INFO	MBAC=8.81, MAXBAC=8.95, ALTBAC=8.80, TipBAC=10.00	8.91			1
948	MILZ000917	IA, INFO, \$IA, \$INFO, MI, \$MI	MBAC=9.33, MAXBAC=9.80, ALTBAC=9.80, TipBAC=9.00	9.44			1
949	MILZ000918	INFO, MI, \$INFO, \$MI	MBAC=9.31, MAXBAC=9.90, ALTBAC=9.60, TipBAC=10.00	9.75			1
950	MILZ000919	INFO, \$INFO, IA, \$IA, MI, \$MI	MBAC=9.66, MAXBAC=9.85, ALTBAC=9.60, TipBAC=10.00	9.80			1
951	MILZ000920	INFO, IA, MI, \$INFO, \$IA, \$MI	MBAC=8.80, MAXBAC=9.15, ALTBAC=8.00, TipBAC=10.00	9.06			1
952	MILZ000921	INFO, \$INFO, IA, \$IA	MBAC=9.21, MAXBAC=9.35, ALTBAC=9.20, TipBAC=10.00	9.31			1
953	MILZ000922	MI, \$MI	MBAC=8.61, MAXBAC=9.50, ALTBAC=0.00, TipBAC=9.00	9.04			1
954	MILZ000923	INFO, IA, \$INFO, \$IA	MBAC=9.28, MAXBAC=9.75, ALTBAC=8.90, TipBAC=10.00	9.63			1
955	MILZ000924	INFO, IA, MI, \$INFO, \$IA, \$MI	MBAC=9.20, MAXBAC=9.80, ALTBAC=9.10, TipBAC=10.00	9.65			1
956	MILZ000925	MI, IA, INFO	MBAC=9.68, MAXBAC=9.70, ALTBAC=9.70, TipBAC=10.00	9.69			1
957	MILZ000926	IA, MI, \$IA, INFO	MBAC=6.86, MAXBAC=6.35, ALTBAC=0.00, TipBAC=10.00	6.47			1
958	MILZ000927	INFO, IA, MI	MBAC=9.41, MAXBAC=9.80, ALTBAC=9.10, TipBAC=10.00	9.70			1
959	MILZ000928	INFO, IA, MI, \$INFO, \$IA, \$MI	MBAC=7.15, MAXBAC=7.35, ALTBAC=0.00, TipBAC=9.00	7.11	\$MI		1
960	MILZ000929	INFO, \$INFO	MBAC=8.93, MAXBAC=9.25, ALTBAC=8.40, TipBAC=10.00	9.17			1
961	MILZ000930	MI, IA, INFO	MBAC=9.41, MAXBAC=9.85, ALTBAC=9.25, TipBAC=10.00	9.73			1
962	MILZ000931	MI, \$MI	MBAC=9.10, MAXBAC=8.60, ALTBAC=0.00, TipBAC=10.00	8.72			1
963	MILZ000932	MI, \$MI	MBAC=9.40, MAXBAC=9.65, ALTBAC=0.00, TipBAC=10.00	9.58			1
964	MILZ000933	MI	MBAC=8.16, MAXBAC=8.10, ALTBAC=0.00, TipBAC=9.00	7.91			1
965	MILZ000934	MI, IA, INFO, \$MI	MBAC=9.91, MAXBAC=10.00, ALTBAC=9.80, TipBAC=10.00	9.97			1

Nr	Legitim.	Optiuni	Note	Medie	Admis la	Obs.	S
966	MILZ000935	INFO, MI, IA, \$INFO, \$IA, \$MI	MBAC=9.78, MAXBAC=9.85, ALTBAC=9.85, TipBAC=10.00	9.83			1
967	MILZ000936	INFO, IA, MI	MBAC=9.43, MAXBAC=9.70, ALTBAC=9.15, TipBAC=10.00	9.63			1
968	MILZ000937	MI, INFO, IA, \$MI, \$INFO, \$IA	MBAC=8.90, MAXBAC=9.25, ALTBAC=8.65, TipBAC=10.00	9.16	MI		1
969	MILZ000938	MI, INFO, IA, \$MI, \$INFO, \$IA	MBAC=9.80, MAXBAC=10.00, ALTBAC=0.00, TipBAC=10.00	9.94			1
970	MILZ000939	INFO, MI, IA, \$INFO, \$MI, \$IA	MBAC=9.56, MAXBAC=9.95, ALTBAC=9.10, TipBAC=10.00	9.85			1
971	MILZ000940	INFO, \$INFO, MI, \$MI, IA	MBAC=8.93, MAXBAC=9.30, ALTBAC=8.75, TipBAC=10.00	9.20			1
972	MILZ000941	MI, INFO, IA, \$MI, \$INFO, \$IA	MBAC=7.81, MAXBAC=9.15, ALTBAC=7.25, TipBAC=10.00	8.81			1
973	MILZ000942	MI, INFO, \$MI, \$INFO	MBAC=6.93, MAXBAC=7.70, ALTBAC=0.00, TipBAC=8.00	7.13			1
974	MILZ000943	MI, \$MI	MBAC=9.78, MAXBAC=9.65, ALTBAC=0.00, TipBAC=10.00	9.68			1
975	MILZ000944	MI, INFO, IA	MBAC=9.58, MAXBAC=9.90, ALTBAC=9.30, TipBAC=10.00	9.82			1
976	MILZ000945	\$INFO, \$IA	MBAC=7.20, MAXBAC=8.60, ALTBAC=6.15, TipBAC=10.00	8.25	\$INFO		1
977	MILZ000946	INFO, IA, MI, \$INFO, \$IA, \$MI	MBAC=8.73, MAXBAC=9.30, ALTBAC=8.60, TipBAC=10.00	9.15			1
978	MILZ000947	MI, INFO, IA, \$MI, \$INFO, \$IA	MBAC=8.58, MAXBAC=9.85, ALTBAC=0.00, TipBAC=10.00	8.05			1
979	MILZ000948	INFO, IA, \$INFO, \$IA	MBAC=7.06, MAXBAC=6.15, ALTBAC=0.00, TipBAC=10.00	6.37			1
980	MILZ000949	INFO, IA, \$INFO, \$IA	MBAC=9.50, MAXBAC=9.95, ALTBAC=9.80, TipBAC=10.00	9.83			1
981	MILZ000950	INFO, IA, MI, \$INFO, \$IA, \$MI	MBAC=9.35, MAXBAC=10.00, ALTBAC=9.95, TipBAC=10.00	9.83			1
982	MILZ000951	\$INFO	MBAC=8.13, MAXBAC=8.50, ALTBAC=8.40, TipBAC=10.00	8.40			1
983	MILZ000952	INFO, MI, IA, \$INFO, \$MI	MBAC=9.25, MAXBAC=9.90, ALTBAC=9.80, TipBAC=10.00	9.73			1
984	MILZ000953	IA, INFO, MI	MBAC=9.23, MAXBAC=9.30, ALTBAC=9.30, TipBAC=9.00	9.05			1
985	MILZ000954	\$INFO	MBAC=6.80, MAXBAC=7.20, ALTBAC=6.20, TipBAC=10.00	7.10			1
986	MILZ000955	MI, INFO, IA, \$MI, \$INFO, \$IA	MBAC=9.15, MAXBAC=9.75, ALTBAC=8.65, TipBAC=10.00	9.60			1
987	MILZ000956	\$IA, \$MI	MBAC=9.60, MAXBAC=9.90, ALTBAC=9.70, TipBAC=10.00	9.82			1
988	MILZ210001	\$INFO, INFO, \$MI, MI	MBAC=7.86, MAXBAC=8.05, ALTBAC=0.00, TipBAC=8.00	7.60		DZ	1
989	MILZ210002	\$INFO, \$IA, \$MI	MBAC=8.00, MAXBAC=10.00, ALTBAC=0.00, TipBAC=8.00	9.02		RX	1
990	MILZ210003	INFO-DZ, MI, INFO, IA, \$MI, \$INFO, \$IA	MBAC=8.66, MAXBAC=8.75, ALTBAC=0.00, TipBAC=10.00	8.72	INFO-DZ	DZ	1
991	MILZ210004	IA-MR, IA, \$IA	MBAC=9.25, MAXBAC=9.95, ALTBAC=9.70, TipBAC=10.00	9.77		MR	1
992	MILZ210005	INFO-DZ, INFO, IA, \$INFO, \$IA	MBAC=8.41, MAXBAC=8.55, ALTBAC=0.00, TipBAC=8.00	8.08		DZ	1
993	MILZ210006	\$INFO	MBAC=8.23, MAXBAC=8.20, ALTBAC=0.00, TipBAC=9.00	8.00		DZ	1
994	MILZ210007	INFO-DZ, INFO, IA	MBAC=6.58, MAXBAC=7.65, ALTBAC=0.00, TipBAC=8.00	7.01		DZ	1
995	MILZ210008	IA-MR, INFO-MR, MI-MR, IA, INFO, MI	MBAC=9.43, MAXBAC=9.90, ALTBAC=0.00, TipBAC=8.00	9.29	IA-MR	MR	1
996	MILZ210009	IA-MR, IA, INFO-MR, INFO, MI-MR, MI	MBAC=8.83, MAXBAC=9.85, ALTBAC=0.00, TipBAC=8.00	9.11		MR	1
997	MILZ210010	MI-MR, MI, \$MI	MBAC=7.66, MAXBAC=6.95, ALTBAC=0.00, TipBAC=9.00	6.94		DZ, MR	1
998	MILZ210020	MI-MR, MI, INFO-MR, INFO	MBAC=9.01, MAXBAC=9.35, ALTBAC=0.00, TipBAC=8.00	8.80	MI-MR	MR	1
999	MILZ210021	INFO-MR, IA-MR, MI-MR, INFO, MI, IA, \$INFO, \$IA	MBAC=6.06, MAXBAC=7.05, ALTBAC=5.60, TipBAC=10.00	6.80		MR	1
1000	MILZ210022	INFO-DZ, IA, \$IA, INFO, \$INFO	MBAC=7.51, MAXBAC=0.00, ALTBAC=0.00, TipBAC=8.00	1.78		DZ	1

PRESEDINTE COMISIE DE ADMITERE PE UNIVERSITATE,  
PROF.DR.ING. IOAN VASILE ABRUDAN

SECRETAR COMISIE DE ADMITERE PE UNIVERSITATE,  
PROF. DR. ING. MARIUS CRISTIAN LUCULESCU

PRESEDINTE COMISIE DE ADMITERE FACULTATE,  
CONF. DR. NICUȘOR MINCULETE

SECRETAR COMISIE DE ADMITERE FACULTATE,  
LECT. DR. NICOLETA ENACHE- DAVID