

CANDIDATI RESPINSI DATORITA MEDIEI DE ADMITERE SAU ELIMINARII DIN LISTE DATORITA NECONFIRMARII LOCULUI - MATEMATICA-INFORMATICA

| Nr | Legitim. | Optiuni | Note | Medie | Admis la | Obs. | S |
|----|------------|----------------------------------|--|-------|----------|------|---|
| 1 | MILZ000742 | INFO, IA | MBAC=9.96,MAXBAC=10.00,ALTBAC=10.00,TipBAC=10.00 | 9.99 | | | 1 |
| 2 | MILZ000684 | INFO, IA, MI, \$INFO, \$IA, \$MI | MBAC=9.96,MAXBAC=10.00,ALTBAC=9.90,TipBAC=10.00 | 9.99 | | | 1 |
| 3 | MILZ000829 | INFO, IA, MI | MBAC=9.91,MAXBAC=10.00,ALTBAC=9.95,TipBAC=10.00 | 9.97 | | | 1 |
| 4 | MILZ000901 | INFO, MI, IA | MBAC=9.90,MAXBAC=10.00,ALTBAC=9.90,TipBAC=10.00 | 9.97 | | | 1 |
| 5 | MILZ000265 | INFO, \$INFO, IA, \$IA | MBAC=9.88,MAXBAC=10.00,ALTBAC=9.90,TipBAC=10.00 | 9.97 | | | 1 |
| 6 | MILZ000934 | MI, IA, INFO, \$MI | MBAC=9.91,MAXBAC=10.00,ALTBAC=9.80,TipBAC=10.00 | 9.97 | | | 1 |
| 7 | MILZ000201 | IA, INFO, MI, \$IA | MBAC=9.85,MAXBAC=10.00,ALTBAC=9.90,TipBAC=10.00 | 9.96 | | | 1 |
| 8 | MILZ000305 | INFO, IA, \$INFO, MI, \$IA, \$MI | MBAC=9.83,MAXBAC=10.00,ALTBAC=10.00,TipBAC=10.00 | 9.95 | | | 1 |
| 9 | MILZ000223 | INFO, IA, \$INFO, \$IA, MI, \$MI | MBAC=9.81,MAXBAC=10.00,ALTBAC=9.95,TipBAC=10.00 | 9.95 | | | 1 |
| 10 | MILZ000187 | INFO, \$INFO, MI, \$MI, IA, \$IA | MBAC=9.81,MAXBAC=10.00,ALTBAC=9.90,TipBAC=10.00 | 9.95 | | | 1 |
| 11 | MILZ000225 | INFO, IA, MI, \$INFO, \$IA, \$MI | MBAC=9.81,MAXBAC=10.00,ALTBAC=9.85,TipBAC=10.00 | 9.95 | | | 1 |
| 12 | MILZ000338 | INFO, \$INFO | MBAC=9.80,MAXBAC=10.00,ALTBAC=10.00,TipBAC=10.00 | 9.94 | | | 1 |
| 13 | MILZ000095 | INFO, MI | MBAC=9.76,MAXBAC=10.00,ALTBAC=9.55,TipBAC=10.00 | 9.94 | | | 1 |
| 14 | MILZ000220 | INFO, IA | MBAC=9.78,MAXBAC=10.00,ALTBAC=0.00,TipBAC=10.00 | 9.94 | | | 1 |
| 15 | MILZ000938 | MI, INFO, IA, \$MI, \$INFO, \$IA | MBAC=9.80,MAXBAC=10.00,ALTBAC=0.00,TipBAC=10.00 | 9.94 | | | 1 |
| 16 | MILZ000092 | IA, INFO, MI | MBAC=9.75,MAXBAC=10.00,ALTBAC=10.00,TipBAC=10.00 | 9.93 | | | 1 |
| 17 | MILZ000318 | INFO, \$INFO, IA, \$IA, MI, \$MI | MBAC=9.73,MAXBAC=10.00,ALTBAC=9.95,TipBAC=10.00 | 9.93 | | | 1 |
| 18 | MILZ000088 | INFO, \$INFO | MBAC=9.75,MAXBAC=10.00,ALTBAC=9.70,TipBAC=10.00 | 9.93 | | | 1 |
| 19 | MILZ000881 | INFO, IA, \$INFO, \$IA | MBAC=9.75,MAXBAC=10.00,ALTBAC=9.60,TipBAC=10.00 | 9.93 | | | 1 |
| 20 | MILZ000746 | IA, INFO, MI, \$IA, \$INFO, \$MI | MBAC=9.73,MAXBAC=10.00,ALTBAC=9.60,TipBAC=10.00 | 9.93 | | | 1 |
| 21 | MILZ000793 | INFO, IA, MI, \$INFO, \$IA, \$MI | MBAC=9.68,MAXBAC=10.00,ALTBAC=9.80,TipBAC=10.00 | 9.92 | | | 1 |
| 22 | MILZ000821 | INFO, IA, \$INFO, \$IA, MI, \$MI | MBAC=9.71,MAXBAC=10.00,ALTBAC=9.75,TipBAC=10.00 | 9.92 | | | 1 |
| 23 | MILZ000494 | IA, INFO, \$IA, \$INFO | MBAC=9.70,MAXBAC=10.00,ALTBAC=9.65,TipBAC=10.00 | 9.92 | | | 1 |
| 24 | MILZ000617 | INFO, IA, MI, \$INFO, \$IA, \$MI | MBAC=9.70,MAXBAC=10.00,ALTBAC=9.60,TipBAC=10.00 | 9.92 | | | 1 |
| 25 | MILZ000384 | INFO, \$INFO, IA, \$IA | MBAC=9.68,MAXBAC=10.00,ALTBAC=9.55,TipBAC=10.00 | 9.92 | | | 1 |
| 26 | MILZ000682 | IA, INFO, \$IA, \$INFO, MI, \$MI | MBAC=9.68,MAXBAC=10.00,ALTBAC=9.50,TipBAC=10.00 | 9.92 | | | 1 |
| 27 | MILZ000779 | INFO, \$INFO, IA | MBAC=9.65,MAXBAC=10.00,ALTBAC=10.00,TipBAC=10.00 | 9.91 | | | 1 |
| 28 | MILZ000755 | IA, INFO, MI, \$IA, \$INFO, \$MI | MBAC=9.65,MAXBAC=10.00,ALTBAC=9.40,TipBAC=10.00 | 9.91 | | | 1 |
| 29 | MILZ000287 | INFO, MI | MBAC=9.80,MAXBAC=9.95,ALTBAC=9.60,TipBAC=10.00 | 9.91 | | | 1 |
| 30 | MILZ000759 | IA, INFO, \$IA, \$INFO | MBAC=9.60,MAXBAC=10.00,ALTBAC=10.00,TipBAC=10.00 | 9.90 | | | 1 |
| 31 | MILZ000831 | INFO, IA, \$INFO, \$IA | MBAC=9.63,MAXBAC=10.00,ALTBAC=9.85,TipBAC=10.00 | 9.90 | | | 1 |
| 32 | MILZ000766 | IA, INFO, \$IA, \$INFO | MBAC=9.61,MAXBAC=10.00,ALTBAC=9.65,TipBAC=10.00 | 9.90 | | | 1 |
| 33 | MILZ000889 | IA, \$IA, INFO, \$INFO | MBAC=9.63,MAXBAC=10.00,ALTBAC=9.60,TipBAC=10.00 | 9.90 | | | 1 |
| 34 | MILZ000080 | INFO, IA, MI | MBAC=9.63,MAXBAC=10.00,ALTBAC=9.30,TipBAC=10.00 | 9.90 | | | 1 |
| 35 | MILZ000320 | INFO, \$INFO, IA, \$IA | MBAC=9.56,MAXBAC=10.00,ALTBAC=9.65,TipBAC=10.00 | 9.89 | | | 1 |
| 36 | MILZ000678 | INFO, IA | MBAC=9.58,MAXBAC=10.00,ALTBAC=9.45,TipBAC=10.00 | 9.89 | | | 1 |
| 37 | MILZ000336 | IA, INFO | MBAC=9.55,MAXBAC=10.00,ALTBAC=9.85,TipBAC=10.00 | 9.88 | | | 1 |
| 38 | MILZ000733 | INFO, IA | MBAC=9.55,MAXBAC=10.00,ALTBAC=9.10,TipBAC=10.00 | 9.88 | | | 1 |
| 39 | MILZ000698 | INFO, IA, \$INFO, \$IA | MBAC=9.51,MAXBAC=10.00,ALTBAC=9.85,TipBAC=10.00 | 9.87 | | | 1 |
| 40 | MILZ000507 | MI, \$MI | MBAC=9.48,MAXBAC=10.00,ALTBAC=0.00,TipBAC=10.00 | 9.87 | | | 1 |
| 41 | MILZ000111 | MI, IA, INFO | MBAC=9.65,MAXBAC=9.95,ALTBAC=9.15,TipBAC=10.00 | 9.87 | | | 1 |
| 42 | MILZ000565 | INFO, \$INFO, IA, \$IA, MI, \$MI | MBAC=9.81,MAXBAC=9.90,ALTBAC=9.90,TipBAC=10.00 | 9.87 | | | 1 |
| 43 | MILZ000856 | INFO, MI, IA, \$INFO, \$MI, \$IA | MBAC=9.78,MAXBAC=9.90,ALTBAC=9.90,TipBAC=10.00 | 9.87 | | | 1 |
| 44 | MILZ000454 | INFO, \$INFO, MI, \$MI | MBAC=9.78,MAXBAC=9.90,ALTBAC=9.70,TipBAC=10.00 | 9.87 | | | 1 |
| 45 | MILZ000134 | IA, INFO, \$IA, \$INFO, MI, \$MI | MBAC=9.60,MAXBAC=9.95,ALTBAC=9.70,TipBAC=10.00 | 9.86 | | | 1 |
| 46 | MILZ000701 | INFO, \$INFO | MBAC=9.60,MAXBAC=9.95,ALTBAC=9.20,TipBAC=10.00 | 9.86 | | | 1 |
| 47 | MILZ000911 | INFO, MI | MBAC=9.61,MAXBAC=9.95,ALTBAC=0.00,TipBAC=10.00 | 9.86 | | | 1 |
| 48 | MILZ000008 | INFO, IA, MI | MBAC=9.76,MAXBAC=9.90,ALTBAC=9.60,TipBAC=10.00 | 9.86 | | | 1 |
| 49 | MILZ000783 | IA, INFO, MI, \$IA, \$INFO | MBAC=9.75,MAXBAC=9.90,ALTBAC=9.45,TipBAC=10.00 | 9.86 | | | 1 |
| 50 | MILZ000865 | IA, INFO, MI, \$IA, \$INFO, \$MI | MBAC=9.43,MAXBAC=10.00,ALTBAC=9.25,TipBAC=10.00 | 9.85 | | | 1 |
| 51 | MILZ000443 | IA, \$IA | MBAC=9.41,MAXBAC=10.00,ALTBAC=9.10,TipBAC=10.00 | 9.85 | | | 1 |
| 52 | MILZ000939 | INFO, MI, IA, \$INFO, \$MI, \$IA | MBAC=9.56,MAXBAC=9.95,ALTBAC=9.10,TipBAC=10.00 | 9.85 | | | 1 |
| 53 | MILZ000292 | INFO, IA, \$INFO, \$IA | MBAC=9.38,MAXBAC=10.00,ALTBAC=9.90,TipBAC=10.00 | 9.84 | | | 1 |
| 54 | MILZ000695 | MI, \$MI | MBAC=9.38,MAXBAC=10.00,ALTBAC=9.65,TipBAC=10.00 | 9.84 | | | 1 |
| 55 | MILZ000707 | INFO, \$INFO, IA, \$IA | MBAC=9.38,MAXBAC=10.00,ALTBAC=9.60,TipBAC=10.00 | 9.84 | | | 1 |
| 56 | MILZ000890 | IA, \$IA | MBAC=9.38,MAXBAC=10.00,ALTBAC=9.10,TipBAC=10.00 | 9.84 | | | 1 |
| 57 | MILZ000465 | INFO, \$INFO | MBAC=9.51,MAXBAC=9.95,ALTBAC=9.90,TipBAC=10.00 | 9.84 | | | 1 |
| 58 | MILZ000205 | INFO, IA, \$INFO, \$IA, MI, \$MI | MBAC=9.53,MAXBAC=9.95,ALTBAC=9.85,TipBAC=10.00 | 9.84 | | | 1 |
| 59 | MILZ000393 | IA, INFO, \$IA, \$INFO | MBAC=9.51,MAXBAC=9.95,ALTBAC=9.15,TipBAC=10.00 | 9.84 | | | 1 |
| 60 | MILZ000089 | IA, \$IA, INFO, \$INFO, MI, \$MI | MBAC=9.66,MAXBAC=9.90,ALTBAC=9.90,TipBAC=10.00 | 9.84 | | | 1 |
| 61 | MILZ000224 | IA, INFO, \$IA, \$INFO, MI, \$MI | MBAC=9.68,MAXBAC=9.90,ALTBAC=9.65,TipBAC=10.00 | 9.84 | | | 1 |
| 62 | MILZ000950 | INFO, IA, MI, \$INFO, \$IA, \$MI | MBAC=9.35,MAXBAC=10.00,ALTBAC=9.95,TipBAC=10.00 | 9.83 | | | 1 |
| 63 | MILZ000866 | INFO, IA | MBAC=9.35,MAXBAC=10.00,ALTBAC=9.90,TipBAC=10.00 | 9.83 | | | 1 |
| 64 | MILZ000801 | INFO, IA, MI, \$INFO, \$MI, \$IA | MBAC=9.33,MAXBAC=10.00,ALTBAC=9.10,TipBAC=10.00 | 9.83 | | | 1 |
| 65 | MILZ000949 | INFO, IA, \$INFO, \$IA | MBAC=9.50,MAXBAC=9.95,ALTBAC=9.80,TipBAC=10.00 | 9.83 | | | 1 |

| Nr | Legitim. | Optiuni | Note | Medie | Admis la | Obs. | S |
|-----|------------|----------------------------------|--|-------|----------|------|---|
| 66 | MILZ000293 | INFO, \$INFO | MBAC=9.50, MAXBAC=9.95, ALTBAC=9.35, TipBAC=10.00 | 9.83 | | | 1 |
| 67 | MILZ000587 | INFO, IA, \$INFO, \$IA | MBAC=9.50, MAXBAC=9.95, ALTBAC=9.10, TipBAC=10.00 | 9.83 | | | 1 |
| 68 | MILZ000343 | INFO | MBAC=9.48, MAXBAC=9.95, ALTBAC=8.95, TipBAC=10.00 | 9.83 | | | 1 |
| 69 | MILZ000228 | INFO, \$INFO, IA, \$IA | MBAC=9.63, MAXBAC=9.90, ALTBAC=9.50, TipBAC=10.00 | 9.83 | | | 1 |
| 70 | MILZ000778 | INFO, IA, MI, \$INFO, \$IA, \$MI | MBAC=9.65, MAXBAC=9.90, ALTBAC=9.45, TipBAC=10.00 | 9.83 | | | 1 |
| 71 | MILZ000935 | INFO, MI, IA, \$INFO, \$IA, \$MI | MBAC=9.78, MAXBAC=9.85, ALTBAC=9.85, TipBAC=10.00 | 9.83 | | | 1 |
| 72 | MILZ000594 | IA, INFO, MI, \$IA, \$INFO, \$MI | MBAC=9.31, MAXBAC=10.00, ALTBAC=9.90, TipBAC=10.00 | 9.82 | | | 1 |
| 73 | MILZ000159 | INFO, \$INFO, IA, \$IA, MI, \$MI | MBAC=9.28, MAXBAC=10.00, ALTBAC=9.00, TipBAC=10.00 | 9.82 | | | 1 |
| 74 | MILZ000374 | MI, \$MI, IA, \$IA | MBAC=9.30, MAXBAC=10.00, ALTBAC=0.00, TipBAC=10.00 | 9.82 | | | 1 |
| 75 | MILZ000003 | INFO, \$INFO, IA | MBAC=9.61, MAXBAC=9.90, ALTBAC=9.85, TipBAC=10.00 | 9.82 | | | 1 |
| 76 | MILZ000956 | \$IA, \$MI | MBAC=9.60, MAXBAC=9.90, ALTBAC=9.70, TipBAC=10.00 | 9.82 | | | 1 |
| 77 | MILZ000944 | MI, INFO, IA | MBAC=9.58, MAXBAC=9.90, ALTBAC=9.30, TipBAC=10.00 | 9.82 | | | 1 |
| 78 | MILZ000356 | MI, INFO, IA, \$MI, \$INFO, \$IA | MBAC=9.75, MAXBAC=9.85, ALTBAC=9.65, TipBAC=10.00 | 9.82 | | | 1 |
| 79 | MILZ000431 | INFO, \$INFO | MBAC=9.26, MAXBAC=10.00, ALTBAC=9.55, TipBAC=10.00 | 9.81 | | | 1 |
| 80 | MILZ000326 | INFO, IA, MI, \$INFO, \$IA, \$MI | MBAC=9.26, MAXBAC=10.00, ALTBAC=9.10, TipBAC=10.00 | 9.81 | | | 1 |
| 81 | MILZ000897 | IA, \$IA, INFO, \$INFO | MBAC=9.25, MAXBAC=10.00, ALTBAC=9.00, TipBAC=10.00 | 9.81 | | | 1 |
| 82 | MILZ000048 | IA, INFO, MI, \$IA, \$INFO, \$MI | MBAC=9.55, MAXBAC=9.90, ALTBAC=9.85, TipBAC=10.00 | 9.81 | | | 1 |
| 83 | MILZ000536 | INFO, \$INFO, IA, \$IA, MI, \$MI | MBAC=9.70, MAXBAC=9.85, ALTBAC=9.65, TipBAC=10.00 | 9.81 | | | 1 |
| 84 | MILZ000578 | INFO, IA, \$INFO, \$IA | MBAC=9.71, MAXBAC=9.85, ALTBAC=9.60, TipBAC=10.00 | 9.81 | | | 1 |
| 85 | MILZ000685 | INFO, \$INFO | MBAC=9.71, MAXBAC=9.85, ALTBAC=9.60, TipBAC=10.00 | 9.81 | | | 1 |
| 86 | MILZ000674 | INFO, IA, \$INFO, \$IA | MBAC=9.21, MAXBAC=10.00, ALTBAC=9.55, TipBAC=10.00 | 9.80 | | | 1 |
| 87 | MILZ000310 | INFO, IA, \$INFO, \$IA, MI | MBAC=9.20, MAXBAC=10.00, ALTBAC=9.50, TipBAC=10.00 | 9.80 | | | 1 |
| 88 | MILZ000686 | IA, INFO, \$IA, \$INFO | MBAC=9.53, MAXBAC=9.90, ALTBAC=9.35, TipBAC=10.00 | 9.80 | | | 1 |
| 89 | MILZ000919 | INFO, \$INFO, IA, \$IA, MI, \$MI | MBAC=9.66, MAXBAC=9.85, ALTBAC=9.60, TipBAC=10.00 | 9.80 | | | 1 |
| 90 | MILZ000283 | IA, INFO, MI, \$IA, \$INFO, \$MI | MBAC=9.68, MAXBAC=9.85, ALTBAC=0.00, TipBAC=10.00 | 9.80 | | | 1 |
| 91 | MILZ000453 | INFO, \$INFO, IA, \$IA | MBAC=9.48, MAXBAC=9.90, ALTBAC=9.85, TipBAC=10.00 | 9.79 | | | 1 |
| 92 | MILZ000880 | IA, INFO, MI, \$INFO, \$IA, \$MI | MBAC=9.16, MAXBAC=10.00, ALTBAC=9.00, TipBAC=10.00 | 9.78 | | | 1 |
| 93 | MILZ000772 | IA, \$IA, INFO | MBAC=9.30, MAXBAC=9.95, ALTBAC=9.45, TipBAC=10.00 | 9.78 | | | 1 |
| 94 | MILZ000722 | INFO, MI, \$INFO, \$MI, \$IA, IA | MBAC=9.43, MAXBAC=9.90, ALTBAC=9.35, TipBAC=10.00 | 9.78 | | | 1 |
| 95 | MILZ000043 | IA, INFO, MI | MBAC=9.43, MAXBAC=9.90, ALTBAC=9.25, TipBAC=10.00 | 9.78 | | | 1 |
| 96 | MILZ000708 | IA, \$IA, INFO, \$INFO, MI, \$MI | MBAC=9.58, MAXBAC=9.85, ALTBAC=9.55, TipBAC=10.00 | 9.78 | | | 1 |
| 97 | MILZ000510 | INFO, MI | MBAC=9.75, MAXBAC=9.80, ALTBAC=9.75, TipBAC=10.00 | 9.78 | | | 1 |
| 98 | MILZ210004 | IA-MR, IA, \$IA | MBAC=9.25, MAXBAC=9.95, ALTBAC=9.70, TipBAC=10.00 | 9.77 | MR | | 1 |
| 99 | MILZ000671 | IA, INFO, MI, \$IA, \$INFO, \$MI | MBAC=9.40, MAXBAC=9.90, ALTBAC=9.85, TipBAC=10.00 | 9.77 | | | 1 |
| 100 | MILZ000538 | INFO, MI, IA, \$INFO, \$MI, \$IA | MBAC=9.40, MAXBAC=9.90, ALTBAC=9.75, TipBAC=10.00 | 9.77 | | | 1 |
| 101 | MILZ000518 | INFO, IA, \$INFO, \$IA, MI, \$MI | MBAC=9.38, MAXBAC=9.90, ALTBAC=9.40, TipBAC=10.00 | 9.77 | | | 1 |
| 102 | MILZ000357 | INFO, IA, \$INFO, \$IA | MBAC=9.38, MAXBAC=9.90, ALTBAC=9.35, TipBAC=10.00 | 9.77 | | | 1 |
| 103 | MILZ000757 | MI | MBAC=9.53, MAXBAC=9.85, ALTBAC=0.00, TipBAC=10.00 | 9.77 | | | 1 |
| 104 | MILZ000146 | INFO, IA, \$INFO, \$IA | MBAC=9.71, MAXBAC=9.80, ALTBAC=9.80, TipBAC=10.00 | 9.77 | | | 1 |
| 105 | MILZ000767 | IA, INFO, MI, \$IA, \$INFO, \$MI | MBAC=9.71, MAXBAC=9.80, ALTBAC=9.75, TipBAC=10.00 | 9.77 | | | 1 |
| 106 | MILZ000675 | INFO, IA, \$INFO, \$IA | MBAC=9.68, MAXBAC=9.80, ALTBAC=9.55, TipBAC=10.00 | 9.77 | | | 1 |
| 107 | MILZ000736 | INFO, IA | MBAC=9.36, MAXBAC=9.90, ALTBAC=9.90, TipBAC=10.00 | 9.76 | | | 1 |
| 108 | MILZ000275 | INFO, \$INFO | MBAC=9.35, MAXBAC=9.90, ALTBAC=9.75, TipBAC=10.00 | 9.76 | | | 1 |
| 109 | MILZ000323 | INFO, IA, MI, \$INFO, \$IA, \$MI | MBAC=9.36, MAXBAC=9.90, ALTBAC=9.70, TipBAC=10.00 | 9.76 | | | 1 |
| 110 | MILZ000788 | INFO, IA | MBAC=9.03, MAXBAC=10.00, ALTBAC=8.90, TipBAC=10.00 | 9.75 | | | 1 |
| 111 | MILZ000387 | INFO, IA, MI, \$INFO, \$IA, \$MI | MBAC=9.18, MAXBAC=9.95, ALTBAC=9.50, TipBAC=10.00 | 9.75 | | | 1 |
| 112 | MILZ000389 | INFO, IA, MI | MBAC=9.15, MAXBAC=9.95, ALTBAC=8.70, TipBAC=10.00 | 9.75 | | | 1 |
| 113 | MILZ000918 | INFO, MI, \$INFO, \$MI | MBAC=9.31, MAXBAC=9.90, ALTBAC=9.60, TipBAC=10.00 | 9.75 | | | 1 |
| 114 | MILZ000445 | INFO, \$INFO | MBAC=9.30, MAXBAC=9.90, ALTBAC=9.40, TipBAC=10.00 | 9.75 | | | 1 |
| 115 | MILZ000654 | IA, INFO, MI, \$IA, \$INFO, \$MI | MBAC=9.32, MAXBAC=9.90, ALTBAC=8.90, TipBAC=10.00 | 9.75 | | | 1 |
| 116 | MILZ000838 | IA, \$IA, MI, \$MI, INFO, \$INFO | MBAC=9.46, MAXBAC=9.85, ALTBAC=9.75, TipBAC=10.00 | 9.75 | | | 1 |
| 117 | MILZ000057 | INFO, IA, MI, \$INFO, \$IA, \$MI | MBAC=9.45, MAXBAC=9.85, ALTBAC=9.25, TipBAC=10.00 | 9.75 | | | 1 |
| 118 | MILZ000886 | INFO | MBAC=9.13, MAXBAC=9.95, ALTBAC=9.50, TipBAC=10.00 | 9.74 | | | 1 |
| 119 | MILZ000582 | INFO, \$INFO, IA, \$IA, MI, \$MI | MBAC=9.43, MAXBAC=9.85, ALTBAC=9.75, TipBAC=10.00 | 9.74 | | | 1 |
| 120 | MILZ000090 | IA, INFO, MI | MBAC=9.58, MAXBAC=9.80, ALTBAC=9.60, TipBAC=10.00 | 9.74 | | | 1 |
| 121 | MILZ000119 | MI, \$MI | MBAC=9.73, MAXBAC=9.75, ALTBAC=0.00, TipBAC=10.00 | 9.74 | | | 1 |
| 122 | MILZ000547 | INFO, \$INFO, IA, \$IA | MBAC=9.10, MAXBAC=9.95, ALTBAC=8.70, TipBAC=10.00 | 9.73 | | | 1 |
| 123 | MILZ000952 | INFO, MI, IA, \$INFO, \$MI | MBAC=9.25, MAXBAC=9.90, ALTBAC=9.80, TipBAC=10.00 | 9.73 | | | 1 |
| 124 | MILZ000002 | IA, INFO, \$IA, \$INFO | MBAC=9.23, MAXBAC=9.90, ALTBAC=9.45, TipBAC=10.00 | 9.73 | | | 1 |
| 125 | MILZ000334 | INFO, \$INFO, IA, \$IA | MBAC=9.23, MAXBAC=9.90, ALTBAC=8.40, TipBAC=10.00 | 9.73 | | | 1 |
| 126 | MILZ000930 | MI, IA, INFO | MBAC=9.41, MAXBAC=9.85, ALTBAC=9.25, TipBAC=10.00 | 9.73 | | | 1 |
| 127 | MILZ000423 | INFO, IA, MI, \$INFO, \$IA, \$MI | MBAC=9.41, MAXBAC=9.85, ALTBAC=9.20, TipBAC=10.00 | 9.73 | | | 1 |
| 128 | MILZ000104 | MI, \$MI | MBAC=9.70, MAXBAC=9.75, ALTBAC=0.00, TipBAC=10.00 | 9.73 | | | 1 |
| 129 | MILZ000549 | INFO, IA | MBAC=9.36, MAXBAC=9.85, ALTBAC=9.50, TipBAC=10.00 | 9.72 | | | 1 |
| 130 | MILZ000252 | INFO, IA, MI | MBAC=9.65, MAXBAC=9.75, ALTBAC=9.70, TipBAC=10.00 | 9.72 | | | 1 |
| 131 | MILZ000006 | INFO, \$INFO, IA, \$IA | MBAC=9.63, MAXBAC=9.75, ALTBAC=9.60, TipBAC=10.00 | 9.72 | | | 1 |
| 132 | MILZ000206 | INFO, IA, MI, \$INFO, \$IA, \$MI | MBAC=9.65, MAXBAC=9.75, ALTBAC=9.60, TipBAC=10.00 | 9.72 | | | 1 |
| 133 | MILZ000877 | MI, IA, INFO, \$MI | MBAC=9.30, MAXBAC=9.85, ALTBAC=9.55, TipBAC=10.00 | 9.71 | | | 1 |
| 134 | MILZ000781 | INFO, \$INFO, MI, \$MI, IA, \$IA | MBAC=9.30, MAXBAC=9.85, ALTBAC=9.50, TipBAC=10.00 | 9.71 | | | 1 |
| 135 | MILZ000643 | INFO | MBAC=9.31, MAXBAC=9.85, ALTBAC=9.25, TipBAC=10.00 | 9.71 | | | 1 |
| 136 | MILZ000113 | INFO, \$INFO, IA, \$IA, MI, \$MI | MBAC=9.31, MAXBAC=9.85, ALTBAC=9.25, TipBAC=10.00 | 9.71 | | | 1 |
| 137 | MILZ000509 | IA, INFO, \$IA, \$INFO | MBAC=9.80, MAXBAC=10.00, ALTBAC=0.00, TipBAC=9.00 | 9.70 | | | 1 |
| 138 | MILZ000274 | INFO, IA, \$INFO, MI, \$IA, \$MI | MBAC=8.98, MAXBAC=9.95, ALTBAC=8.90, TipBAC=10.00 | 9.70 | | | 1 |
| 139 | MILZ000805 | INFO, \$INFO, MI, \$MI | MBAC=9.13, MAXBAC=9.90, ALTBAC=9.85, TipBAC=10.00 | 9.70 | | | 1 |
| 140 | MILZ000524 | INFO, IA, \$INFO, \$IA | MBAC=9.13, MAXBAC=9.90, ALTBAC=9.40, TipBAC=10.00 | 9.70 | | | 1 |

| Nr | Legitim. | Optiuni | Note | Medie | Admis la | Obs. | S |
|-----|------------|----------------------------------|---|-------|----------|------|---|
| 141 | MILZ000394 | INFO, MI, IA, \$INFO, \$MI, \$IA | MBAC=9.26, MAXBAC=9.85, ALTBAC=9.60, TipBAC=10.00 | 9.70 | | | 1 |
| 142 | MILZ000915 | INFO, \$INFO, IA, \$IA | MBAC=9.43, MAXBAC=9.80, ALTBAC=9.20, TipBAC=10.00 | 9.70 | | | 1 |
| 143 | MILZ000927 | INFO, IA, MI | MBAC=9.41, MAXBAC=9.80, ALTBAC=9.10, TipBAC=10.00 | 9.70 | | | 1 |
| 144 | MILZ000110 | INFO, IA, \$INFO, \$IA, MI, \$MI | MBAC=9.41, MAXBAC=9.80, ALTBAC=9.00, TipBAC=10.00 | 9.70 | | | 1 |
| 145 | MILZ000298 | IA, INFO, \$IA, \$INFO | MBAC=9.51, MAXBAC=9.75, ALTBAC=9.70, TipBAC=10.00 | 9.69 | | | 1 |
| 146 | MILZ000246 | MI, \$MI, INFO, \$INFO, IA, \$IA | MBAC=9.51, MAXBAC=9.75, ALTBAC=0.00, TipBAC=10.00 | 9.69 | | | 1 |
| 147 | MILZ000925 | MI, IA, INFO | MBAC=9.68, MAXBAC=9.70, ALTBAC=9.70, TipBAC=10.00 | 9.69 | | | 1 |
| 148 | MILZ000210 | INFO, IA, \$INFO, \$IA | MBAC=9.68, MAXBAC=9.70, ALTBAC=9.55, TipBAC=10.00 | 9.69 | | | 1 |
| 149 | MILZ000257 | MI, \$MI, INFO, \$INFO, IA, \$IA | MBAC=9.68, MAXBAC=9.70, ALTBAC=0.00, TipBAC=10.00 | 9.69 | | | 1 |
| 150 | MILZ000082 | INFO, \$INFO, IA, \$IA | MBAC=9.75, MAXBAC=10.00, ALTBAC=9.75, TipBAC=9.00 | 9.68 | | | 1 |
| 151 | MILZ000869 | INFO, IA, MI, \$INFO, \$IA, \$MI | MBAC=9.35, MAXBAC=9.80, ALTBAC=9.30, TipBAC=10.00 | 9.68 | | | 1 |
| 152 | MILZ000260 | IA, INFO, \$IA, \$INFO | MBAC=9.48, MAXBAC=9.75, ALTBAC=9.55, TipBAC=10.00 | 9.68 | | | 1 |
| 153 | MILZ000478 | IA, MI, INFO, \$IA, \$MI, \$INFO | MBAC=9.50, MAXBAC=9.75, ALTBAC=9.45, TipBAC=10.00 | 9.68 | | | 1 |
| 154 | MILZ000797 | MI, INFO | MBAC=9.63, MAXBAC=9.70, ALTBAC=0.00, TipBAC=10.00 | 9.68 | | | 1 |
| 155 | MILZ000943 | MI, \$MI | MBAC=9.78, MAXBAC=9.65, ALTBAC=0.00, TipBAC=10.00 | 9.68 | | | 1 |
| 156 | MILZ000855 | INFO, \$INFO, IA, MI, \$IA, \$MI | MBAC=9.16, MAXBAC=9.85, ALTBAC=9.70, TipBAC=10.00 | 9.67 | | | 1 |
| 157 | MILZ000595 | MI, INFO, IA, \$MI, \$INFO, \$IA | MBAC=9.13, MAXBAC=9.85, ALTBAC=0.00, TipBAC=10.00 | 9.67 | | | 1 |
| 158 | MILZ000018 | INFO, IA | MBAC=9.30, MAXBAC=9.80, ALTBAC=9.10, TipBAC=10.00 | 9.67 | | | 1 |
| 159 | MILZ000811 | MI, INFO, IA, \$MI, \$INFO, \$IA | MBAC=9.30, MAXBAC=9.80, ALTBAC=8.45, TipBAC=10.00 | 9.67 | | | 1 |
| 160 | MILZ000569 | INFO, MI | MBAC=9.45, MAXBAC=9.75, ALTBAC=0.00, TipBAC=10.00 | 9.67 | | | 1 |
| 161 | MILZ000610 | INFO, \$INFO, IA | MBAC=9.58, MAXBAC=9.70, ALTBAC=9.60, TipBAC=10.00 | 9.67 | | | 1 |
| 162 | MILZ000144 | INFO, \$INFO | MBAC=9.55, MAXBAC=9.70, ALTBAC=9.35, TipBAC=10.00 | 9.66 | | | 1 |
| 163 | MILZ000424 | MI, IA, INFO, \$MI, \$INFO, \$IA | MBAC=9.93, MAXBAC=9.90, ALTBAC=10.00, TipBAC=9.00 | 9.65 | | | 1 |
| 164 | MILZ000405 | INFO, IA, MI | MBAC=8.91, MAXBAC=9.90, ALTBAC=8.20, TipBAC=10.00 | 9.65 | | | 1 |
| 165 | MILZ000924 | INFO, IA, MI, \$INFO, \$IA, \$MI | MBAC=9.20, MAXBAC=9.80, ALTBAC=9.10, TipBAC=10.00 | 9.65 | | | 1 |
| 166 | MILZ000439 | INFO, IA | MBAC=9.23, MAXBAC=9.80, ALTBAC=9.00, TipBAC=10.00 | 9.65 | | | 1 |
| 167 | MILZ000888 | INFO, IA, \$INFO | MBAC=9.35, MAXBAC=9.75, ALTBAC=9.50, TipBAC=10.00 | 9.65 | | | 1 |
| 168 | MILZ000045 | MI, \$MI | MBAC=9.51, MAXBAC=9.70, ALTBAC=0.00, TipBAC=10.00 | 9.65 | | | 1 |
| 169 | MILZ000776 | \$MI | MBAC=9.88, MAXBAC=9.90, ALTBAC=0.00, TipBAC=9.00 | 9.64 | | | 1 |
| 170 | MILZ000117 | MI, \$MI, INFO, \$INFO | MBAC=9.16, MAXBAC=9.80, ALTBAC=9.30, TipBAC=10.00 | 9.64 | | | 1 |
| 171 | MILZ000232 | INFO, IA, \$INFO, \$IA, MI, \$MI | MBAC=9.48, MAXBAC=9.70, ALTBAC=9.60, TipBAC=10.00 | 9.64 | | | 1 |
| 172 | MILZ000360 | INFO, \$INFO, IA, \$IA | MBAC=9.46, MAXBAC=9.70, ALTBAC=9.40, TipBAC=10.00 | 9.64 | | | 1 |
| 173 | MILZ000816 | INFO, \$INFO, IA, \$IA, MI, \$MI | MBAC=9.28, MAXBAC=9.75, ALTBAC=9.35, TipBAC=10.00 | 9.63 | | | 1 |
| 174 | MILZ000198 | INFO, IA, \$INFO | MBAC=9.30, MAXBAC=9.75, ALTBAC=9.25, TipBAC=10.00 | 9.63 | | | 1 |
| 175 | MILZ000923 | INFO, IA, \$INFO, \$IA | MBAC=9.28, MAXBAC=9.75, ALTBAC=8.90, TipBAC=10.00 | 9.63 | | | 1 |
| 176 | MILZ000359 | INFO | MBAC=9.43, MAXBAC=9.70, ALTBAC=9.55, TipBAC=10.00 | 9.63 | | | 1 |
| 177 | MILZ000936 | INFO, IA, MI | MBAC=9.43, MAXBAC=9.70, ALTBAC=9.15, TipBAC=10.00 | 9.63 | | | 1 |
| 178 | MILZ000844 | MI, INFO | MBAC=9.60, MAXBAC=9.65, ALTBAC=0.00, TipBAC=10.00 | 9.63 | | | 1 |
| 179 | MILZ000883 | INFO, \$INFO | MBAC=8.96, MAXBAC=9.85, ALTBAC=8.15, TipBAC=10.00 | 9.62 | | | 1 |
| 180 | MILZ000020 | MI, INFO, IA | MBAC=9.11, MAXBAC=9.80, ALTBAC=9.50, TipBAC=10.00 | 9.62 | | | 1 |
| 181 | MILZ000559 | INFO, IA, \$INFO, \$IA, MI, \$MI | MBAC=9.11, MAXBAC=9.80, ALTBAC=8.70, TipBAC=10.00 | 9.62 | | | 1 |
| 182 | MILZ000652 | MI, INFO, IA | MBAC=9.26, MAXBAC=9.75, ALTBAC=8.25, TipBAC=10.00 | 9.62 | | | 1 |
| 183 | MILZ000832 | INFO, MI, IA, \$INFO, \$MI, \$IA | MBAC=9.41, MAXBAC=9.70, ALTBAC=8.80, TipBAC=10.00 | 9.62 | | | 1 |
| 184 | MILZ000874 | INFO, \$INFO | MBAC=9.53, MAXBAC=9.65, ALTBAC=9.65, TipBAC=10.00 | 9.62 | | | 1 |
| 185 | MILZ000522 | INFO, MI, IA, \$INFO, \$MI, \$IA | MBAC=8.93, MAXBAC=9.85, ALTBAC=8.10, TipBAC=10.00 | 9.61 | | | 1 |
| 186 | MILZ000630 | MI, INFO, IA, \$MI, \$INFO, \$IA | MBAC=9.21, MAXBAC=9.75, ALTBAC=9.20, TipBAC=10.00 | 9.61 | | | 1 |
| 187 | MILZ000541 | INFO, IA, MI, \$INFO, \$IA, \$MI | MBAC=9.36, MAXBAC=9.70, ALTBAC=9.05, TipBAC=10.00 | 9.61 | | | 1 |
| 188 | MILZ000294 | IA, \$MI | MBAC=8.85, MAXBAC=9.85, ALTBAC=9.70, TipBAC=10.00 | 9.60 | | | 1 |
| 189 | MILZ000899 | INFO, \$INFO, IA, \$IA, MI, \$MI | MBAC=9.15, MAXBAC=9.75, ALTBAC=9.70, TipBAC=10.00 | 9.60 | | | 1 |
| 190 | MILZ000955 | MI, INFO, IA, \$MI, \$INFO, \$IA | MBAC=9.15, MAXBAC=9.75, ALTBAC=8.65, TipBAC=10.00 | 9.60 | | | 1 |
| 191 | MILZ000745 | IA, \$IA, INFO, MI | MBAC=9.31, MAXBAC=9.70, ALTBAC=9.10, TipBAC=10.00 | 9.60 | | | 1 |
| 192 | MILZ000242 | IA, INFO, MI, \$IA, \$INFO, \$MI | MBAC=9.46, MAXBAC=9.65, ALTBAC=0.00, TipBAC=10.00 | 9.60 | | | 1 |
| 193 | MILZ000758 | MI, \$MI | MBAC=9.50, MAXBAC=9.95, ALTBAC=0.00, TipBAC=9.00 | 9.59 | | | 1 |
| 194 | MILZ000165 | IA, INFO, \$IA, \$INFO | MBAC=8.96, MAXBAC=9.80, ALTBAC=0.00, TipBAC=10.00 | 9.59 | | | 1 |
| 195 | MILZ000286 | INFO, MI, IA | MBAC=9.13, MAXBAC=9.75, ALTBAC=9.25, TipBAC=10.00 | 9.59 | | | 1 |
| 196 | MILZ000737 | INFO, IA, MI | MBAC=9.33, MAXBAC=10.00, ALTBAC=9.80, TipBAC=9.00 | 9.58 | | | 1 |
| 197 | MILZ000086 | INFO, \$INFO, IA, \$IA | MBAC=9.23, MAXBAC=9.70, ALTBAC=9.25, TipBAC=10.00 | 9.58 | | | 1 |
| 198 | MILZ000410 | IA, INFO | MBAC=9.40, MAXBAC=9.65, ALTBAC=9.50, TipBAC=10.00 | 9.58 | | | 1 |
| 199 | MILZ000932 | MI, \$MI | MBAC=9.40, MAXBAC=9.65, ALTBAC=0.00, TipBAC=10.00 | 9.58 | | | 1 |
| 200 | MILZ000409 | INFO, \$INFO | MBAC=9.55, MAXBAC=9.60, ALTBAC=9.55, TipBAC=10.00 | 9.58 | | | 1 |
| 201 | MILZ000222 | IA, INFO, \$IA, \$INFO | MBAC=9.18, MAXBAC=9.70, ALTBAC=9.55, TipBAC=10.00 | 9.57 | | | 1 |
| 202 | MILZ000268 | MI, INFO, IA, \$MI, \$INFO, \$IA | MBAC=9.21, MAXBAC=9.70, ALTBAC=9.35, TipBAC=10.00 | 9.57 | | | 1 |
| 203 | MILZ000703 | INFO, IA, \$INFO, \$IA, MI, \$MI | MBAC=9.20, MAXBAC=9.70, ALTBAC=9.05, TipBAC=10.00 | 9.57 | | | 1 |
| 204 | MILZ000077 | IA, \$IA, INFO, \$INFO | MBAC=9.36, MAXBAC=9.65, ALTBAC=9.45, TipBAC=10.00 | 9.57 | | | 1 |
| 205 | MILZ000342 | INFO, IA, MI, \$INFO, \$IA, \$MI | MBAC=8.86, MAXBAC=9.80, ALTBAC=8.85, TipBAC=10.00 | 9.56 | | | 1 |
| 206 | MILZ000056 | INFO, IA, MI, \$INFO, \$IA, \$MI | MBAC=9.31, MAXBAC=9.65, ALTBAC=9.35, TipBAC=10.00 | 9.56 | | | 1 |
| 207 | MILZ000530 | INFO, MI, IA | MBAC=9.20, MAXBAC=10.00, ALTBAC=0.00, TipBAC=9.00 | 9.55 | | | 1 |
| 208 | MILZ000325 | MI, \$MI | MBAC=8.36, MAXBAC=9.95, ALTBAC=0.00, TipBAC=10.00 | 9.55 | | | 1 |
| 209 | MILZ000526 | MI, INFO, \$MI, \$INFO | MBAC=8.51, MAXBAC=9.90, ALTBAC=8.65, TipBAC=10.00 | 9.55 | | | 1 |
| 210 | MILZ000027 | MI, \$MI | MBAC=9.65, MAXBAC=9.85, ALTBAC=0.00, TipBAC=9.00 | 9.55 | | | 1 |
| 211 | MILZ000466 | INFO | MBAC=8.83, MAXBAC=9.80, ALTBAC=8.80, TipBAC=10.00 | 9.55 | | | 1 |
| 212 | MILZ000481 | IA, INFO, MI, \$IA | MBAC=8.83, MAXBAC=9.80, ALTBAC=8.45, TipBAC=10.00 | 9.55 | | | 1 |
| 213 | MILZ000802 | IA, INFO | MBAC=8.95, MAXBAC=9.75, ALTBAC=9.70, TipBAC=10.00 | 9.55 | | | 1 |
| 214 | MILZ000657 | INFO, \$INFO, IA, \$IA | MBAC=9.11, MAXBAC=9.70, ALTBAC=9.10, TipBAC=10.00 | 9.55 | | | 1 |
| 215 | MILZ000035 | INFO, IA, MI, \$INFO, \$IA | MBAC=9.41, MAXBAC=9.60, ALTBAC=9.60, TipBAC=10.00 | 9.55 | | | 1 |

| Nr | Legitim. | Optiuni | Note | Medie | Admis la | Obs. | S |
|-----|------------|----------------------------------|---|-------|----------|------|---|
| 216 | MILZ000366 | INFO, \$INFO, MI, \$MI, IA, \$IA | MBAC=9.43, MAXBAC=9.60, ALTBAC=9.20, TipBAC=10.00 | 9.55 | | | 1 |
| 217 | MILZ000435 | MI, INFO, IA, \$MI, \$INFO | MBAC=9.46, MAXBAC=9.90, ALTBAC=0.00, TipBAC=9.00 | 9.54 | | | 1 |
| 218 | MILZ000864 | INFO, IA, \$INFO, \$IA | MBAC=9.23, MAXBAC=9.65, ALTBAC=9.00, TipBAC=10.00 | 9.54 | | | 1 |
| 219 | MILZ000041 | MI | MBAC=9.40, MAXBAC=9.60, ALTBAC=0.00, TipBAC=10.00 | 9.54 | | | 1 |
| 220 | MILZ000473 | INFO | MBAC=9.53, MAXBAC=9.55, ALTBAC=9.55, TipBAC=10.00 | 9.54 | | | 1 |
| 221 | MILZ000517 | MI, \$MI | MBAC=9.56, MAXBAC=9.85, ALTBAC=0.00, TipBAC=9.00 | 9.53 | | | 1 |
| 222 | MILZ000554 | IA, INFO, MI, \$IA, \$INFO, \$MI | MBAC=9.03, MAXBAC=9.70, ALTBAC=8.10, TipBAC=10.00 | 9.53 | | | 1 |
| 223 | MILZ000200 | INFO, IA | MBAC=9.33, MAXBAC=9.60, ALTBAC=9.05, TipBAC=10.00 | 9.53 | | | 1 |
| 224 | MILZ000272 | IA, INFO, \$IA, \$INFO | MBAC=9.50, MAXBAC=9.55, ALTBAC=9.35, TipBAC=10.00 | 9.53 | | | 1 |
| 225 | MILZ000168 | INFO, IA, \$INFO, \$IA | MBAC=9.38, MAXBAC=9.90, ALTBAC=9.30, TipBAC=9.00 | 9.52 | | | 1 |
| 226 | MILZ000590 | MI, IA, INFO, \$MI, \$IA, \$INFO | MBAC=9.52, MAXBAC=9.85, ALTBAC=0.00, TipBAC=9.00 | 9.52 | | | 1 |
| 227 | MILZ000207 | MI, INFO, IA, \$MI, \$INFO, \$IA | MBAC=8.70, MAXBAC=9.80, ALTBAC=8.60, TipBAC=10.00 | 9.52 | | | 1 |
| 228 | MILZ000837 | IA, INFO, \$IA, \$INFO, MI, \$MI | MBAC=9.15, MAXBAC=9.65, ALTBAC=9.35, TipBAC=10.00 | 9.52 | | | 1 |
| 229 | MILZ000705 | INFO, IA, MI | MBAC=9.13, MAXBAC=9.65, ALTBAC=8.20, TipBAC=10.00 | 9.52 | | | 1 |
| 230 | MILZ000723 | INFO, MI, \$INFO, \$MI | MBAC=9.46, MAXBAC=9.55, ALTBAC=9.50, TipBAC=10.00 | 9.52 | | | 1 |
| 231 | MILZ000166 | IA, INFO, \$IA, \$INFO, MI, \$MI | MBAC=9.11, MAXBAC=9.65, ALTBAC=9.35, TipBAC=10.00 | 9.51 | | | 1 |
| 232 | MILZ000693 | IA, INFO, MI, \$IA, \$INFO, \$MI | MBAC=9.10, MAXBAC=9.65, ALTBAC=8.85, TipBAC=10.00 | 9.51 | | | 1 |
| 233 | MILZ000656 | MI, INFO, IA, \$MI, \$INFO, \$IA | MBAC=9.13, MAXBAC=9.95, ALTBAC=0.00, TipBAC=9.00 | 9.50 | | | 1 |
| 234 | MILZ000823 | INFO, \$INFO | MBAC=8.78, MAXBAC=9.75, ALTBAC=9.55, TipBAC=10.00 | 9.50 | | | 1 |
| 235 | MILZ000108 | INFO, IA, MI | MBAC=8.78, MAXBAC=9.75, ALTBAC=7.90, TipBAC=10.00 | 9.50 | | | 1 |
| 236 | MILZ000349 | INFO, IA, MI, \$INFO, \$IA, \$MI | MBAC=8.93, MAXBAC=9.70, ALTBAC=9.65, TipBAC=10.00 | 9.50 | | | 1 |
| 237 | MILZ000879 | INFO, IA, MI | MBAC=9.05, MAXBAC=9.65, ALTBAC=9.50, TipBAC=10.00 | 9.50 | | | 1 |
| 238 | MILZ000229 | IA, INFO, \$IA, \$INFO, MI, \$MI | MBAC=9.06, MAXBAC=9.65, ALTBAC=8.95, TipBAC=10.00 | 9.50 | | | 1 |
| 239 | MILZ000875 | IA, INFO, MI, \$IA, \$INFO, \$MI | MBAC=8.73, MAXBAC=9.75, ALTBAC=8.45, TipBAC=10.00 | 9.49 | | | 1 |
| 240 | MILZ000598 | IA, \$IA | MBAC=9.71, MAXBAC=9.75, ALTBAC=0.00, TipBAC=9.00 | 9.49 | | | 1 |
| 241 | MILZ000204 | INFO, \$INFO, MI, \$MI, IA, \$IA | MBAC=8.88, MAXBAC=9.70, ALTBAC=7.95, TipBAC=10.00 | 9.49 | | | 1 |
| 242 | MILZ000653 | INFO, \$INFO | MBAC=9.03, MAXBAC=9.65, ALTBAC=9.10, TipBAC=10.00 | 9.49 | | | 1 |
| 243 | MILZ000804 | IA, INFO, MI, \$IA, \$INFO, \$MI | MBAC=9.18, MAXBAC=9.60, ALTBAC=9.45, TipBAC=10.00 | 9.49 | | | 1 |
| 244 | MILZ000348 | MI | MBAC=9.36, MAXBAC=9.85, ALTBAC=0.00, TipBAC=9.00 | 9.48 | | | 1 |
| 245 | MILZ000312 | MI, \$MI | MBAC=9.53, MAXBAC=9.80, ALTBAC=9.55, TipBAC=9.00 | 9.48 | | | 1 |
| 246 | MILZ000747 | INFO, \$INFO, IA, \$IA | MBAC=8.55, MAXBAC=9.80, ALTBAC=8.50, TipBAC=10.00 | 9.48 | | | 1 |
| 247 | MILZ000446 | MI, \$MI | MBAC=9.51, MAXBAC=9.80, ALTBAC=0.00, TipBAC=9.00 | 9.48 | | | 1 |
| 248 | MILZ000033 | IA, MI, INFO, \$IA, \$MI, \$INFO | MBAC=8.85, MAXBAC=9.70, ALTBAC=8.95, TipBAC=10.00 | 9.48 | | | 1 |
| 249 | MILZ000845 | INFO, IA, \$INFO, \$IA | MBAC=9.13, MAXBAC=9.60, ALTBAC=9.35, TipBAC=10.00 | 9.48 | | | 1 |
| 250 | MILZ000782 | MI, \$MI | MBAC=9.91, MAXBAC=10.00, ALTBAC=0.00, TipBAC=8.00 | 9.47 | | | 1 |
| 251 | MILZ000186 | IA, MI, INFO | MBAC=9.88, MAXBAC=10.00, ALTBAC=0.00, TipBAC=8.00 | 9.47 | | | 1 |
| 252 | MILZ000702 | INFO, IA, \$INFO, \$IA, MI, \$MI | MBAC=9.41, MAXBAC=9.50, ALTBAC=9.30, TipBAC=10.00 | 9.47 | | | 1 |
| 253 | MILZ000706 | INFO, \$INFO, IA, \$IA, MI, \$MI | MBAC=9.55, MAXBAC=9.45, ALTBAC=0.00, TipBAC=10.00 | 9.47 | | | 1 |
| 254 | MILZ000785 | INFO, MI, IA | MBAC=8.30, MAXBAC=9.85, ALTBAC=8.30, TipBAC=10.00 | 9.46 | | | 1 |
| 255 | MILZ000273 | MI, \$MI, INFO, \$INFO | MBAC=9.30, MAXBAC=9.85, ALTBAC=0.00, TipBAC=9.00 | 9.46 | | | 1 |
| 256 | MILZ000074 | IA | MBAC=9.75, MAXBAC=9.70, ALTBAC=0.00, TipBAC=9.00 | 9.46 | | | 1 |
| 257 | MILZ000815 | INFO, \$INFO | MBAC=9.05, MAXBAC=9.60, ALTBAC=9.30, TipBAC=10.00 | 9.46 | | | 1 |
| 258 | MILZ000544 | INFO, IA, MI, \$INFO, \$IA, \$MI | MBAC=9.20, MAXBAC=9.55, ALTBAC=9.25, TipBAC=10.00 | 9.46 | | | 1 |
| 259 | MILZ000575 | INFO, \$INFO, IA, \$IA | MBAC=9.21, MAXBAC=9.55, ALTBAC=9.25, TipBAC=10.00 | 9.46 | | | 1 |
| 260 | MILZ000138 | INFO, IA | MBAC=9.80, MAXBAC=10.00, ALTBAC=0.00, TipBAC=8.00 | 9.45 | | | 1 |
| 261 | MILZ000055 | INFO, IA, \$INFO, MI, \$IA, \$MI | MBAC=9.41, MAXBAC=9.80, ALTBAC=9.25, TipBAC=9.00 | 9.45 | | | 1 |
| 262 | MILZ000699 | INFO, IA, MI | MBAC=8.56, MAXBAC=9.75, ALTBAC=8.05, TipBAC=10.00 | 9.45 | | | 1 |
| 263 | MILZ000151 | \$INFO, \$IA, \$MI | MBAC=8.71, MAXBAC=9.70, ALTBAC=7.40, TipBAC=10.00 | 9.45 | | | 1 |
| 264 | MILZ000846 | INFO, \$INFO, MI, \$MI | MBAC=8.85, MAXBAC=9.65, ALTBAC=9.45, TipBAC=10.00 | 9.45 | | | 1 |
| 265 | MILZ000122 | INFO, IA, MI, \$INFO, \$IA, \$MI | MBAC=9.01, MAXBAC=9.60, ALTBAC=9.40, TipBAC=10.00 | 9.45 | | | 1 |
| 266 | MILZ000579 | IA, INFO, MI, \$IA, \$INFO, \$MI | MBAC=9.01, MAXBAC=9.60, ALTBAC=8.75, TipBAC=10.00 | 9.45 | | | 1 |
| 267 | MILZ000516 | IA, \$IA, INFO, \$INFO | MBAC=9.16, MAXBAC=9.55, ALTBAC=8.85, TipBAC=10.00 | 9.45 | | | 1 |
| 268 | MILZ000291 | INFO, \$INFO, IA, \$IA, MI, \$MI | MBAC=9.16, MAXBAC=9.55, ALTBAC=8.45, TipBAC=10.00 | 9.45 | | | 1 |
| 269 | MILZ000143 | INFO, IA, \$INFO, \$IA, MI, \$MI | MBAC=9.46, MAXBAC=9.45, ALTBAC=9.20, TipBAC=10.00 | 9.45 | | | 1 |
| 270 | MILZ000284 | MI | MBAC=9.76, MAXBAC=10.00, ALTBAC=0.00, TipBAC=8.00 | 9.44 | | | 1 |
| 271 | MILZ000917 | IA, INFO, \$IA, \$INFO, MI, \$MI | MBAC=9.33, MAXBAC=9.80, ALTBAC=9.80, TipBAC=9.00 | 9.44 | | | 1 |
| 272 | MILZ000914 | MI | MBAC=9.48, MAXBAC=9.75, ALTBAC=0.00, TipBAC=9.00 | 9.44 | | | 1 |
| 273 | MILZ000900 | INFO, IA, MI | MBAC=8.98, MAXBAC=9.60, ALTBAC=9.50, TipBAC=10.00 | 9.44 | | | 1 |
| 274 | MILZ000364 | INFO, \$INFO, MI, \$MI, IA, \$IA | MBAC=9.28, MAXBAC=9.50, ALTBAC=9.25, TipBAC=10.00 | 9.44 | | | 1 |
| 275 | MILZ000025 | IA, INFO, \$IA, MI | MBAC=9.28, MAXBAC=9.50, ALTBAC=9.25, TipBAC=10.00 | 9.44 | | | 1 |
| 276 | MILZ000386 | MI, \$MI | MBAC=9.43, MAXBAC=9.45, ALTBAC=0.00, TipBAC=10.00 | 9.44 | | | 1 |
| 277 | MILZ000414 | IA, INFO, MI | MBAC=9.25, MAXBAC=9.50, ALTBAC=9.45, TipBAC=10.00 | 9.43 | | | 1 |
| 278 | MILZ000365 | IA, \$IA, INFO, \$INFO, MI, \$MI | MBAC=9.25, MAXBAC=9.50, ALTBAC=0.00, TipBAC=10.00 | 9.43 | | | 1 |
| 279 | MILZ000341 | MI, \$MI, INFO, \$INFO, IA, \$IA | MBAC=9.40, MAXBAC=9.45, ALTBAC=9.10, TipBAC=10.00 | 9.43 | | | 1 |
| 280 | MILZ000615 | IA, INFO, MI | MBAC=9.56, MAXBAC=9.70, ALTBAC=9.50, TipBAC=9.00 | 9.42 | | | 1 |
| 281 | MILZ000484 | IA, \$IA, MI, \$MI, INFO, \$INFO | MBAC=8.76, MAXBAC=9.65, ALTBAC=8.40, TipBAC=10.00 | 9.42 | | | 1 |
| 282 | MILZ000463 | IA, INFO, \$IA, MI, \$INFO, \$MI | MBAC=8.91, MAXBAC=9.60, ALTBAC=9.15, TipBAC=10.00 | 9.42 | | | 1 |
| 283 | MILZ000083 | INFO | MBAC=8.90, MAXBAC=9.60, ALTBAC=8.90, TipBAC=10.00 | 9.42 | | | 1 |
| 284 | MILZ000417 | INFO, \$INFO, IA, \$IA, MI, \$MI | MBAC=9.20, MAXBAC=9.50, ALTBAC=9.30, TipBAC=10.00 | 9.42 | | | 1 |
| 285 | MILZ000266 | IA, INFO, \$IA, \$INFO | MBAC=9.48, MAXBAC=9.40, ALTBAC=9.20, TipBAC=10.00 | 9.42 | | | 1 |
| 286 | MILZ000355 | INFO, MI, IA, \$INFO, \$MI, \$IA | MBAC=8.76, MAXBAC=9.95, ALTBAC=8.60, TipBAC=9.00 | 9.41 | | | 1 |
| 287 | MILZ000149 | MI | MBAC=9.81, MAXBAC=9.95, ALTBAC=0.00, TipBAC=8.00 | 9.41 | | | 1 |
| 288 | MILZ000515 | INFO, \$INFO, IA, \$IA, MI, \$MI | MBAC=8.25, MAXBAC=9.80, ALTBAC=6.95, TipBAC=10.00 | 9.41 | | | 1 |
| 289 | MILZ000065 | MI, \$MI, INFO, \$INFO | MBAC=9.36, MAXBAC=9.75, ALTBAC=0.00, TipBAC=9.00 | 9.41 | | | 1 |
| 290 | MILZ000233 | INFO, \$INFO, IA, \$IA | MBAC=8.85, MAXBAC=9.60, ALTBAC=9.45, TipBAC=10.00 | 9.41 | | | 1 |

| Nr | Legitim. | Optiuni | Note | Medie | Admis la | Obs. | S |
|-----|-------------|----------------------------------|---|-------|----------|------|---|
| 291 | MILZ000103 | IA, INFO, MI, \$IA, \$INFO, \$MI | MBAC=8.86, MAXBAC=9.60, ALTBAC=9.30, TipBAC=10.00 | 9.41 | | | 1 |
| 292 | MILZ000047 | IA, INFO, MI, \$IA, \$INFO, \$MI | MBAC=9.01, MAXBAC=9.55, ALTBAC=8.85, TipBAC=10.00 | 9.41 | | | 1 |
| 293 | MILZ0000641 | MI | MBAC=9.01, MAXBAC=9.55, ALTBAC=0.00, TipBAC=10.00 | 9.41 | | | 1 |
| 294 | MILZ0000895 | INFO, IA, MI | MBAC=9.10, MAXBAC=9.50, ALTBAC=0.00, TipBAC=10.00 | 9.40 | | | 1 |
| 295 | MILZ0000328 | INFO, MI, \$INFO, \$MI, IA, \$IA | MBAC=9.41, MAXBAC=9.40, ALTBAC=9.30, TipBAC=10.00 | 9.40 | | | 1 |
| 296 | MILZ0000749 | MI | MBAC=9.71, MAXBAC=9.95, ALTBAC=0.00, TipBAC=8.00 | 9.39 | | | 1 |
| 297 | MILZ0000345 | IA, INFO, MI, \$IA, \$INFO | MBAC=9.46, MAXBAC=9.70, ALTBAC=9.25, TipBAC=9.00 | 9.39 | | | 1 |
| 298 | MILZ0000573 | INFO, IA, \$INFO, \$IA, MI, \$MI | MBAC=8.78, MAXBAC=9.60, ALTBAC=9.05, TipBAC=10.00 | 9.39 | | | 1 |
| 299 | MILZ0000681 | INFO, IA, MI, \$INFO, \$IA, \$MI | MBAC=9.08, MAXBAC=9.50, ALTBAC=9.25, TipBAC=10.00 | 9.39 | | | 1 |
| 300 | MILZ0000557 | \$INFO, INFO, \$IA, IA | MBAC=9.23, MAXBAC=9.45, ALTBAC=9.20, TipBAC=10.00 | 9.39 | | | 1 |
| 301 | MILZ0000009 | INFO | MBAC=8.73, MAXBAC=9.60, ALTBAC=8.10, TipBAC=10.00 | 9.38 | | | 1 |
| 302 | MILZ0000710 | INFO, IA | MBAC=8.73, MAXBAC=9.60, ALTBAC=7.30, TipBAC=10.00 | 9.38 | | | 1 |
| 303 | MILZ0000188 | IA, INFO, \$IA, \$INFO | MBAC=9.18, MAXBAC=9.45, ALTBAC=9.20, TipBAC=10.00 | 9.38 | | | 1 |
| 304 | MILZ0000480 | INFO, \$INFO | MBAC=8.41, MAXBAC=9.70, ALTBAC=8.85, TipBAC=10.00 | 9.37 | | | 1 |
| 305 | MILZ0000842 | INFO, \$INFO, MI, \$MI, IA, \$IA | MBAC=9.01, MAXBAC=9.50, ALTBAC=8.85, TipBAC=10.00 | 9.37 | | | 1 |
| 306 | MILZ0000174 | INFO | MBAC=9.31, MAXBAC=9.40, ALTBAC=9.15, TipBAC=10.00 | 9.37 | | | 1 |
| 307 | MILZ0000616 | IA, \$IA, INFO, \$INFO | MBAC=9.45, MAXBAC=10.00, ALTBAC=0.00, TipBAC=8.00 | 9.36 | | | 1 |
| 308 | MILZ0000126 | MI, INFO, IA, \$MI, \$INFO, \$IA | MBAC=9.58, MAXBAC=9.95, ALTBAC=0.00, TipBAC=8.00 | 9.36 | | | 1 |
| 309 | MILZ0000472 | INFO, IA, \$INFO, \$IA | MBAC=9.73, MAXBAC=9.90, ALTBAC=0.00, TipBAC=8.00 | 9.36 | | | 1 |
| 310 | MILZ0000798 | INFO, \$INFO, IA, \$IA | MBAC=8.80, MAXBAC=9.55, ALTBAC=8.40, TipBAC=10.00 | 9.36 | | | 1 |
| 311 | MILZ0000177 | INFO, IA, \$INFO, \$IA | MBAC=9.11, MAXBAC=9.45, ALTBAC=9.20, TipBAC=10.00 | 9.36 | | | 1 |
| 312 | MILZ0000319 | IA, \$IA | MBAC=9.43, MAXBAC=9.35, ALTBAC=9.30, TipBAC=10.00 | 9.36 | | | 1 |
| 313 | MILZ0000218 | IA, \$IA, INFO, \$INFO | MBAC=9.43, MAXBAC=9.35, ALTBAC=9.25, TipBAC=10.00 | 9.36 | | | 1 |
| 314 | MILZ0000908 | INFO, MI, IA, \$INFO | MBAC=9.55, MAXBAC=9.95, ALTBAC=0.00, TipBAC=8.00 | 9.35 | | | 1 |
| 315 | MILZ0000028 | INFO, IA, \$INFO, \$IA | MBAC=8.91, MAXBAC=9.50, ALTBAC=9.35, TipBAC=10.00 | 9.35 | | | 1 |
| 316 | MILZ0000251 | INFO, IA, MI, \$INFO, \$MI | MBAC=9.20, MAXBAC=9.40, ALTBAC=9.15, TipBAC=10.00 | 9.35 | | | 1 |
| 317 | MILZ0000642 | MI, \$MI, IA, \$IA | MBAC=9.10, MAXBAC=9.75, ALTBAC=0.00, TipBAC=9.00 | 9.34 | | | 1 |
| 318 | MILZ0000263 | INFO, \$INFO, IA, \$IA, MI, \$MI | MBAC=9.16, MAXBAC=9.40, ALTBAC=9.35, TipBAC=10.00 | 9.34 | | | 1 |
| 319 | MILZ0000531 | IA, \$IA, INFO, \$INFO, MI, \$MI | MBAC=9.16, MAXBAC=9.40, ALTBAC=9.10, TipBAC=10.00 | 9.34 | | | 1 |
| 320 | MILZ0000551 | INFO, IA, MI | MBAC=8.58, MAXBAC=9.90, ALTBAC=0.00, TipBAC=9.00 | 9.33 | | | 1 |
| 321 | MILZ0000145 | INFO, \$INFO, MI, IA, \$MI, \$IA | MBAC=8.83, MAXBAC=9.50, ALTBAC=9.00, TipBAC=10.00 | 9.33 | | | 1 |
| 322 | MILZ0000906 | IA, INFO, MI, \$IA, \$INFO | MBAC=9.45, MAXBAC=9.60, ALTBAC=9.25, TipBAC=9.00 | 9.32 | | | 1 |
| 323 | MILZ0000377 | INFO, \$INFO | MBAC=7.85, MAXBAC=9.80, ALTBAC=8.70, TipBAC=10.00 | 9.31 | | | 1 |
| 324 | MILZ0000012 | INFO, \$INFO, IA, \$IA, MI, \$MI | MBAC=8.96, MAXBAC=9.75, ALTBAC=8.75, TipBAC=9.00 | 9.31 | | | 1 |
| 325 | MILZ0000038 | MI, INFO, IA | MBAC=9.26, MAXBAC=9.65, ALTBAC=0.00, TipBAC=9.00 | 9.31 | | | 1 |
| 326 | MILZ0000857 | INFO, IA, \$INFO, \$IA | MBAC=8.46, MAXBAC=9.60, ALTBAC=7.65, TipBAC=10.00 | 9.31 | | | 1 |
| 327 | MILZ0000870 | MI, \$MI | MBAC=9.43, MAXBAC=9.60, ALTBAC=0.00, TipBAC=9.00 | 9.31 | | | 1 |
| 328 | MILZ0000535 | INFO, IA, MI, \$INFO, \$IA, \$MI | MBAC=9.05, MAXBAC=9.40, ALTBAC=9.35, TipBAC=10.00 | 9.31 | | | 1 |
| 329 | MILZ0000921 | INFO, \$INFO, IA, \$IA | MBAC=9.21, MAXBAC=9.35, ALTBAC=9.20, TipBAC=10.00 | 9.31 | | | 1 |
| 330 | MILZ0000485 | IA, \$IA, INFO, \$INFO, MI, \$MI | MBAC=9.38, MAXBAC=9.60, ALTBAC=0.00, TipBAC=9.00 | 9.30 | | | 1 |
| 331 | MILZ0000308 | IA, \$IA | MBAC=8.55, MAXBAC=9.55, ALTBAC=8.50, TipBAC=10.00 | 9.30 | | | 1 |
| 332 | MILZ0000660 | INFO, \$INFO | MBAC=9.03, MAXBAC=9.40, ALTBAC=9.25, TipBAC=10.00 | 9.30 | | | 1 |
| 333 | MILZ0000288 | INFO, \$INFO, MI, \$MI, IA, \$IA | MBAC=9.00, MAXBAC=9.40, ALTBAC=8.95, TipBAC=10.00 | 9.30 | | | 1 |
| 334 | MILZ0000455 | IA, INFO, \$IA, \$INFO | MBAC=9.00, MAXBAC=9.40, ALTBAC=8.30, TipBAC=10.00 | 9.30 | | | 1 |
| 335 | MILZ0000255 | INFO, MI, \$INFO, \$MI | MBAC=9.18, MAXBAC=9.35, ALTBAC=8.95, TipBAC=10.00 | 9.30 | | | 1 |
| 336 | MILZ0000647 | IA, INFO, MI, \$IA, \$INFO, \$MI | MBAC=9.33, MAXBAC=9.30, ALTBAC=9.20, TipBAC=10.00 | 9.30 | | | 1 |
| 337 | MILZ0000583 | MI, \$MI, INFO, \$INFO, IA, \$IA | MBAC=9.13, MAXBAC=10.00, ALTBAC=0.00, TipBAC=8.00 | 9.29 | | | 1 |
| 338 | MILZ0000069 | INFO, \$INFO, IA, \$IA, MI, \$MI | MBAC=8.21, MAXBAC=9.65, ALTBAC=8.55, TipBAC=10.00 | 9.29 | | | 1 |
| 339 | MILZ0000010 | INFO, \$INFO, MI, \$MI, IA, \$IA | MBAC=9.53, MAXBAC=9.85, ALTBAC=0.00, TipBAC=8.00 | 9.28 | | | 2 |
| 340 | MILZ0000010 | MI, INFO, IA, \$MI, \$INFO, \$IA | MBAC=8.70, MAXBAC=9.80, ALTBAC=0.00, TipBAC=9.00 | 9.28 | | | 1 |
| 341 | MILZ0000871 | MI, \$MI | MBAC=9.01, MAXBAC=9.70, ALTBAC=0.00, TipBAC=9.00 | 9.28 | | | 1 |
| 342 | MILZ0000060 | INFO, IA, \$INFO, \$IA | MBAC=9.06, MAXBAC=10.00, ALTBAC=0.00, TipBAC=8.00 | 9.27 | | | 1 |
| 343 | MILZ0000175 | INFO, IA, MI | MBAC=8.90, MAXBAC=9.40, ALTBAC=9.10, TipBAC=10.00 | 9.27 | | | 1 |
| 344 | MILZ0000606 | IA, INFO, MI, \$IA, \$INFO, \$MI | MBAC=8.90, MAXBAC=9.40, ALTBAC=8.40, TipBAC=10.00 | 9.27 | | | 1 |
| 345 | MILZ0000564 | MI, IA | MBAC=9.20, MAXBAC=9.60, ALTBAC=0.00, TipBAC=9.00 | 9.26 | | | 1 |
| 346 | MILZ0000625 | IA, INFO, \$IA, \$INFO, MI, \$MI | MBAC=8.86, MAXBAC=9.40, ALTBAC=9.20, TipBAC=10.00 | 9.26 | | | 1 |
| 347 | MILZ0000527 | MI, IA, INFO, \$MI, \$IA, \$INFO | MBAC=9.01, MAXBAC=9.35, ALTBAC=8.30, TipBAC=10.00 | 9.26 | | | 1 |
| 348 | MILZ0000523 | INFO, \$INFO, IA, \$IA | MBAC=8.71, MAXBAC=9.75, ALTBAC=8.25, TipBAC=9.00 | 9.25 | | | 1 |
| 349 | MILZ0000604 | INFO, IA, MI | MBAC=9.30, MAXBAC=9.55, ALTBAC=0.00, TipBAC=9.00 | 9.25 | | | 1 |
| 350 | MILZ0000669 | IA, \$IA, INFO, \$INFO, MI, \$MI | MBAC=8.50, MAXBAC=9.50, ALTBAC=9.00, TipBAC=10.00 | 9.25 | | | 1 |
| 351 | MILZ0000407 | INFO, \$INFO, MI, \$MI | MBAC=8.65, MAXBAC=9.45, ALTBAC=8.70, TipBAC=10.00 | 9.25 | | | 1 |
| 352 | MILZ0000679 | INFO, \$INFO, IA, \$IA | MBAC=8.81, MAXBAC=9.40, ALTBAC=8.95, TipBAC=10.00 | 9.25 | | | 1 |
| 353 | MILZ0000098 | IA, \$IA, INFO, \$INFO, MI, \$MI | MBAC=8.83, MAXBAC=9.40, ALTBAC=0.00, TipBAC=10.00 | 9.25 | | | 1 |
| 354 | MILZ0000053 | MI, \$MI | MBAC=8.83, MAXBAC=9.40, ALTBAC=0.00, TipBAC=10.00 | 9.25 | | | 1 |
| 355 | MILZ0000589 | INFO, MI, IA | MBAC=8.98, MAXBAC=9.35, ALTBAC=8.50, TipBAC=10.00 | 9.25 | | | 1 |
| 356 | MILZ0000185 | INFO, IA, \$INFO, \$IA | MBAC=9.13, MAXBAC=9.30, ALTBAC=9.20, TipBAC=10.00 | 9.25 | | | 1 |
| 357 | MILZ0000729 | INFO, IA, \$INFO, \$IA | MBAC=9.13, MAXBAC=9.30, ALTBAC=9.00, TipBAC=10.00 | 9.25 | | | 1 |
| 358 | MILZ0000256 | IA, \$IA | MBAC=9.10, MAXBAC=9.30, ALTBAC=8.40, TipBAC=10.00 | 9.25 | | | 1 |
| 359 | MILZ0000556 | IA, \$IA, INFO, \$INFO | MBAC=9.06, MAXBAC=9.95, ALTBAC=0.00, TipBAC=8.00 | 9.24 | | | 1 |
| 360 | MILZ0000243 | INFO, \$INFO, MI, \$MI, IA, \$IA | MBAC=9.21, MAXBAC=9.25, ALTBAC=9.00, TipBAC=10.00 | 9.24 | | | 1 |
| 361 | MILZ0000830 | INFO, IA, \$INFO, \$IA, MI | MBAC=9.08, MAXBAC=9.60, ALTBAC=0.00, TipBAC=9.00 | 9.23 | | | 1 |
| 362 | MILZ0000905 | INFO, IA, MI, \$INFO, \$IA, \$MI | MBAC=8.73, MAXBAC=9.40, ALTBAC=8.90, TipBAC=10.00 | 9.23 | | | 1 |
| 363 | MILZ0000368 | IA, \$IA, INFO, MI | MBAC=8.75, MAXBAC=9.40, ALTBAC=8.50, TipBAC=10.00 | 9.23 | | | 1 |
| 364 | MILZ0000902 | INFO, MI, IA, \$INFO, \$MI, \$IA | MBAC=9.03, MAXBAC=9.30, ALTBAC=9.25, TipBAC=10.00 | 9.23 | | | 1 |
| 365 | MILZ0000061 | INFO, IA, MI, \$INFO, \$IA, \$MI | MBAC=9.21, MAXBAC=9.55, ALTBAC=0.00, TipBAC=9.00 | 9.22 | | | 1 |

| Nr | Legitim. | Optiuni | Note | Medie | Admis la | Obs. | S |
|-----|------------|-------------------------------------|---|-------|----------|------|---|
| 366 | MILZ000635 | INFO, \$INFO, IA, \$IA, MI, \$MI | MBAC=8.40, MAXBAC=9.50, ALTBAC=8.85, TipBAC=10.00 | 9.22 | | | 1 |
| 367 | MILZ000362 | MI, INFO, IA, \$MI, \$INFO, \$IA | MBAC=9.61, MAXBAC=9.10, ALTBAC=0.00, TipBAC=10.00 | 9.22 | | | 1 |
| 368 | MILZ000412 | INFO, MI, IA, \$INFO, \$MI, \$IA | MBAC=9.15, MAXBAC=9.55, ALTBAC=9.35, TipBAC=9.00 | 9.21 | | | 1 |
| 369 | MILZ000172 | MI | MBAC=9.30, MAXBAC=9.50, ALTBAC=0.00, TipBAC=9.00 | 9.21 | | | 1 |
| 370 | MILZ000167 | INFO, \$INFO, IA, \$IA, MI, \$MI | MBAC=8.83, MAXBAC=9.35, ALTBAC=8.25, TipBAC=10.00 | 9.21 | | | 1 |
| 371 | MILZ000696 | INFO, IA | MBAC=9.56, MAXBAC=9.10, ALTBAC=0.00, TipBAC=10.00 | 9.21 | | | 1 |
| 372 | MILZ000898 | INFO, \$INFO, IA, \$IA, MI, \$MI | MBAC=8.76, MAXBAC=9.35, ALTBAC=9.35, TipBAC=10.00 | 9.20 | | | 1 |
| 373 | MILZ000690 | MI | MBAC=8.91, MAXBAC=9.30, ALTBAC=8.75, TipBAC=10.00 | 9.20 | | | 1 |
| 374 | MILZ000940 | INFO, \$INFO, MI, \$MI, IA | MBAC=8.93, MAXBAC=9.30, ALTBAC=8.75, TipBAC=10.00 | 9.20 | | | 1 |
| 375 | MILZ000270 | IA, \$IA | MBAC=9.23, MAXBAC=9.20, ALTBAC=0.00, TipBAC=10.00 | 9.20 | | | 1 |
| 376 | MILZ000794 | INFO, IA, \$INFO, \$IA | MBAC=8.26, MAXBAC=9.50, ALTBAC=7.70, TipBAC=10.00 | 9.19 | | | 1 |
| 377 | MILZ000629 | INFO, MI, IA | MBAC=8.78, MAXBAC=9.95, ALTBAC=0.00, TipBAC=8.00 | 9.17 | | | 1 |
| 378 | MILZ000910 | MI, \$MI, IA | MBAC=8.50, MAXBAC=9.40, ALTBAC=8.10, TipBAC=10.00 | 9.17 | | | 1 |
| 379 | MILZ000929 | INFO, \$INFO | MBAC=8.93, MAXBAC=9.25, ALTBAC=8.40, TipBAC=10.00 | 9.17 | | | 1 |
| 380 | MILZ000694 | INFO, IA, MI, \$INFO, \$IA, \$MI | MBAC=9.26, MAXBAC=9.15, ALTBAC=9.15, TipBAC=10.00 | 9.17 | | | 1 |
| 381 | MILZ000109 | IA, \$IA, INFO, \$INFO, MI, \$MI | MBAC=9.25, MAXBAC=9.15, ALTBAC=8.80, TipBAC=10.00 | 9.17 | | | 1 |
| 382 | MILZ000361 | IA, INFO, \$IA, \$INFO, MI, \$MI | MBAC=8.91, MAXBAC=9.90, ALTBAC=0.00, TipBAC=8.00 | 9.16 | | | 1 |
| 383 | MILZ000477 | INFO, IA, \$INFO, \$IA, MI, \$MI | MBAC=9.35, MAXBAC=9.75, ALTBAC=0.00, TipBAC=8.00 | 9.16 | | | 1 |
| 384 | MILZ000764 | IA, \$IA, INFO, \$INFO | MBAC=8.91, MAXBAC=9.25, ALTBAC=9.10, TipBAC=10.00 | 9.16 | | | 1 |
| 385 | MILZ000245 | MI, \$MI | MBAC=8.83, MAXBAC=9.90, ALTBAC=0.00, TipBAC=8.00 | 9.15 | | | 1 |
| 386 | MILZ000560 | MI, \$MI, INFO, IA, \$INFO, \$IA | MBAC=9.06, MAXBAC=9.50, ALTBAC=0.00, TipBAC=9.00 | 9.15 | | | 1 |
| 387 | MILZ000171 | INFO, IA, \$INFO | MBAC=9.51, MAXBAC=9.35, ALTBAC=0.00, TipBAC=9.00 | 9.15 | | | 1 |
| 388 | MILZ000946 | INFO, IA, MI, \$INFO, \$IA, \$MI | MBAC=8.73, MAXBAC=9.30, ALTBAC=8.60, TipBAC=10.00 | 9.15 | | | 1 |
| 389 | MILZ000537 | INFO, IA, \$INFO, \$IA | MBAC=9.15, MAXBAC=9.15, ALTBAC=8.90, TipBAC=10.00 | 9.15 | | | 1 |
| 390 | MILZ000420 | INFO, IA, MI, \$INFO, \$IA, \$MI | MBAC=8.98, MAXBAC=9.20, ALTBAC=8.75, TipBAC=10.00 | 9.14 | | | 1 |
| 391 | MILZ000762 | IA, INFO, MI | MBAC=9.13, MAXBAC=9.15, ALTBAC=0.00, TipBAC=10.00 | 9.14 | | | 1 |
| 392 | MILZ000714 | MI, \$MI, INFO, IA, \$INFO, \$IA | MBAC=8.98, MAXBAC=9.50, ALTBAC=0.00, TipBAC=9.00 | 9.13 | | | 1 |
| 393 | MILZ000631 | MI, \$MI, INFO, \$INFO | MBAC=8.78, MAXBAC=9.25, ALTBAC=8.35, TipBAC=10.00 | 9.13 | | | 1 |
| 394 | MILZ000039 | MI, INFO, IA, \$MI, \$INFO, \$IA | MBAC=8.48, MAXBAC=9.65, ALTBAC=0.00, TipBAC=9.00 | 9.12 | | | 1 |
| 395 | MILZ000799 | INFO, \$INFO, IA, \$IA, MI, \$MI | MBAC=8.73, MAXBAC=9.25, ALTBAC=7.35, TipBAC=10.00 | 9.12 | | | 1 |
| 396 | MILZ000639 | INFO, IA, MI | MBAC=8.91, MAXBAC=9.20, ALTBAC=8.55, TipBAC=10.00 | 9.12 | | | 1 |
| 397 | MILZ000863 | INFO, IA, \$INFO, MI | MBAC=9.05, MAXBAC=9.15, ALTBAC=8.85, TipBAC=10.00 | 9.12 | | | 1 |
| 398 | MILZ210009 | IA-MR, IA, INFO-MR, INFO, MI-MR, MI | MBAC=8.83, MAXBAC=9.85, ALTBAC=0.00, TipBAC=8.00 | 9.11 | | MR | 1 |
| 399 | MILZ000529 | MI, INFO, IA | MBAC=9.36, MAXBAC=9.35, ALTBAC=0.00, TipBAC=9.00 | 9.11 | | | 1 |
| 400 | MILZ000751 | INFO, IA, MI, \$INFO, \$IA, \$MI | MBAC=8.71, MAXBAC=9.25, ALTBAC=8.30, TipBAC=10.00 | 9.11 | | | 1 |
| 401 | MILZ000539 | \$INFO, \$IA | MBAC=8.23, MAXBAC=9.40, ALTBAC=8.80, TipBAC=10.00 | 9.10 | | | 1 |
| 402 | MILZ000724 | IA, INFO, MI | MBAC=9.30, MAXBAC=9.35, ALTBAC=9.05, TipBAC=9.00 | 9.10 | | | 1 |
| 403 | MILZ000700 | IA, INFO, \$IA, \$INFO, MI, \$MI | MBAC=8.68, MAXBAC=9.25, ALTBAC=8.30, TipBAC=10.00 | 9.10 | | | 1 |
| 404 | MILZ000765 | MI, INFO, IA, \$MI, \$INFO, \$IA | MBAC=8.81, MAXBAC=9.20, ALTBAC=8.15, TipBAC=10.00 | 9.10 | | | 1 |
| 405 | MILZ000406 | INFO, IA | MBAC=8.98, MAXBAC=9.15, ALTBAC=8.75, TipBAC=10.00 | 9.10 | | | 1 |
| 406 | MILZ000504 | MI | MBAC=9.21, MAXBAC=9.70, ALTBAC=0.00, TipBAC=8.00 | 9.09 | | | 1 |
| 407 | MILZ000591 | IA, INFO, \$IA, \$INFO, MI, \$MI | MBAC=8.31, MAXBAC=9.35, ALTBAC=8.55, TipBAC=10.00 | 9.09 | | | 1 |
| 408 | MILZ000907 | INFO, \$INFO, IA, \$IA, MI, \$MI | MBAC=9.45, MAXBAC=9.60, ALTBAC=0.00, TipBAC=8.00 | 9.08 | | | 1 |
| 409 | MILZ000810 | MI | MBAC=9.06, MAXBAC=9.40, ALTBAC=0.00, TipBAC=9.00 | 9.08 | | | 1 |
| 410 | MILZ000075 | MI | MBAC=8.68, MAXBAC=9.20, ALTBAC=8.75, TipBAC=10.00 | 9.07 | | | 1 |
| 411 | MILZ000297 | IA, INFO, \$IA, \$MI | MBAC=8.68, MAXBAC=9.20, ALTBAC=8.70, TipBAC=10.00 | 9.07 | | | 1 |
| 412 | MILZ000459 | IA, \$IA, INFO, \$INFO | MBAC=8.83, MAXBAC=9.15, ALTBAC=0.00, TipBAC=10.00 | 9.07 | | | 1 |
| 413 | MILZ000769 | INFO, \$INFO, IA, \$IA, MI, \$MI | MBAC=9.01, MAXBAC=9.10, ALTBAC=8.95, TipBAC=10.00 | 9.07 | | | 1 |
| 414 | MILZ000227 | IA, INFO, \$IA, \$INFO | MBAC=9.00, MAXBAC=9.10, ALTBAC=8.75, TipBAC=10.00 | 9.07 | | | 1 |
| 415 | MILZ000614 | INFO, MI, \$INFO | MBAC=8.48, MAXBAC=9.90, ALTBAC=0.00, TipBAC=8.00 | 9.06 | | | 1 |
| 416 | MILZ000213 | INFO, IA, \$INFO, \$IA | MBAC=8.78, MAXBAC=9.80, ALTBAC=0.00, TipBAC=8.00 | 9.06 | | | 1 |
| 417 | MILZ000808 | INFO, \$INFO | MBAC=8.71, MAXBAC=9.50, ALTBAC=9.25, TipBAC=9.00 | 9.06 | | | 1 |
| 418 | MILZ000920 | INFO, IA, MI, \$INFO, \$IA, \$MI | MBAC=8.80, MAXBAC=9.15, ALTBAC=8.00, TipBAC=10.00 | 9.06 | | | 1 |
| 419 | MILZ000868 | MI, INFO, IA, \$MI, \$INFO, \$IA | MBAC=9.10, MAXBAC=9.05, ALTBAC=8.90, TipBAC=10.00 | 9.06 | | | 1 |
| 420 | MILZ000429 | MI, IA, INFO, \$MI | MBAC=9.10, MAXBAC=9.05, ALTBAC=8.85, TipBAC=10.00 | 9.06 | | | 1 |
| 421 | MILZ000876 | MI, \$MI | MBAC=8.43, MAXBAC=9.90, ALTBAC=0.00, TipBAC=8.00 | 9.05 | | | 1 |
| 422 | MILZ000532 | IA, INFO, \$IA, \$INFO, MI, \$MI | MBAC=8.01, MAXBAC=9.40, ALTBAC=7.85, TipBAC=10.00 | 9.05 | | | 1 |
| 423 | MILZ000363 | IA, INFO, MI | MBAC=9.11, MAXBAC=9.35, ALTBAC=0.00, TipBAC=9.00 | 9.05 | | | 1 |
| 424 | MILZ000953 | IA, INFO, MI | MBAC=9.23, MAXBAC=9.30, ALTBAC=9.30, TipBAC=9.00 | 9.05 | | | 1 |
| 425 | MILZ000609 | INFO, \$INFO, IA, \$IA, MI, \$MI | MBAC=8.91, MAXBAC=9.10, ALTBAC=8.60, TipBAC=10.00 | 9.05 | | | 1 |
| 426 | MILZ000922 | MI, \$MI | MBAC=8.61, MAXBAC=9.50, ALTBAC=0.00, TipBAC=9.00 | 9.04 | | | 1 |
| 427 | MILZ000248 | IA, INFO, \$IA, \$INFO | MBAC=8.71, MAXBAC=9.15, ALTBAC=9.00, TipBAC=10.00 | 9.04 | | | 1 |
| 428 | MILZ000014 | MI, \$MI | MBAC=8.90, MAXBAC=9.10, ALTBAC=0.00, TipBAC=10.00 | 9.04 | | | 2 |
| 429 | MILZ000561 | MI, \$MI, INFO, \$INFO | MBAC=9.33, MAXBAC=8.95, ALTBAC=0.00, TipBAC=10.00 | 9.04 | | | 1 |
| 430 | MILZ000662 | MI, \$MI | MBAC=8.87, MAXBAC=9.40, ALTBAC=0.00, TipBAC=9.00 | 9.03 | | | 1 |
| 431 | MILZ000789 | IA, INFO, MI | MBAC=8.68, MAXBAC=9.15, ALTBAC=0.00, TipBAC=10.00 | 9.03 | | | 1 |
| 432 | MILZ210002 | \$INFO, \$IA, \$MI | MBAC=8.00, MAXBAC=10.00, ALTBAC=0.00, TipBAC=8.00 | 9.02 | | RX | 1 |
| 433 | MILZ000215 | IA, INFO, \$IA, \$INFO | MBAC=9.26, MAXBAC=9.25, ALTBAC=0.00, TipBAC=9.00 | 9.02 | | | 1 |
| 434 | MILZ000592 | IA, INFO, MI, \$IA, \$INFO, \$MI | MBAC=8.40, MAXBAC=9.85, ALTBAC=0.00, TipBAC=8.00 | 9.01 | | | 1 |
| 435 | MILZ000588 | MI, INFO, IA | MBAC=8.50, MAXBAC=9.50, ALTBAC=7.45, TipBAC=9.00 | 9.01 | | | 1 |
| 436 | MILZ000216 | MI | MBAC=9.08, MAXBAC=9.30, ALTBAC=0.00, TipBAC=9.00 | 9.01 | | | 1 |
| 437 | MILZ000040 | \$MI | MBAC=8.50, MAXBAC=9.80, ALTBAC=0.00, TipBAC=8.00 | 9.00 | | | 2 |
| 438 | MILZ000397 | INFO, \$INFO, MI, \$MI, IA, \$IA | MBAC=8.80, MAXBAC=9.70, ALTBAC=0.00, TipBAC=8.00 | 9.00 | | | 1 |
| 439 | MILZ000834 | IA, INFO, \$IA, \$INFO, MI, \$MI | MBAC=9.36, MAXBAC=9.20, ALTBAC=0.00, TipBAC=9.00 | 9.00 | | | 1 |
| 440 | MILZ000321 | IA, INFO | MBAC=8.73, MAXBAC=9.10, ALTBAC=8.60, TipBAC=10.00 | 9.00 | | | 1 |

| Nr | Legitim. | Optiuni | Note | Medie | Admis la | Obs. | S |
|-----|------------|----------------------------------|---|-------|----------|------|---|
| 441 | MILZ000331 | IA, INFO | MBAC=9.00, MAXBAC=9.00, ALTBAC=9.00, TipBAC=10.00 | 9.00 | | | 1 |
| 442 | MILZ000280 | MI, \$MI | MBAC=9.16, MAXBAC=9.25, ALTBAC=9.15, TipBAC=9.00 | 8.99 | | | 1 |
| 443 | MILZ000502 | MI, INFO, IA | MBAC=8.21, MAXBAC=9.25, ALTBAC=7.95, TipBAC=10.00 | 8.99 | | | 1 |
| 444 | MILZ000006 | \$IA, \$INFO | MBAC=8.96, MAXBAC=9.00, ALTBAC=0.00, TipBAC=10.00 | 8.99 | | | 2 |
| 445 | MILZ000032 | IA, INFO, \$IA, MI, \$INFO, \$MI | MBAC=8.43, MAXBAC=9.80, ALTBAC=0.00, TipBAC=8.00 | 8.98 | | | 1 |
| 446 | MILZ000189 | \$IA, \$INFO | MBAC=8.36, MAXBAC=9.50, ALTBAC=0.00, TipBAC=9.00 | 8.98 | | | 1 |
| 447 | MILZ000623 | INFO, IA, MI | MBAC=8.78, MAXBAC=9.05, ALTBAC=8.30, TipBAC=10.00 | 8.98 | | | 1 |
| 448 | MILZ000813 | IA, INFO, MI | MBAC=8.30, MAXBAC=9.20, ALTBAC=8.55, TipBAC=10.00 | 8.97 | | | 1 |
| 449 | MILZ000621 | INFO, \$INFO, IA, \$IA | MBAC=8.76, MAXBAC=9.55, ALTBAC=8.70, TipBAC=10.00 | 8.97 | | | 1 |
| 450 | MILZ000854 | INFO, IA, \$INFO, \$IA | MBAC=8.73, MAXBAC=9.05, ALTBAC=8.40, TipBAC=10.00 | 8.97 | | | 1 |
| 451 | MILZ000121 | MI, \$MI | MBAC=8.51, MAXBAC=9.75, ALTBAC=0.00, TipBAC=8.00 | 8.96 | | | 1 |
| 452 | MILZ000756 | IA, \$IA, MI, \$MI | MBAC=8.56, MAXBAC=9.10, ALTBAC=7.50, TipBAC=10.00 | 8.96 | | | 1 |
| 453 | MILZ000123 | IA, INFO, \$IA, \$INFO | MBAC=9.01, MAXBAC=8.95, ALTBAC=8.55, TipBAC=10.00 | 8.96 | | | 1 |
| 454 | MILZ000528 | MI, INFO, IA, \$MI, \$INFO, \$IA | MBAC=8.68, MAXBAC=9.35, ALTBAC=8.65, TipBAC=9.00 | 8.95 | | | 1 |
| 455 | MILZ000234 | INFO, \$INFO, IA, \$IA | MBAC=8.36, MAXBAC=9.15, ALTBAC=8.50, TipBAC=10.00 | 8.95 | | | 1 |
| 456 | MILZ000013 | IA, \$IA, INFO, \$INFO | MBAC=8.88, MAXBAC=9.60, ALTBAC=0.00, TipBAC=8.00 | 8.94 | | | 1 |
| 457 | MILZ000347 | IA, \$IA | MBAC=9.01, MAXBAC=9.55, ALTBAC=0.00, TipBAC=8.00 | 8.94 | | | 1 |
| 458 | MILZ000148 | IA, INFO, \$IA, \$INFO, MI, \$MI | MBAC=9.00, MAXBAC=9.55, ALTBAC=0.00, TipBAC=8.00 | 8.94 | | | 1 |
| 459 | MILZ000721 | MI, INFO, IA, \$MI | MBAC=8.61, MAXBAC=9.05, ALTBAC=8.60, TipBAC=10.00 | 8.94 | | | 1 |
| 460 | MILZ000132 | IA, INFO, \$IA, \$INFO | MBAC=8.76, MAXBAC=9.00, ALTBAC=8.90, TipBAC=10.00 | 8.94 | | | 1 |
| 461 | MILZ000774 | INFO, IA, MI, \$INFO, \$IA, \$MI | MBAC=9.06, MAXBAC=8.90, ALTBAC=0.00, TipBAC=10.00 | 8.94 | | | 1 |
| 462 | MILZ000254 | MI, INFO, IA, \$MI, \$INFO, \$IA | MBAC=9.10, MAXBAC=9.50, ALTBAC=0.00, TipBAC=8.00 | 8.93 | | | 1 |
| 463 | MILZ000014 | MI, \$MI, INFO | MBAC=9.25, MAXBAC=9.45, ALTBAC=0.00, TipBAC=8.00 | 8.92 | | | 1 |
| 464 | MILZ000777 | INFO, \$INFO, IA, \$IA, MI, \$MI | MBAC=7.81, MAXBAC=9.30, ALTBAC=5.90, TipBAC=10.00 | 8.92 | | | 1 |
| 465 | MILZ000552 | INFO, IA, \$INFO, \$IA | MBAC=9.01, MAXBAC=9.20, ALTBAC=0.00, TipBAC=9.00 | 8.92 | | | 1 |
| 466 | MILZ000106 | MI, \$MI | MBAC=9.13, MAXBAC=9.15, ALTBAC=0.00, TipBAC=9.00 | 8.91 | | | 1 |
| 467 | MILZ000916 | IA, \$IA, INFO, \$INFO | MBAC=8.81, MAXBAC=8.95, ALTBAC=8.80, TipBAC=10.00 | 8.91 | | | 1 |
| 468 | MILZ000713 | MI, \$MI, INFO, IA, \$INFO, \$IA | MBAC=8.23, MAXBAC=9.75, ALTBAC=0.00, TipBAC=8.00 | 8.90 | | | 1 |
| 469 | MILZ000860 | MI, \$MI, INFO, \$INFO, IA, \$IA | MBAC=7.70, MAXBAC=9.30, ALTBAC=6.95, TipBAC=10.00 | 8.90 | | | 1 |
| 470 | MILZ000521 | MI, INFO, IA | MBAC=8.91, MAXBAC=9.50, ALTBAC=0.00, TipBAC=8.00 | 8.88 | | | 1 |
| 471 | MILZ000271 | IA, INFO, MI, \$IA, \$INFO, \$MI | MBAC=9.00, MAXBAC=9.15, ALTBAC=0.00, TipBAC=9.00 | 8.88 | | | 1 |
| 472 | MILZ000548 | INFO, MI, \$INFO, \$MI | MBAC=9.16, MAXBAC=9.10, ALTBAC=0.00, TipBAC=9.00 | 8.88 | | | 1 |
| 473 | MILZ000346 | INFO, \$INFO | MBAC=8.53, MAXBAC=9.30, ALTBAC=0.00, TipBAC=9.00 | 8.87 | | | 1 |
| 474 | MILZ000054 | IA, \$IA, INFO, \$INFO, MI, \$MI | MBAC=8.80, MAXBAC=9.20, ALTBAC=0.00, TipBAC=9.00 | 8.87 | | | 1 |
| 475 | MILZ000673 | INFO, IA, \$IA, MI, \$INFO, \$MI | MBAC=8.48, MAXBAC=9.00, ALTBAC=8.35, TipBAC=10.00 | 8.87 | | | 1 |
| 476 | MILZ000619 | INFO, \$INFO, MI, \$MI | MBAC=8.48, MAXBAC=9.30, ALTBAC=9.20, TipBAC=9.00 | 8.86 | | | 1 |
| 477 | MILZ000791 | IA, INFO | MBAC=8.93, MAXBAC=9.15, ALTBAC=0.00, TipBAC=9.00 | 8.86 | | | 1 |
| 478 | MILZ000391 | MI, INFO, IA, \$MI, \$INFO, \$IA | MBAC=8.93, MAXBAC=8.85, ALTBAC=0.00, TipBAC=10.00 | 8.86 | | | 1 |
| 479 | MILZ000848 | \$IA, \$INFO, IA, INFO, MI, \$MI | MBAC=8.85, MAXBAC=8.85, ALTBAC=0.00, TipBAC=10.00 | 8.85 | | | 1 |
| 480 | MILZ000107 | MI, \$MI, IA, INFO, \$IA, \$INFO | MBAC=9.33, MAXBAC=8.70, ALTBAC=0.00, TipBAC=10.00 | 8.85 | | | 1 |
| 481 | MILZ000534 | INFO, \$INFO, MI, \$MI | MBAC=7.71, MAXBAC=9.85, ALTBAC=0.00, TipBAC=8.00 | 8.84 | | | 1 |
| 482 | MILZ000728 | MI, \$MI | MBAC=8.06, MAXBAC=9.40, ALTBAC=0.00, TipBAC=9.00 | 8.83 | | | 1 |
| 483 | MILZ000329 | INFO, IA, MI, \$INFO, \$IA, \$MI | MBAC=9.16, MAXBAC=9.35, ALTBAC=0.00, TipBAC=8.00 | 8.83 | | | 1 |
| 484 | MILZ000738 | IA, INFO, MI, \$IA, \$INFO, \$MI | MBAC=7.90, MAXBAC=9.15, ALTBAC=7.55, TipBAC=10.00 | 8.83 | | | 1 |
| 485 | MILZ000622 | INFO, \$INFO, IA, \$IA | MBAC=8.18, MAXBAC=9.05, ALTBAC=8.65, TipBAC=10.00 | 8.83 | | | 1 |
| 486 | MILZ000253 | INFO, IA, \$INFO, \$IA, MI, \$MI | MBAC=8.50, MAXBAC=8.95, ALTBAC=8.55, TipBAC=10.00 | 8.83 | | | 1 |
| 487 | MILZ000850 | INFO, IA, MI | MBAC=7.86, MAXBAC=9.15, ALTBAC=7.95, TipBAC=10.00 | 8.82 | | | 1 |
| 488 | MILZ000344 | IA, INFO, MI, \$IA, \$INFO, \$MI | MBAC=8.30, MAXBAC=9.00, ALTBAC=8.40, TipBAC=10.00 | 8.82 | | | 1 |
| 489 | MILZ000814 | INFO, \$INFO, IA, \$IA, MI, \$MI | MBAC=8.61, MAXBAC=8.90, ALTBAC=8.55, TipBAC=10.00 | 8.82 | | | 1 |
| 490 | MILZ000941 | MI, INFO, IA, \$MI, \$INFO, \$IA | MBAC=7.81, MAXBAC=9.15, ALTBAC=7.25, TipBAC=10.00 | 8.81 | | | 1 |
| 491 | MILZ000403 | INFO, \$INFO, IA, \$IA | MBAC=8.55, MAXBAC=8.90, ALTBAC=7.60, TipBAC=10.00 | 8.81 | | | 1 |
| 492 | MILZ000375 | MI, \$MI | MBAC=8.83, MAXBAC=9.10, ALTBAC=0.00, TipBAC=9.00 | 8.80 | | | 1 |
| 493 | MILZ000281 | MI, \$MI | MBAC=8.80, MAXBAC=8.80, ALTBAC=0.00, TipBAC=10.00 | 8.80 | | | 1 |
| 494 | MILZ000718 | MI, \$MI | MBAC=8.65, MAXBAC=9.15, ALTBAC=0.00, TipBAC=9.00 | 8.79 | | | 1 |
| 495 | MILZ000382 | INFO, IA, MI, \$INFO, \$IA, \$MI | MBAC=8.76, MAXBAC=8.80, ALTBAC=8.70, TipBAC=10.00 | 8.79 | | | 1 |
| 496 | MILZ000600 | INFO, \$INFO, IA, \$IA, MI, \$MI | MBAC=8.78, MAXBAC=8.80, ALTBAC=8.10, TipBAC=10.00 | 8.79 | | | 1 |
| 497 | MILZ000648 | IA, INFO, MI, \$IA | MBAC=8.78, MAXBAC=9.40, ALTBAC=0.00, TipBAC=8.00 | 8.78 | | | 1 |
| 498 | MILZ000194 | \$INFO, INFO, \$IA, IA, \$MI, MI | MBAC=8.60, MAXBAC=9.15, ALTBAC=0.00, TipBAC=9.00 | 8.78 | | | 1 |
| 499 | MILZ000433 | INFO, IA, \$INFO, \$IA | MBAC=8.31, MAXBAC=8.95, ALTBAC=8.05, TipBAC=10.00 | 8.78 | | | 1 |
| 500 | MILZ000735 | INFO, \$INFO, IA, \$IA | MBAC=8.28, MAXBAC=8.95, ALTBAC=6.25, TipBAC=10.00 | 8.78 | | | 1 |
| 501 | MILZ000304 | INFO, MI, IA, \$INFO, \$MI | MBAC=8.45, MAXBAC=8.90, ALTBAC=7.55, TipBAC=10.00 | 8.78 | | | 1 |
| 502 | MILZ000396 | IA, \$IA, INFO, \$INFO | MBAC=8.75, MAXBAC=8.80, ALTBAC=8.30, TipBAC=10.00 | 8.78 | | | 1 |
| 503 | MILZ000912 | IA, MI | MBAC=8.73, MAXBAC=8.80, ALTBAC=0.00, TipBAC=10.00 | 8.78 | | | 1 |
| 504 | MILZ000400 | MI, \$MI, INFO, \$INFO, IA, \$IA | MBAC=7.83, MAXBAC=9.70, ALTBAC=0.00, TipBAC=8.00 | 8.77 | | | 1 |
| 505 | MILZ000730 | INFO, \$INFO, IA, \$IA, MI, \$MI | MBAC=8.73, MAXBAC=9.40, ALTBAC=0.00, TipBAC=8.00 | 8.77 | | | 1 |
| 506 | MILZ000102 | INFO, IA, MI, \$INFO, \$IA, \$MI | MBAC=7.50, MAXBAC=9.20, ALTBAC=7.05, TipBAC=10.00 | 8.77 | | | 1 |
| 507 | MILZ000489 | INFO, \$INFO | MBAC=8.23, MAXBAC=8.95, ALTBAC=0.00, TipBAC=10.00 | 8.77 | | | 1 |
| 508 | MILZ000383 | INFO, \$INFO, IA, \$IA, MI, \$MI | MBAC=8.65, MAXBAC=8.80, ALTBAC=8.05, TipBAC=10.00 | 8.76 | | | 1 |
| 509 | MILZ000426 | MI, \$MI, INFO, IA | MBAC=8.35, MAXBAC=9.50, ALTBAC=0.00, TipBAC=8.00 | 8.75 | | | 1 |
| 510 | MILZ000024 | MI, \$MI | MBAC=8.98, MAXBAC=9.30, ALTBAC=0.00, TipBAC=8.00 | 8.75 | | | 1 |
| 511 | MILZ000302 | IA, \$IA, INFO, \$INFO | MBAC=8.26, MAXBAC=8.90, ALTBAC=8.65, TipBAC=10.00 | 8.74 | | | 1 |
| 512 | MILZ000079 | INFO, IA, MI, \$INFO, \$IA, \$MI | MBAC=7.93, MAXBAC=9.00, ALTBAC=8.40, TipBAC=10.00 | 8.73 | | | 1 |
| 513 | MILZ000155 | IA, \$IA, INFO, \$INFO | MBAC=8.08, MAXBAC=8.95, ALTBAC=7.40, TipBAC=10.00 | 8.73 | | | 1 |
| 514 | MILZ000717 | IA, MI, INFO, \$IA, \$MI, \$INFO | MBAC=8.11, MAXBAC=8.95, ALTBAC=7.25, TipBAC=10.00 | 8.73 | | | 1 |
| 515 | MILZ000770 | IA, INFO, MI, \$IA, \$INFO, \$MI | MBAC=8.36, MAXBAC=8.85, ALTBAC=7.80, TipBAC=10.00 | 8.72 | | | 1 |

| Nr | Legitim. | Optiuni | Note | Medie | Admis la | Obs. | S |
|-----|------------|----------------------------------|---|-------|----------|------|---|
| 516 | MILZ000050 | INFO, \$INFO, IA, \$IA, MI, \$MI | MBAC=9.26, MAXBAC=8.85, ALTBAC=0.00, TipBAC=9.00 | 8.72 | | | 1 |
| 517 | MILZ000931 | MI, \$MI | MBAC=9.10, MAXBAC=8.60, ALTBAC=0.00, TipBAC=10.00 | 8.72 | | | 1 |
| 518 | MILZ000672 | INFO, IA, \$INFO, \$IA | MBAC=8.00, MAXBAC=8.95, ALTBAC=7.75, TipBAC=10.00 | 8.71 | | | 1 |
| 519 | MILZ000667 | IA, \$IA, INFO, \$INFO, MI, \$MI | MBAC=8.15, MAXBAC=8.90, ALTBAC=7.60, TipBAC=10.00 | 8.71 | | | 1 |
| 520 | MILZ000748 | IA, INFO, \$INFO, MI | MBAC=8.45, MAXBAC=8.80, ALTBAC=0.00, TipBAC=10.00 | 8.71 | | | 1 |
| 521 | MILZ000743 | MI, INFO, IA, \$MI, \$INFO, \$IA | MBAC=8.78, MAXBAC=8.70, ALTBAC=7.95, TipBAC=10.00 | 8.71 | | | 1 |
| 522 | MILZ000317 | MI, IA, INFO | MBAC=9.13, MAXBAC=8.55, ALTBAC=0.00, TipBAC=10.00 | 8.69 | | | 1 |
| 523 | MILZ000862 | MI, INFO, IA, \$MI, \$INFO, \$IA | MBAC=9.10, MAXBAC=8.85, ALTBAC=0.00, TipBAC=9.00 | 8.68 | | | 1 |
| 524 | MILZ000052 | IA, \$IA, MI, INFO | MBAC=8.80, MAXBAC=8.65, ALTBAC=8.05, TipBAC=10.00 | 8.68 | | | 1 |
| 525 | MILZ000658 | IA, INFO, \$IA, \$INFO, MI, \$MI | MBAC=8.18, MAXBAC=9.45, ALTBAC=0.00, TipBAC=8.00 | 8.67 | | | 1 |
| 526 | MILZ000493 | INFO, \$INFO, IA, \$IA | MBAC=7.67, MAXBAC=9.30, ALTBAC=7.70, TipBAC=9.00 | 8.67 | | | 1 |
| 527 | MILZ000290 | IA, INFO, \$IA, \$INFO, MI, \$MI | MBAC=8.30, MAXBAC=9.10, ALTBAC=7.80, TipBAC=9.00 | 8.67 | | | 1 |
| 528 | MILZ000258 | MI, \$MI | MBAC=8.61, MAXBAC=9.00, ALTBAC=0.00, TipBAC=9.00 | 8.67 | | | 1 |
| 529 | MILZ000250 | MI | MBAC=8.15, MAXBAC=8.85, ALTBAC=0.00, TipBAC=10.00 | 8.67 | | | 1 |
| 530 | MILZ000277 | IA, \$IA | MBAC=8.75, MAXBAC=8.65, ALTBAC=8.30, TipBAC=10.00 | 8.67 | | | 1 |
| 531 | MILZ000608 | MI, \$MI, INFO, IA, \$INFO, \$IA | MBAC=8.43, MAXBAC=9.35, ALTBAC=0.00, TipBAC=8.00 | 8.66 | | | 1 |
| 532 | MILZ000371 | \$IA, \$INFO | MBAC=8.70, MAXBAC=8.65, ALTBAC=8.55, TipBAC=10.00 | 8.66 | | | 1 |
| 533 | MILZ000570 | MI, \$MI, INFO, \$INFO, IA, \$IA | MBAC=9.16, MAXBAC=8.50, ALTBAC=0.00, TipBAC=10.00 | 8.66 | | | 1 |
| 534 | MILZ000867 | INFO, \$INFO | MBAC=8.66, MAXBAC=8.95, ALTBAC=0.00, TipBAC=9.00 | 8.65 | | | 1 |
| 535 | MILZ000023 | \$INFO, \$IA | MBAC=7.93, MAXBAC=8.90, ALTBAC=6.45, TipBAC=10.00 | 8.65 | | | 1 |
| 536 | MILZ000807 | INFO, IA, MI, \$INFO, \$IA, \$MI | MBAC=8.08, MAXBAC=8.85, ALTBAC=7.30, TipBAC=10.00 | 8.65 | | | 1 |
| 537 | MILZ000340 | MI, INFO, IA, \$MI, \$INFO, \$IA | MBAC=8.21, MAXBAC=8.80, ALTBAC=7.85, TipBAC=10.00 | 8.65 | | | 1 |
| 538 | MILZ000125 | MI, \$MI | MBAC=8.31, MAXBAC=8.75, ALTBAC=0.00, TipBAC=10.00 | 8.64 | | | 1 |
| 539 | MILZ000878 | \$INFO, \$IA, \$MI, INFO, IA, MI | MBAC=8.48, MAXBAC=8.70, ALTBAC=0.00, TipBAC=10.00 | 8.64 | | | 1 |
| 540 | MILZ000796 | INFO, \$INFO, IA, \$IA | MBAC=8.45, MAXBAC=9.30, ALTBAC=0.00, TipBAC=8.00 | 8.63 | | | 1 |
| 541 | MILZ000230 | \$INFO, INFO, \$IA, IA, \$MI, MI | MBAC=8.40, MAXBAC=8.70, ALTBAC=7.80, TipBAC=10.00 | 8.62 | | | 1 |
| 542 | MILZ000153 | MI, IA, INFO, \$MI, \$IA, \$INFO | MBAC=8.53, MAXBAC=8.65, ALTBAC=0.00, TipBAC=10.00 | 8.62 | | | 1 |
| 543 | MILZ000369 | MI | MBAC=8.23, MAXBAC=9.35, ALTBAC=0.00, TipBAC=8.00 | 8.61 | | | 1 |
| 544 | MILZ000581 | INFO, \$INFO, MI, \$MI, IA, \$IA | MBAC=8.36, MAXBAC=9.30, ALTBAC=0.00, TipBAC=8.00 | 8.61 | | | 1 |
| 545 | MILZ000519 | INFO, MI, \$INFO, IA, \$IA, \$MI | MBAC=8.81, MAXBAC=8.85, ALTBAC=8.70, TipBAC=9.00 | 8.61 | | | 1 |
| 546 | MILZ000602 | INFO, IA, MI | MBAC=8.05, MAXBAC=8.80, ALTBAC=7.50, TipBAC=10.00 | 8.61 | | | 1 |
| 547 | MILZ000784 | IA, INFO, \$IA, \$INFO | MBAC=8.71, MAXBAC=8.55, ALTBAC=8.10, TipBAC=10.00 | 8.59 | | | 1 |
| 548 | MILZ000179 | MI, INFO, IA, \$MI, \$INFO, \$IA | MBAC=8.51, MAXBAC=9.20, ALTBAC=0.00, TipBAC=8.00 | 8.57 | | | 1 |
| 549 | MILZ000314 | MI, \$MI | MBAC=8.80, MAXBAC=9.10, ALTBAC=0.00, TipBAC=8.00 | 8.57 | | | 1 |
| 550 | MILZ000520 | INFO, \$INFO, IA, \$IA | MBAC=8.18, MAXBAC=9.00, ALTBAC=0.00, TipBAC=9.00 | 8.57 | | | 1 |
| 551 | MILZ000190 | INFO, \$IA, \$INFO, IA | MBAC=8.75, MAXBAC=9.10, ALTBAC=0.00, TipBAC=8.00 | 8.56 | | | 1 |
| 552 | MILZ000851 | IA, INFO, MI, \$IA, \$INFO, \$MI | MBAC=8.46, MAXBAC=8.60, ALTBAC=0.00, TipBAC=10.00 | 8.56 | | | 1 |
| 553 | MILZ000577 | IA, INFO, MI, \$IA, \$INFO, \$MI | MBAC=8.83, MAXBAC=8.75, ALTBAC=0.00, TipBAC=9.00 | 8.55 | | | 1 |
| 554 | MILZ000486 | INFO, \$INFO | MBAC=8.13, MAXBAC=8.70, ALTBAC=6.55, TipBAC=10.00 | 8.55 | | | 1 |
| 555 | MILZ000712 | INFO, MI, IA, \$INFO, \$MI, \$IA | MBAC=8.41, MAXBAC=8.60, ALTBAC=7.95, TipBAC=10.00 | 8.55 | | | 1 |
| 556 | MILZ000545 | INFO, \$INFO | MBAC=8.66, MAXBAC=8.50, ALTBAC=8.20, TipBAC=10.00 | 8.53 | | | 1 |
| 557 | MILZ000460 | INFO, \$INFO, IA, \$IA, MI, \$MI | MBAC=7.36, MAXBAC=9.20, ALTBAC=0.00, TipBAC=9.00 | 8.52 | | | 1 |
| 558 | MILZ000457 | MI, IA, INFO, \$IA, \$INFO, \$MI | MBAC=8.88, MAXBAC=9.00, ALTBAC=0.00, TipBAC=8.00 | 8.52 | | | 1 |
| 559 | MILZ000091 | MI, \$MI, INFO, \$INFO, IA, \$IA | MBAC=8.61, MAXBAC=8.50, ALTBAC=0.00, TipBAC=10.00 | 8.52 | | | 1 |
| 560 | MILZ000261 | INFO, IA, \$INFO, \$IA | MBAC=8.55, MAXBAC=9.10, ALTBAC=0.00, TipBAC=8.00 | 8.51 | | | 1 |
| 561 | MILZ000378 | MI | MBAC=9.00, MAXBAC=8.95, ALTBAC=0.00, TipBAC=8.00 | 8.51 | | | 1 |
| 562 | MILZ000333 | MI, \$MI | MBAC=7.61, MAXBAC=9.40, ALTBAC=0.00, TipBAC=8.00 | 8.50 | | | 1 |
| 563 | MILZ000211 | INFO, IA, \$INFO, \$IA | MBAC=8.68, MAXBAC=9.05, ALTBAC=0.00, TipBAC=8.00 | 8.50 | | | 1 |
| 564 | MILZ000646 | \$IA, \$INFO | MBAC=7.61, MAXBAC=8.80, ALTBAC=0.00, TipBAC=10.00 | 8.50 | | | 1 |
| 565 | MILZ000739 | INFO, MI, IA, \$INFO, \$MI, \$IA | MBAC=7.91, MAXBAC=8.70, ALTBAC=7.50, TipBAC=10.00 | 8.50 | | | 1 |
| 566 | MILZ000637 | \$MI | MBAC=7.93, MAXBAC=8.70, ALTBAC=0.00, TipBAC=10.00 | 8.50 | | | 1 |
| 567 | MILZ000404 | INFO, \$INFO | MBAC=8.05, MAXBAC=8.65, ALTBAC=6.90, TipBAC=10.00 | 8.50 | | | 1 |
| 568 | MILZ000160 | IA, INFO, \$IA, \$INFO, MI, \$MI | MBAC=8.23, MAXBAC=8.60, ALTBAC=7.90, TipBAC=10.00 | 8.50 | | | 1 |
| 569 | MILZ000385 | INFO, \$INFO, IA, \$IA, MI, \$MI | MBAC=8.38, MAXBAC=8.55, ALTBAC=8.50, TipBAC=10.00 | 8.50 | | | 1 |
| 570 | MILZ000373 | INFO, \$INFO, IA, \$IA, MI, \$MI | MBAC=7.40, MAXBAC=9.45, ALTBAC=0.00, TipBAC=8.00 | 8.49 | | | 1 |
| 571 | MILZ000828 | INFO, \$INFO, IA, \$IA, MI, \$MI | MBAC=8.01, MAXBAC=9.25, ALTBAC=0.00, TipBAC=8.00 | 8.49 | | | 1 |
| 572 | MILZ000666 | \$INFO, INFO | MBAC=8.31, MAXBAC=8.55, ALTBAC=8.15, TipBAC=10.00 | 8.49 | | | 1 |
| 573 | MILZ000451 | INFO, \$INFO, IA, \$IA, MI, \$MI | MBAC=8.33, MAXBAC=8.55, ALTBAC=8.15, TipBAC=10.00 | 8.49 | | | 1 |
| 574 | MILZ000419 | MI, \$MI | MBAC=7.80, MAXBAC=9.00, ALTBAC=0.00, TipBAC=9.00 | 8.48 | | | 1 |
| 575 | MILZ000498 | IA, INFO, MI | MBAC=9.00, MAXBAC=8.30, ALTBAC=0.00, TipBAC=10.00 | 8.47 | | | 1 |
| 576 | MILZ000474 | MI, \$MI | MBAC=8.46, MAXBAC=8.75, ALTBAC=0.00, TipBAC=9.00 | 8.46 | | | 1 |
| 577 | MILZ000442 | INFO, \$INFO, IA, \$IA, MI, \$MI | MBAC=7.78, MAXBAC=8.70, ALTBAC=7.40, TipBAC=10.00 | 8.46 | | | 1 |
| 578 | MILZ000505 | INFO, IA, MI, \$INFO, \$IA, \$MI | MBAC=7.91, MAXBAC=8.65, ALTBAC=8.20, TipBAC=10.00 | 8.46 | | | 1 |
| 579 | MILZ000676 | INFO, IA, \$INFO, \$IA | MBAC=8.31, MAXBAC=9.10, ALTBAC=0.00, TipBAC=8.00 | 8.45 | | | 1 |
| 580 | MILZ000372 | \$IA, \$INFO | MBAC=8.45, MAXBAC=8.75, ALTBAC=0.00, TipBAC=9.00 | 8.45 | | | 1 |
| 581 | MILZ000726 | \$IA, \$INFO | MBAC=8.26, MAXBAC=8.50, ALTBAC=8.00, TipBAC=10.00 | 8.44 | | | 1 |
| 582 | MILZ000114 | \$INFO, \$MI, MI, \$IA, IA, INFO | MBAC=8.71, MAXBAC=8.35, ALTBAC=0.00, TipBAC=10.00 | 8.44 | | | 1 |
| 583 | MILZ000824 | \$IA, \$INFO, \$MI | MBAC=7.58, MAXBAC=9.30, ALTBAC=0.00, TipBAC=8.00 | 8.42 | | | 1 |
| 584 | MILZ000740 | INFO, IA | MBAC=8.76, MAXBAC=8.90, ALTBAC=0.00, TipBAC=8.00 | 8.42 | | | 1 |
| 585 | MILZ000892 | MI, \$MI, INFO | MBAC=8.43, MAXBAC=8.70, ALTBAC=0.00, TipBAC=9.00 | 8.41 | | | 1 |
| 586 | MILZ000440 | MI, INFO, IA, \$MI, \$INFO, \$IA | MBAC=8.45, MAXBAC=8.40, ALTBAC=0.00, TipBAC=10.00 | 8.41 | | | 1 |
| 587 | MILZ000951 | \$INFO | MBAC=8.13, MAXBAC=8.50, ALTBAC=8.40, TipBAC=10.00 | 8.40 | | | 1 |
| 588 | MILZ000704 | INFO, \$INFO, IA, \$IA | MBAC=8.28, MAXBAC=8.45, ALTBAC=8.25, TipBAC=10.00 | 8.40 | | | 1 |
| 589 | MILZ000401 | INFO, IA, \$INFO, \$IA | MBAC=8.43, MAXBAC=8.40, ALTBAC=7.80, TipBAC=10.00 | 8.40 | | | 1 |
| 590 | MILZ000809 | MI, \$MI | MBAC=8.96, MAXBAC=8.80, ALTBAC=0.00, TipBAC=8.00 | 8.39 | | | 1 |

| Nr | Legitim. | Optiuni | Note | Medie | Admis la | Obs. | S |
|-----|------------|----------------------------------|---|-------|----------|------|---|
| 591 | MILZ000209 | INFO, IA, \$INFO, \$IA | MBAC=8.53, MAXBAC=8.35, ALTBAC=8.05, TipBAC=10.00 | 8.39 | | | 1 |
| 592 | MILZ000131 | \$INFO, \$IA, \$MI | MBAC=7.45, MAXBAC=8.70, ALTBAC=7.95, TipBAC=10.00 | 8.38 | | | 1 |
| 593 | MILZ000542 | MI, \$MI | MBAC=8.41, MAXBAC=8.95, ALTBAC=0.00, TipBAC=8.00 | 8.37 | | | 1 |
| 594 | MILZ000812 | INFO, \$INFO, MI, \$MI, IA, \$IA | MBAC=7.98, MAXBAC=8.50, ALTBAC=7.90, TipBAC=10.00 | 8.37 | | | 1 |
| 595 | MILZ000019 | MI | MBAC=7.95, MAXBAC=8.50, ALTBAC=0.00, TipBAC=10.00 | 8.36 | | | 1 |
| 596 | MILZ000178 | \$IA, \$INFO | MBAC=8.18, MAXBAC=8.40, ALTBAC=8.00, TipBAC=10.00 | 8.34 | | | 1 |
| 597 | MILZ000441 | INFO, \$INFO, IA, \$IA, MI, \$MI | MBAC=7.68, MAXBAC=8.55, ALTBAC=7.75, TipBAC=10.00 | 8.33 | | | 1 |
| 598 | MILZ000367 | INFO, \$INFO, MI, \$MI | MBAC=7.70, MAXBAC=8.55, ALTBAC=7.55, TipBAC=10.00 | 8.33 | | | 1 |
| 599 | MILZ000819 | MI, \$MI | MBAC=7.63, MAXBAC=8.55, ALTBAC=0.00, TipBAC=10.00 | 8.32 | | | 1 |
| 600 | MILZ000691 | INFO, IA, \$INFO, MI, \$IA, \$MI | MBAC=8.40, MAXBAC=8.30, ALTBAC=8.15, TipBAC=10.00 | 8.32 | | | 1 |
| 601 | MILZ000786 | MI, \$MI | MBAC=8.75, MAXBAC=8.45, ALTBAC=0.00, TipBAC=9.00 | 8.31 | | | 1 |
| 602 | MILZ000753 | MI | MBAC=7.70, MAXBAC=8.50, ALTBAC=0.00, TipBAC=10.00 | 8.30 | | | 1 |
| 603 | MILZ000835 | INFO, IA, \$INFO, \$IA | MBAC=8.48, MAXBAC=8.25, ALTBAC=0.00, TipBAC=10.00 | 8.30 | | | 1 |
| 604 | MILZ000580 | MI, \$MI, INFO, \$INFO, IA, \$IA | MBAC=8.78, MAXBAC=8.15, ALTBAC=0.00, TipBAC=10.00 | 8.30 | | | 1 |
| 605 | MILZ000208 | MI | MBAC=8.06, MAXBAC=8.95, ALTBAC=0.00, TipBAC=8.00 | 8.29 | | | 1 |
| 606 | MILZ000495 | MI, \$MI, INFO, IA | MBAC=8.15, MAXBAC=8.35, ALTBAC=0.00, TipBAC=10.00 | 8.29 | | | 1 |
| 607 | MILZ000496 | INFO, \$INFO, MI, \$MI, IA, \$IA | MBAC=8.48, MAXBAC=8.50, ALTBAC=0.00, TipBAC=9.00 | 8.28 | | | 1 |
| 608 | MILZ000887 | MI, INFO, \$MI, \$INFO | MBAC=7.98, MAXBAC=8.65, ALTBAC=0.00, TipBAC=9.00 | 8.27 | | | 1 |
| 609 | MILZ000264 | MI, INFO, \$MI, \$INFO, IA, \$IA | MBAC=8.21, MAXBAC=8.30, ALTBAC=7.80, TipBAC=10.00 | 8.27 | | | 1 |
| 610 | MILZ000118 | MI, INFO, IA, \$MI, \$INFO, \$IA | MBAC=8.40, MAXBAC=8.75, ALTBAC=0.00, TipBAC=8.00 | 8.22 | | | 1 |
| 611 | MILZ000170 | MI, \$MI, INFO | MBAC=8.73, MAXBAC=8.05, ALTBAC=0.00, TipBAC=10.00 | 8.22 | | | 1 |
| 612 | MILZ000558 | MI, \$MI | MBAC=7.91, MAXBAC=8.55, ALTBAC=7.25, TipBAC=9.00 | 8.18 | | | 1 |
| 613 | MILZ000627 | INFO, \$INFO, \$IA | MBAC=8.45, MAXBAC=8.65, ALTBAC=0.00, TipBAC=8.00 | 8.17 | | | 1 |
| 614 | MILZ000022 | \$INFO, \$IA | MBAC=8.63, MAXBAC=8.60, ALTBAC=0.00, TipBAC=8.00 | 8.17 | | | 1 |
| 615 | MILZ000843 | IA, \$INFO, \$IA | MBAC=8.78, MAXBAC=8.55, ALTBAC=0.00, TipBAC=8.00 | 8.17 | | | 1 |
| 616 | MILZ000803 | INFO, \$INFO, IA, \$IA | MBAC=7.51, MAXBAC=8.40, ALTBAC=6.30, TipBAC=10.00 | 8.17 | | | 1 |
| 617 | MILZ000563 | MI, INFO, \$MI, \$INFO | MBAC=7.98, MAXBAC=8.80, ALTBAC=0.00, TipBAC=8.00 | 8.16 | | | 1 |
| 618 | MILZ000152 | INFO, MI | MBAC=8.73, MAXBAC=8.55, ALTBAC=0.00, TipBAC=8.00 | 8.16 | | | 1 |
| 619 | MILZ000351 | IA, INFO, MI, \$IA, \$INFO, \$MI | MBAC=8.25, MAXBAC=8.70, ALTBAC=0.00, TipBAC=8.00 | 8.15 | | | 1 |
| 620 | MILZ000354 | \$INFO, \$IA | MBAC=8.56, MAXBAC=8.30, ALTBAC=0.00, TipBAC=9.00 | 8.15 | | | 1 |
| 621 | MILZ000353 | INFO, \$INFO, IA, \$IA, MI, \$MI | MBAC=8.18, MAXBAC=8.15, ALTBAC=7.95, TipBAC=10.00 | 8.15 | | | 1 |
| 622 | MILZ000279 | INFO, \$INFO, IA, MI | MBAC=8.05, MAXBAC=8.15, ALTBAC=8.10, TipBAC=10.00 | 8.12 | | | 1 |
| 623 | MILZ000826 | INFO, MI, IA, \$INFO | MBAC=8.06, MAXBAC=8.15, ALTBAC=7.00, TipBAC=10.00 | 8.12 | | | 1 |
| 624 | MILZ000711 | INFO, \$INFO, MI, \$MI, IA, \$IA | MBAC=7.70, MAXBAC=8.25, ALTBAC=6.80, TipBAC=10.00 | 8.11 | | | 1 |
| 625 | MILZ000147 | MI, \$MI | MBAC=7.80, MAXBAC=8.20, ALTBAC=0.00, TipBAC=10.00 | 8.10 | | | 1 |
| 626 | MILZ000285 | \$INFO, \$IA, \$MI | MBAC=7.96, MAXBAC=8.15, ALTBAC=0.00, TipBAC=10.00 | 8.10 | | | 1 |
| 627 | MILZ000574 | \$INFO, \$IA | MBAC=7.95, MAXBAC=8.70, ALTBAC=0.00, TipBAC=8.00 | 8.08 | | | 1 |
| 628 | MILZ210005 | INFO-DZ, INFO, IA, \$INFO, \$IA | MBAC=8.41, MAXBAC=8.55, ALTBAC=0.00, TipBAC=8.00 | 8.08 | | DZ | 1 |
| 629 | MILZ000568 | MI, \$MI | MBAC=8.28, MAXBAC=8.30, ALTBAC=0.00, TipBAC=9.00 | 8.08 | | | 1 |
| 630 | MILZ000620 | \$INFO | MBAC=7.58, MAXBAC=8.25, ALTBAC=8.00, TipBAC=10.00 | 8.08 | | | 1 |
| 631 | MILZ000240 | MI, \$MI | MBAC=7.88, MAXBAC=8.15, ALTBAC=7.30, TipBAC=10.00 | 8.08 | | | 1 |
| 632 | MILZ000827 | INFO, \$INFO, IA, \$IA | MBAC=7.23, MAXBAC=8.35, ALTBAC=7.35, TipBAC=10.00 | 8.07 | | | 1 |
| 633 | MILZ000490 | \$INFO, \$IA | MBAC=7.55, MAXBAC=8.25, ALTBAC=0.00, TipBAC=10.00 | 8.07 | | | 1 |
| 634 | MILZ000156 | MI, IA, INFO, \$MI, \$IA, \$INFO | MBAC=8.10, MAXBAC=8.05, ALTBAC=0.00, TipBAC=10.00 | 8.06 | | | 1 |
| 635 | MILZ000513 | MI, \$MI, INFO, \$INFO, IA, \$IA | MBAC=8.56, MAXBAC=7.90, ALTBAC=0.00, TipBAC=10.00 | 8.06 | | | 1 |
| 636 | MILZ000193 | IA, \$IA | MBAC=7.26, MAXBAC=8.60, ALTBAC=6.40, TipBAC=9.00 | 8.05 | | | 1 |
| 637 | MILZ000947 | MI, INFO, IA, \$MI, \$INFO, \$IA | MBAC=8.68, MAXBAC=7.85, ALTBAC=0.00, TipBAC=10.00 | 8.05 | | | 1 |
| 638 | MILZ000395 | IA, \$IA | MBAC=8.01, MAXBAC=8.05, ALTBAC=7.40, TipBAC=10.00 | 8.04 | | | 1 |
| 639 | MILZ000719 | IA, \$IA, INFO, \$INFO, MI, \$MI | MBAC=7.30, MAXBAC=8.55, ALTBAC=7.60, TipBAC=9.00 | 8.03 | | | 1 |
| 640 | MILZ000390 | INFO, \$INFO, IA, \$IA, \$MI | MBAC=7.53, MAXBAC=8.20, ALTBAC=7.55, TipBAC=10.00 | 8.03 | | | 1 |
| 641 | MILZ000212 | INFO, MI, IA, \$INFO, \$MI, \$IA | MBAC=7.60, MAXBAC=8.15, ALTBAC=7.85, TipBAC=10.00 | 8.01 | | | 1 |
| 642 | MILZ210006 | \$INFO | MBAC=8.23, MAXBAC=8.20, ALTBAC=0.00, TipBAC=9.00 | 8.00 | | DZ | 1 |
| 643 | MILZ000096 | IA, INFO, MI, \$IA, \$INFO, \$MI | MBAC=8.03, MAXBAC=8.00, ALTBAC=7.90, TipBAC=10.00 | 8.00 | | | 1 |
| 644 | MILZ000904 | INFO, IA, MI, \$INFO, \$IA, \$MI | MBAC=7.58, MAXBAC=8.40, ALTBAC=0.00, TipBAC=9.00 | 7.99 | | | 1 |
| 645 | MILZ000861 | IA, \$IA, \$INFO, INFO, MI, \$MI | MBAC=7.20, MAXBAC=8.25, ALTBAC=6.55, TipBAC=10.00 | 7.98 | | | 1 |
| 646 | MILZ000033 | INFO, \$INFO, IA, \$IA, MI, \$MI | MBAC=6.71, MAXBAC=8.95, ALTBAC=0.00, TipBAC=8.00 | 7.97 | | | 2 |
| 647 | MILZ000437 | MI | MBAC=8.21, MAXBAC=8.45, ALTBAC=0.00, TipBAC=8.00 | 7.97 | | | 1 |
| 648 | MILZ000632 | MI, \$MI | MBAC=8.03, MAXBAC=7.95, ALTBAC=0.00, TipBAC=10.00 | 7.97 | | | 1 |
| 649 | MILZ000894 | INFO, \$INFO | MBAC=8.18, MAXBAC=8.45, ALTBAC=0.00, TipBAC=8.00 | 7.96 | | | 1 |
| 650 | MILZ000754 | INFO, \$INFO, IA, \$IA, MI, \$MI | MBAC=8.33, MAXBAC=7.85, ALTBAC=7.85, TipBAC=10.00 | 7.96 | | | 1 |
| 651 | MILZ000031 | INFO, IA | MBAC=8.45, MAXBAC=7.80, ALTBAC=0.00, TipBAC=10.00 | 7.96 | | | 1 |
| 652 | MILZ000180 | INFO, IA, \$INFO, \$IA | MBAC=7.26, MAXBAC=8.45, ALTBAC=0.00, TipBAC=9.00 | 7.94 | | | 1 |
| 653 | MILZ000506 | MI, INFO, IA, \$MI, \$INFO, \$IA | MBAC=8.05, MAXBAC=7.90, ALTBAC=7.10, TipBAC=10.00 | 7.93 | | | 1 |
| 654 | MILZ000129 | INFO, \$INFO, IA, \$IA, MI, \$MI | MBAC=7.85, MAXBAC=8.50, ALTBAC=0.00, TipBAC=8.00 | 7.92 | | | 1 |
| 655 | MILZ000661 | \$IA, \$INFO | MBAC=8.65, MAXBAC=7.95, ALTBAC=0.00, TipBAC=9.00 | 7.92 | | | 1 |
| 656 | MILZ000933 | MI | MBAC=8.16, MAXBAC=8.10, ALTBAC=0.00, TipBAC=9.00 | 7.91 | | | 1 |
| 657 | MILZ000492 | IA, \$IA | MBAC=8.61, MAXBAC=7.95, ALTBAC=0.00, TipBAC=9.00 | 7.91 | | | 1 |
| 658 | MILZ000732 | MI, IA, INFO, \$MI | MBAC=6.85, MAXBAC=8.20, ALTBAC=0.00, TipBAC=10.00 | 7.86 | | | 1 |
| 659 | MILZ000076 | \$INFO, MI, \$MI | MBAC=7.76, MAXBAC=8.40, ALTBAC=0.00, TipBAC=8.00 | 7.82 | | | 1 |
| 660 | MILZ000467 | MI, \$MI | MBAC=7.45, MAXBAC=7.95, ALTBAC=7.85, TipBAC=10.00 | 7.82 | | | 1 |
| 661 | MILZ000195 | MI, \$MI, INFO, \$INFO, IA, \$IA | MBAC=7.01, MAXBAC=8.05, ALTBAC=5.50, TipBAC=10.00 | 7.79 | | | 1 |
| 662 | MILZ000458 | INFO, \$INFO, IA, \$IA, MI, \$MI | MBAC=7.18, MAXBAC=8.00, ALTBAC=6.75, TipBAC=10.00 | 7.79 | | | 1 |
| 663 | MILZ000015 | INFO, \$INFO, IA, \$IA | MBAC=7.90, MAXBAC=8.00, ALTBAC=0.00, TipBAC=9.00 | 7.77 | | | 1 |
| 664 | MILZ000278 | \$MI, \$INFO, \$IA | MBAC=7.56, MAXBAC=7.85, ALTBAC=0.00, TipBAC=10.00 | 7.77 | | | 1 |
| 665 | MILZ000011 | INFO, IA, \$INFO, \$IA | MBAC=8.16, MAXBAC=7.65, ALTBAC=0.00, TipBAC=10.00 | 7.77 | | | 1 |

| Nr | Legitim. | Optiuni | Note | Medie | Admis la | Obs. | S |
|-----|------------|---|---|-------|----------|--------|---|
| 666 | MILZ000259 | IA, INFO, \$IA, \$INFO, MI, \$MI | MBAC=7.80, MAXBAC=7.75, ALTBAC=0.00, TipBAC=10.00 | 7.76 | | | 1 |
| 667 | MILZ000872 | INFO, \$INFO | MBAC=8.50, MAXBAC=8.00, ALTBAC=0.00, TipBAC=8.00 | 7.71 | | | 1 |
| 668 | MILZ000780 | MI, INFO, \$MI, \$INFO, IA, \$IA | MBAC=7.90, MAXBAC=7.65, ALTBAC=7.65, TipBAC=10.00 | 7.71 | | | 1 |
| 669 | MILZ000032 | MI, \$MI | MBAC=7.33, MAXBAC=8.35, ALTBAC=0.00, TipBAC=8.00 | 7.69 | | | 2 |
| 670 | MILZ000741 | IA, \$IA | MBAC=8.06, MAXBAC=8.25, ALTBAC=0.00, TipBAC=8.00 | 7.68 | | | 1 |
| 671 | MILZ000584 | \$IA, \$INFO | MBAC=7.70, MAXBAC=8.20, ALTBAC=0.00, TipBAC=8.00 | 7.67 | | | 1 |
| 672 | MILZ000011 | MI, \$MI, INFO, \$INFO, IA, \$IA | MBAC=7.45, MAXBAC=7.75, ALTBAC=0.00, TipBAC=10.00 | 7.67 | | | 2 |
| 673 | MILZ000913 | INFO, IA, \$INFO, \$IA, MI, \$MI | MBAC=7.30, MAXBAC=8.05, ALTBAC=0.00, TipBAC=9.00 | 7.66 | | | 1 |
| 674 | MILZ000021 | MI, INFO, IA, \$MI, \$INFO, \$IA | MBAC=7.45, MAXBAC=8.25, ALTBAC=0.00, TipBAC=8.00 | 7.64 | | | 1 |
| 675 | MILZ000882 | INFO, IA, MI | MBAC=7.10, MAXBAC=7.80, ALTBAC=5.95, TipBAC=10.00 | 7.62 | | | 1 |
| 676 | MILZ000818 | IA, INFO, MI, \$IA, \$INFO, \$MI | MBAC=7.16, MAXBAC=8.30, ALTBAC=0.00, TipBAC=8.00 | 7.61 | | | 1 |
| 677 | MILZ000497 | IA, \$IA, INFO, MI, \$INFO, \$MI | MBAC=7.45, MAXBAC=8.20, ALTBAC=0.00, TipBAC=8.00 | 7.61 | | | 1 |
| 678 | MILZ000663 | IA, INFO, MI, \$IA, \$INFO, \$MI | MBAC=8.01, MAXBAC=7.75, ALTBAC=0.00, TipBAC=9.00 | 7.61 | | | 1 |
| 679 | MILZ210001 | \$INFO, INFO, \$MI, MI | MBAC=7.86, MAXBAC=8.05, ALTBAC=0.00, TipBAC=8.00 | 7.60 | | DZ | 1 |
| 680 | MILZ000001 | MI, \$MI, INFO, \$INFO, IA, \$IA | MBAC=7.65, MAXBAC=8.10, ALTBAC=0.00, TipBAC=8.00 | 7.58 | | | 1 |
| 681 | MILZ000893 | \$MI | MBAC=6.95, MAXBAC=8.05, ALTBAC=7.40, TipBAC=9.00 | 7.58 | | | 1 |
| 682 | MILZ000063 | MI, \$MI | MBAC=8.10, MAXBAC=7.40, ALTBAC=0.00, TipBAC=10.00 | 7.57 | | | 1 |
| 683 | MILZ000491 | MI, INFO, IA | MBAC=6.71, MAXBAC=8.35, ALTBAC=0.00, TipBAC=8.00 | 7.54 | | | 1 |
| 684 | MILZ000731 | \$INFO | MBAC=7.83, MAXBAC=7.45, ALTBAC=6.55, TipBAC=10.00 | 7.54 | | | 1 |
| 685 | MILZ000636 | MI, INFO, IA | MBAC=8.03, MAXBAC=7.90, ALTBAC=0.00, TipBAC=8.00 | 7.53 | | | 1 |
| 686 | MILZ000408 | INFO, IA, \$INFO, \$IA | MBAC=7.15, MAXBAC=7.65, ALTBAC=6.60, TipBAC=10.00 | 7.52 | | | 1 |
| 687 | MILZ000236 | INFO, IA, \$INFO, \$IA | MBAC=7.01, MAXBAC=8.20, ALTBAC=0.00, TipBAC=8.00 | 7.50 | | | 1 |
| 688 | MILZ000488 | MI, \$MI, INFO, \$INFO, IA, \$IA | MBAC=7.80, MAXBAC=7.40, ALTBAC=7.20, TipBAC=10.00 | 7.50 | | | 1 |
| 689 | MILZ000449 | MI, \$MI, INFO, \$INFO, IA, \$IA | MBAC=8.73, MAXBAC=7.35, ALTBAC=0.00, TipBAC=9.00 | 7.50 | | | 1 |
| 690 | MILZ000884 | \$IA, \$INFO | MBAC=7.46, MAXBAC=7.65, ALTBAC=0.00, TipBAC=9.00 | 7.41 | | | 1 |
| 691 | MILZ000306 | IA, INFO, \$IA, \$INFO | MBAC=6.81, MAXBAC=7.60, ALTBAC=6.20, TipBAC=10.00 | 7.40 | | | 1 |
| 692 | MILZ000085 | \$INFO, INFO | MBAC=7.21, MAXBAC=7.45, ALTBAC=7.35, TipBAC=10.00 | 7.39 | | | 1 |
| 693 | MILZ000800 | INFO, IA, \$INFO, \$IA | MBAC=6.91, MAXBAC=7.50, ALTBAC=6.50, TipBAC=10.00 | 7.35 | | | 1 |
| 694 | MILZ000269 | INFO, IA, \$MI, \$INFO, \$IA, MI | MBAC=7.76, MAXBAC=7.20, ALTBAC=6.70, TipBAC=10.00 | 7.34 | | | 1 |
| 695 | MILZ000487 | \$INFO, \$IA, INFO, IA, \$MI, MI | MBAC=6.95, MAXBAC=7.70, ALTBAC=0.00, TipBAC=9.00 | 7.32 | | | 1 |
| 696 | MILZ000664 | IA, \$IA, INFO, \$INFO, MI, \$MI | MBAC=7.78, MAXBAC=7.65, ALTBAC=0.00, TipBAC=8.00 | 7.29 | | | 1 |
| 697 | MILZ000421 | INFO, \$INFO, IA, \$IA | MBAC=7.70, MAXBAC=7.40, ALTBAC=0.00, TipBAC=9.00 | 7.28 | | | 1 |
| 698 | MILZ000007 | IA, \$IA, INFO, \$INFO | MBAC=7.40, MAXBAC=7.25, ALTBAC=7.20, TipBAC=10.00 | 7.28 | | | 1 |
| 699 | MILZ000066 | MI, \$MI | MBAC=7.83, MAXBAC=7.10, ALTBAC=0.00, TipBAC=10.00 | 7.28 | | | 1 |
| 700 | MILZ000668 | IA, \$IA, INFO, \$INFO | MBAC=6.36, MAXBAC=7.50, ALTBAC=5.00, TipBAC=10.00 | 7.21 | | | 1 |
| 701 | MILZ000337 | INFO, MI, IA | MBAC=6.71, MAXBAC=7.25, ALTBAC=5.80, TipBAC=10.00 | 7.11 | | | 1 |
| 702 | MILZ000476 | INFO, \$INFO, IA, \$IA | MBAC=6.23, MAXBAC=7.90, ALTBAC=0.00, TipBAC=8.00 | 7.10 | | | 1 |
| 703 | MILZ000885 | MI, INFO, \$MI | MBAC=7.06, MAXBAC=7.05, ALTBAC=6.60, TipBAC=10.00 | 7.05 | | | 1 |
| 704 | MILZ210007 | INFO-DZ, INFO, IA | MBAC=6.58, MAXBAC=7.65, ALTBAC=0.00, TipBAC=8.00 | 7.01 | | DZ | 1 |
| 705 | MILZ000350 | INFO, IA, MI, \$INFO, \$IA, \$MI | MBAC=8.18, MAXBAC=6.55, ALTBAC=0.00, TipBAC=10.00 | 6.95 | | | 1 |
| 706 | MILZ000638 | INFO, IA, \$INFO, \$IA | MBAC=6.33, MAXBAC=7.15, ALTBAC=6.45, TipBAC=10.00 | 6.94 | | | 1 |
| 707 | MILZ210010 | MI-MR, MI, \$MI | MBAC=7.66, MAXBAC=6.95, ALTBAC=0.00, TipBAC=9.00 | 6.94 | | DZ, MR | 1 |
| 708 | MILZ210021 | INFO-MR, IA-MR, MI-MR, INFO, MI, IA, \$INFO, \$IA | MBAC=6.06, MAXBAC=7.05, ALTBAC=5.60, TipBAC=10.00 | 6.80 | | MR | 1 |
| 709 | MILZ000634 | MI, \$MI, INFO, \$INFO, IA, \$IA | MBAC=7.23, MAXBAC=6.65, ALTBAC=6.85, TipBAC=10.00 | 6.79 | | | 1 |
| 710 | MILZ000773 | IA, \$IA, MI, \$MI, INFO, \$INFO | MBAC=7.21, MAXBAC=6.60, ALTBAC=0.00, TipBAC=10.00 | 6.75 | | | 1 |
| 711 | MILZ000016 | INFO, IA, MI, \$INFO, \$IA, \$MI | MBAC=6.20, MAXBAC=6.70, ALTBAC=5.40, TipBAC=10.00 | 6.57 | | | 2 |
| 712 | MILZ000926 | IA, MI, \$IA, INFO | MBAC=6.86, MAXBAC=6.35, ALTBAC=0.00, TipBAC=10.00 | 6.47 | | | 1 |
| 713 | MILZ000164 | INFO, IA, MI, \$INFO, \$IA, \$MI | MBAC=6.05, MAXBAC=6.60, ALTBAC=5.10, TipBAC=10.00 | 6.46 | | | 1 |
| 714 | MILZ000795 | MI, INFO, IA, \$MI, \$INFO, \$IA | MBAC=7.28, MAXBAC=6.60, ALTBAC=0.00, TipBAC=8.00 | 6.43 | | | 1 |
| 715 | MILZ000612 | \$IA, \$INFO, \$MI | MBAC=7.28, MAXBAC=6.45, ALTBAC=0.00, TipBAC=8.00 | 6.32 | | | 1 |
| 716 | MILZ000511 | MI, IA, \$MI, \$IA | MBAC=6.00, MAXBAC=6.85, ALTBAC=0.00, TipBAC=8.00 | 6.30 | | | 1 |
| 717 | MILZ000322 | \$INFO | MBAC=6.58, MAXBAC=6.65, ALTBAC=0.00, TipBAC=8.00 | 6.30 | | | 1 |
| 718 | MILZ000903 | \$INFO, \$MI, \$IA, INFO, MI, IA | MBAC=6.08, MAXBAC=6.35, ALTBAC=0.00, TipBAC=9.00 | 6.12 | | | 1 |
| 719 | MILZ000003 | INFO, \$INFO, IA, \$IA, MI, \$MI | MBAC=6.25, MAXBAC=6.40, ALTBAC=0.00, TipBAC=8.00 | 6.04 | | | 2 |
| 720 | MILZ000896 | \$INFO, \$IA | MBAC=7.51, MAXBAC=5.75, ALTBAC=0.00, TipBAC=9.00 | 6.03 | | | 1 |
| 721 | MILZ000101 | INFO, IA, MI, \$INFO, \$IA, \$MI | MBAC=6.06, MAXBAC=6.00, ALTBAC=5.20, TipBAC=10.00 | 6.01 | | | 1 |
| 722 | MILZ000004 | IA, \$IA, INFO, \$INFO, MI, \$MI | MBAC=6.36, MAXBAC=5.85, ALTBAC=0.00, TipBAC=9.00 | 5.82 | | | 2 |
| 723 | MILZ000650 | \$INFO | MBAC=7.02, MAXBAC=5.25, ALTBAC=0.00, TipBAC=10.00 | 5.69 | | | 1 |
| 724 | MILZ000597 | IA, \$IA | MBAC=7.96, MAXBAC=0.00, ALTBAC=0.00, TipBAC=8.00 | 1.89 | | | 1 |
| 725 | MILZ210022 | INFO-DZ, IA, \$IA, INFO, \$INFO | MBAC=7.51, MAXBAC=0.00, ALTBAC=0.00, TipBAC=8.00 | 1.78 | | DZ | 1 |
| 726 | MILZ000035 | \$INFO, \$IA, \$MI | MBAC=6.50, MAXBAC=0.00, ALTBAC=0.00, TipBAC=8.00 | 1.54 | | | 2 |

PRESEDINTE COMISIE DE ADMITERE PE UNIVERSITATE,
PROF.DR.ING. IOAN VASILE ABRUDAN

SECRETAR COMISIE DE ADMITERE PE UNIVERSITATE,
PROF. DR. ING. MARIUS CRISTIAN LUCULESCU

PRESEDINTE COMISIE DE ADMITERE FACULTATE,
CONF. DR. NICUȘOR MINCULETE

SECRETAR COMISIE DE ADMITERE FACULTATE,
LECT. DR. NICOLETA ENACHE- DAVID